



2021 Central Minnesota Community Health Survey



CENTRAL MN ALLIANCE **STRENGTHENING PARTNERSHIPS FOR CHANGE**

Americans with Disabilities Act Advisory:

This information is available in accessible formats to individuals with disabilities. For information about equal access to services call 320-656-6000 (voice). TTY users place calls through 320-656-6204 (TTY).

Acknowledgements

Partnering agencies:



Stearns County



This report was prepared by:

Sam Hageman, Benton County
Ann Kinney, Minnesota Department of Health
Jennifer Lezer, Benton County
Peggy Sammons, Stearns County

The Central Minnesota Alliance would like to thank the many individuals who provided advice and support for the development of the 2021 Central Minnesota Community Health Survey including Sam Hageman, Mariah Klein, Jennifer Lezer and Jaclyn Litfin (Benton County), Ann Kinney (Minnesota Department of Health), Rachel Anyu, Dan Backes, Pam Beckering, Delali Degbey, Hannah Dockendorf, Jodi Gertken, Sergio Guerrero, Angelic Hightand Hani Jacobson (CentraCare), Brian Davis, Allison Dudek, Janet Goligowski, Samantha Heskin, Mike Matanich, Natalia Nice, Danielle Protivinsky, Peggy Sammons, and Jennifer Wald (Stearns County), and Cody Engelhaupt, Amanda Larson, Abdi Osman, Nicole Ruhoff, and Kara Zoller (Sherburne County).

In addition, the Central MN Alliance would especially like to thank the more than 1,500 residents in Benton, Sherburne and Stearns counties who completed the survey.

This study was funded equally by CentraCare and the public health departments of Benton, Sherburne and Stearns Counties, using a portion of their grant funds from the Minnesota Department of Health's Statewide Health Improvement Partnership.

Suggested Citation:

Hageman S, Kinney A, Lezer J, Sammons P; *Central Minnesota Alliance* (2018). *Central Minnesota Community Health Survey Data Book*. October 2021.

Table of Contents

Page Number	Content
4	Survey Methodology Overview
4	Survey Instrument
4	Sample
4	Survey Administration
5	Survey Response
5	Data Entry and Weighting
5	About the Data Tables
7	About the Survey Methods
8	Sample Characteristics
10	Data Tables
10	General Health and Health Care
11	Health Conditions
31	Medical Care
48	Routine Check-Up
54	Delayed Medical Care
70	Delayed Dental Care
89	Delayed Mental Health Care
104	Felt sad, blue or depressed
105	Medications Prescribed
106	Prescriptions Not Filled
107	Health Insurance Status
108	Healthy Eating
125	Active Living
137	Community Safety
139	Discrimination
159	Tobacco Use
169	Isolation
170	Suicide
175	COVID-19 Losses
191	Health, Wellness and Medical Information
208	Body Mass Index Status
209	Community Concerns
211	Issues for Families
217	Social Experience
220	Discrimination
229	Tobacco and Other Drug Use
234	Mental Health
241	Appendices
242	2021 Community Health Survey Tool

Survey Methodology Overview

The *Central Minnesota Community Health Survey* of adults was conducted between March and June 2021 in Benton, Sherburne, and Stearns counties.

Survey Instrument

For the 2021 survey, a number of changes were made to the content of a survey conducted in the region in 2016. Staff from each of the participating public health agencies and from CentraCare Health System selected and developed the questions for the 2016 and 2021 survey instruments, with technical assistance from the Minnesota Department of Health Center for Health Statistics. The 2021 survey was formatted by the survey vendor, Survey Systems, Inc. of Shoreview, MN, as a scannable, self-administered English-language questionnaire.

Sample

A disproportionate stratified design was employed for the sample. Six sampling strata were defined by county and ZIP code boundaries. Within each stratum, a two-stage sampling strategy was used for obtaining a probability sample of adults. For the first stage of sampling, a random sample of residential addresses within each stratum was purchased from a national sampling vendor (Marketing Systems Group of Horsham, PA). Address-based sampling was used so that all households would have an equal chance of being sampled for the survey. Marketing Systems Group obtained the list of addresses from the U.S. Postal Service. For the second stage of sampling, the “most recent birthday” method of within-household respondent selection was used to specify one adult from each selected household to complete the survey.

Survey Administration

An initial survey packet was mailed to 7,268 sampled households that included a cover letter, the survey instrument, and a postage-paid return envelope on April 5 and 6, 2021. About 10 days after the first survey packets were mailed (April 15), a reminder postcard was sent to all sampled households, reminding those who had not yet returned a survey to do so, and thanking those who had already responded. Three weeks after the reminder postcards were mailed (May 6 and 7), another full survey packet was sent to all households that had still not returned the survey. The remaining completed surveys were received over the next four weeks, with the final date for the receipt of surveys being June 18, 2021.

Survey Response

Reporting area	Number of addresses sampled	Number of completed surveys	Response rate
St. Cloud metro (56301, 56303, 56304, 56374, 56377, 56379, and 56387)	2,468	470	19.0%
Stearns County whole	2,760	604	21.9%
Stearns County "rural" (Stearns excluding 56301, 56303, 56374, 56377, and 56387)	1,600	390	24.4%
Benton County whole	2,400	549	22.9%
Benton County "rural" (Benton excluding 56304, 56379 and 56377)	1,600	403	25.2%
Sherburne County whole	2,108	397	18.8%
Three county region	7,268	1550	21.3%

Data Entry and Weighting

The responses from the completed surveys were scanned into an electronic file by Survey Systems, Inc.

To ensure that the survey results are representative of the adult population of each reporting area, the data were weighted when analyzed. The weighting accounts for the sample design by adjusting for the number of adults living in each sampled household and for the disproportionate stratification. The weighting also includes a post-stratification adjustment so that the gender and age distribution of the survey respondents mirrors the gender and age distribution of the adult population of each reporting area according to U.S. Census 2010 estimates.

About the Data Tables

For every table in this data book, results are displayed for sub-groups of respondents based on:

- Gender: male and female
- Age: 18-34, 35-44, 45-54, 55-64, 65-74, and 75+
- Highest level of education: high school graduate/GED or less, trade or vocational school/some college/Associate degree, bachelor's degree, and graduate or professional degree
- Poverty status: Less than or equal to 200% of poverty level, and more than 200% of poverty level (example: In 2020, a family of 4 with annual income of \$52,500 = 200% of poverty level)

The columns in each table correspond to the response options respondents were given on the survey; each column indicates the percentage of respondents who gave that response to the question. Some questions apply only to certain types of respondents (due to skip patterns in the survey).

Two different types of tables are included in this report:

- Some tables include all response options for a particular question in one table. Each table contains the Stearns County level results, as well as gender, age, education, and poverty status. In addition, each table includes “Local Comparisons” as a quick reference to the other geographic area totals for that question.
- Some tables display results for the sub-questions included in a multi-question. These tables only include aggregate data.

Data in each row is rounded to the nearest tenth of a percentage; therefore, some rows may equal 99% rather than 100%.

Data Suppressed (DS): For statistical validity purposes, data is suppressed when the number of respondents to the question is less than 30. At times, only specific breakdowns in the data tables are suppressed if there are less than 30 respondents from a demographic subgroup (Gender, Age groups, Education, and Poverty status). All suppressed data will be indicated on the table with DS. This assures respondents cannot be identified and the survey remains anonymous.

Collection of Sex, Gender Identity, and Sexual Orientation

To respect the dignity and diversity of our region’s residents, for the first time on the Central Minnesota Community Health Survey, an expanded sex (male, female) question was offered by asking “What best describes your gender identity?” and offered six categories and an open-ended text option, and a separate question regarding sexual orientation was added also with six categories and an open-ended text option.

For the purposes of statistical weighting by sex, the survey responses for gender identity were used. For survey respondents that selected categories of transgender male, transgender female, non-binary, or described their identity via a narrative response, the benefit of giving their survey responses a voice by including them was weighed against the negative consequence of having to impute male or female sex for each to allow statistical weighting, and thereby inclusion of their responses. The decision was made to include the responses for the respondents that selected either transgender male, transgender female, non-binary, or described their identity via a narrative response within the male and female subgroups. We acknowledge that this is an imperfect solution. Measurement in survey research faces increasing statistical and ethical challenges as we move toward a more diverse recognition of sex and gender constructs, with no currently recognized single best solution.¹

The survey results by gender identity are included in the Sample Characteristics section of this methodology section. These data are available for researchers interested in pursuing further analyses. As survey science evolves to fully embrace the complexities of sex and gender characteristics, our hope is that both ethical and statistical solutions for measurement will be developed and universally applied to advance health equity.

About the Survey Methods

- This is a mailed survey. According to best practices in survey research (i.e., best response rate for lowest cost), a three-mailing sequence was used for all sampled households, which includes an initial survey packet, a reminder post card, and a final packet.
- The survey was sent to a random sample of households in the three counties. All households had a chance of being sampled.
- The response rates for this survey are within the expected range for surveys using the three-mailing sequence with no incentive offered for participation.
- The survey data are adjusted using design weighting, which is necessary to account for the sample design, and post-stratification weighting, which is a statistical technique commonly used to adjust for nonresponse bias (whereby certain types of people are more or less likely to respond to surveys).
- These methods ultimately produced a final sample that is statistically representative of the adult population.

¹ - Kennedy, L., Khanna, K., Simpson, D. & Gelman, A. (2020). Using Sex and Gender in Survey Adjustment. Unpublished, September 30, 2020. Retrieved April 20, 2021 from, http://www.stat.columbia.edu/~gelman/research/unpublished/Using_gender_in_surveys.p

Sample Characteristics

		Unweighted Frequency	Unweighted Percent	Weighted Percent
Stearns Total				
Gender	Male	260	43.2	50.2
	Female	340	56.5	49.7
	Transgender male	1	0.2	0.1
	Transgender female	0	0.0	0.0
	Non-binary	1	0.2	0.1
	Other gender identity	1	0.2	1.1
	Sexual Orientation	Straight/heterosexual	563	93.5
Gay/lesbian		20	3.3	5.1
Bisexual		6	1.0	0.9
Pansexual		2	0.3	0.3
Queer		3	0.5	0.2
Asexual		4	0.7	0.4
Other sexual orientation		1	0.2	0.0
Age Group	18-34	50	8.3	37.0
	35-44	64	10.6	15.1
	45-54	65	10.8	18.1
	55-64	133	22.1	13.9
	65-74	172	28.6	8.1
	75+	118	19.6	7.8
Race/Ethnicity	White	575	95.5	93.4
	BIMPOC*	27	4.5	6.6
	Hispanic/Latino/a	3	.5	1.1
	Somali	3	0.5	1.5
	American Indian/Alaska Native	4	0.7	0.3
	Asian or Asian American	5	0.8	2.4
	Black or African American	4	0.7	1.3
	African Native	1	0.2	0.5
	Native Hawaiian or Pacific Islander	1	0.2	0.2
	Other race	13	2.2	4.5
Education	High school/GED or less	188	31.7	17.8
	Some college/Trade or vocational school/Associate degree	195	32.9	32.9
	Bachelor's degree	126	21.2	33.2
	Graduate/professional degree	84	14.2	16.1

*BIMPOC (Black, Indigenous, Multiracial, People(s) of Color)

Sample Characteristics

		Unweighted Frequency	Unweighted Percent	Weighted Percent
Stearns Total				
Income	\$25,000 or less	83	14.9	11.4
	\$25,501-\$34,500	44	7.9	4.3
	\$34,501-\$43,500	54	9.7	7.7
	\$43,501-\$52,500	63	11.3	9.7
	\$52,501-\$61,500	36	6.5	6.3
	\$61,501-\$70,000	35	6.3	3.7
	\$61,501-\$70,000	47	8.5	7.5
	\$79,001-\$88,000	26	4.7	6.0
	\$88,001-\$100,000	43	7.7	8.0
	More than \$100,000	125	22.5	35.5
Poverty Status	<Less than 200%	122	21.9	17.4
	200% or more	434	78.1	82.6

General Health and Health Care

1. In general, would you say that your health is excellent, very good, good, fair or poor?

		Poor	Fair	Good	Very good	Excellent
Stearns Total		0.6%	4.0%	30.7%	54.8%	9.9%
Gender	Male	1.2%	4.4%	31.4%	52.9%	10.0%
	Female	0.0%	3.6%	29.9%	56.8%	9.7%
Age groups	18-34	0.0%	0.0%	19.8%	70.2%	10.0%
	35-44	0.0%	3.2%	35.3%	54.3%	7.3%
	45-54	1.9%	1.9%	27.7%	52.8%	15.8%
	55-64	0.6%	9.0%	40.5%	40.9%	9.1%
	65-74	1.0%	14.4%	41.0%	38.0%	5.6%
	75+	1.7%	11.9%	56.7%	24.1%	5.6%
Education	High school graduate/GED or less	0.0%	9.7%	41.5%	45.4%	3.4%
	Trade/Voc, Associate degree or some college	1.8%	3.5%	33.7%	50.1%	11.0%
	Bachelor's degree	0.0%	1.5%	26.9%	59.4%	12.3%
	Graduate or professional degree	0.3%	3.0%	20.5%	66.1%	10.1%
Poverty status	200% poverty or less	2.6%	8.1%	33.6%	39.8%	15.9%
	Greater than 200% poverty	0.3%	3.1%	31.9%	55.4%	9.2%
Local Comparisons						
Local Comparisons	Benton	1.6%	11.2%	37.6%	36.8%	12.7%
	Region	0.8%	5.5%	31.4%	51.5%	10.8%
	Rural Stearns	1.2%	5.1%	33.9%	50.2%	9.7%
	Sherburne	0.7%	5.4%	29.7%	52.8%	11.4%
	St. Cloud	0.7%	6.3%	30.4%	53.0%	9.6%

2. Have you ever been told by a doctor, nurse, or other health professional that you had any of the following health conditions?

	No	Yes	Yes, during pregnancy
Stearns Total			
Diabetes	91.5%	8.2%	0.3%
Pre-diabetes	91.4%	8.1%	0.5%
High blood pressure/hypertension	73.8%	24.2%	1.9%
Pre-hypertension	89.0%	10.4%	0.6%
Depression	76.7%	22.7%	0.6%
Anxiety or panic attacks	77.1%	22.9%	
Memory loss, Alzheimer's disease or another form of dementia	98.0%	2.0%	
Post-traumatic stress disorder (PTSD)	91.6%	8.4%	
Other mental health issues	93.3%	6.7%	
Sleep-related disorders (such as insomnia, restless leg syndrome or sleep apnea)	83.6%	16.4%	
Cancer	93.4%	6.6%	
Heart trouble or angina	94.2%	5.8%	
Stroke or stroke-related health issues	95.9%	4.1%	
High cholesterol or triglycerides	76.4%	23.6%	
Chronic lung disease (including COPD, chronic bronchitis or emphysema)	97.1%	2.9%	
Asthma	92.3%	7.7%	
Arthritis	79.0%	21.0%	
Risk of falling	95.6%	4.4%	
Sexually transmitted diseases/infections (Chlamydia, HIV, etc.)	96.7%	3.3%	

3. Have you ever been told by a doctor, nurse, or other health professional that you had diabetes?

		No	Yes	Yes, during pregnancy
Stearns Total		91.5%	8.2%	0.3%
Gender	Male	91.0%	9.0%	0.0%
	Female	92.0%	7.4%	0.6%
Age groups	18-34	97.6%	2.4%	0.0%
	35-44	91.9%	6.2%	1.9%
	45-54	88.9%	11.1%	0.0%
	55-64	89.0%	11.0%	0.0%
	65-74	85.8%	14.2%	0.0%
	75+	77.6%	22.4%	0.0%
Education	High school graduate/GED or less	82.3%	17.7%	0.0%
	Trade/Voc, Associate degree or some college	94.8%	5.2%	0.0%
	Bachelor's degree	94.0%	6.0%	0.0%
	Graduate or professional degree	89.7%	8.5%	1.8%
Poverty 200%	200% poverty or less	86.8%	13.2%	0.0%
	Greater than 200% poverty	92.7%	6.9%	0.4%
Local Comparisons				
Local Comparisons	Benton	87.6%	11.5%	0.8%
	Region	90.7%	8.4%	0.9%
	Rural Stearns	90.9%	8.4%	0.7%
	Sherburne	90.8%	7.2%	1.9%
	St. Cloud	90.5%	9.1%	0.3%

4. Have you ever been told by a doctor, nurse, or other health professional that you had pre-diabetes?

		No	Yes	Yes, during pregnancy
Stearns Total		91.4%	8.1%	0.5%
Gender	Male	92.6%	7.4%	0.0%
	Female	90.1%	8.8%	1.1%
Age groups	18-34	98.6%	0.5%	0.8%
	35-44	95.9%	4.1%	0.0%
	45-54	87.6%	12.4%	0.0%
	55-64	86.1%	13.2%	0.7%
	65-74	77.3%	22.2%	0.5%
	75+	80.6%	18.4%	1.0%
Education	High school graduate/GED or less	87.4%	12.1%	0.4%
	Trade/Voc, Associate degree or some college	94.5%	5.1%	0.4%
	Bachelor's degree	93.1%	6.9%	0.0%
	Graduate or professional degree	86.9%	11.2%	1.9%
Poverty 200%	200% poverty or less	91.6%	7.9%	0.5%
	Greater than 200% poverty	92.0%	7.9%	0.1%
Local Comparisons				
Local Comparisons	Benton	88.8%	10.4%	0.8%
	Region	91.2%	8.3%	0.6%
	Rural Stearns	90.5%	8.2%	1.3%
	Sherburne	91.9%	7.5%	0.5%
	St. Cloud	91.4%	8.3%	0.3%

5. Have you ever been told by a doctor, nurse, or other health professional that you had high blood pressure/hypertension?

		No	Yes	Yes, during pregnancy
Stearns Total		73.8%	24.2%	1.9%
Gender	Male	76.1%	22.9%	0.9%
	Female	71.5%	25.6%	3.0%
Age groups	18-34	90.5%	6.4%	3.1%
	35-44	81.6%	15.2%	3.1%
	45-54	77.7%	21.0%	1.4%
	55-64	56.9%	42.6%	0.5%
	65-74	40.6%	59.4%	0.0%
	75+	35.1%	64.9%	0.0%
Education	High school graduate/GED or less	57.9%	42.1%	0.0%
	Trade/Voc, Associate degree or some college	77.6%	21.0%	1.4%
	Bachelor's degree	81.0%	17.5%	1.6%
	Graduate or professional degree	70.8%	23.0%	6.2%
Poverty 200%	200% poverty or less	68.7%	31.3%	0.0%
	Greater than 200% poverty	74.1%	23.6%	2.2%
Local Comparisons				
Local Comparisons	Benton	73.8%	24.9%	1.3%
	Region	76.0%	22.3%	1.6%
	Rural Stearns	71.5%	26.0%	2.5%
	Sherburne	81.0%	17.7%	1.2%
	St. Cloud	74.9%	23.7%	1.4%

6. Have you ever been told by a doctor, nurse, or other health professional that you had pre-hypertension?

		No	Yes	Yes, during pregnancy
Stearns Total		89.0%	10.4%	0.6%
Gender	Male	88.8%	11.2%	0.0%
	Female	89.1%	9.6%	1.3%
Age groups	18-34	89.6%	9.6%	0.8%
	35-44	90.9%	9.1%	0.0%
	45-54	87.2%	12.8%	0.0%
	55-64	88.2%	9.5%	2.3%
	65-74	86.8%	13.2%	0.0%
	75+	90.0%	10.0%	0.0%
Education	High school graduate/GED or less	90.4%	9.6%	0.0%
	Trade/Voc, Associate degree or some college	93.8%	5.5%	0.8%
	Bachelor's degree	85.2%	14.6%	0.2%
	Graduate or professional degree	85.3%	12.8%	1.9%
Poverty 200%	200% poverty or less	89.6%	10.4%	0.0%
	Greater than 200% poverty	87.7%	11.8%	0.4%
Local Comparisons				
Local Comparisons	Benton	93.3%	6.3%	0.4%
	Region	91.6%	8.0%	0.4%
	Rural Stearns	90.7%	8.4%	0.9%
	Sherburne	95.4%	4.5%	0.1%
	St. Cloud	89.1%	10.3%	0.5%

7. Have you ever been told by a doctor, nurse, or other health professional that you had depression?

		No	Yes	Yes, during pregnancy
Stearns Total		76.7%	22.7%	0.6%
Gender	Male	82.0%	18.0%	0.0%
	Female	71.3%	27.4%	1.2%
Age groups	18-34	77.9%	21.3%	0.8%
	35-44	69.2%	29.3%	1.5%
	45-54	78.8%	21.2%	0.0%
	55-64	74.0%	26.0%	0.0%
	65-74	78.0%	21.0%	1.0%
	75+	84.4%	15.6%	0.0%
Education	High school graduate/GED or less	75.9%	24.1%	0.0%
	Trade/Voc, Associate degree or some college	69.7%	29.6%	0.7%
	Bachelor's degree	80.4%	19.3%	0.3%
	Graduate or professional degree	83.1%	15.0%	1.9%
Poverty 200%	200% poverty or less	69.5%	29.0%	1.5%
	Greater than 200% poverty	75.4%	24.5%	0.1%
Local Comparisons	Benton	68.6%	30.8%	0.6%
	Region	77.4%	22.1%	0.5%
	Rural Stearns	83.8%	14.9%	1.3%
	Sherburne	82.7%	17.1%	0.2%
	St. Cloud	70.1%	29.7%	0.2%

8. Have you ever been told by a doctor, nurse, or other health professional that you had anxiety or panic attacks?

		No	Yes
Stearns Total		77.1%	22.9%
Gender	Male	82.5%	17.5%
	Female	71.7%	28.3%
Age groups	18-34	72.6%	27.4%
	35-44	74.9%	25.1%
	45-54	79.2%	20.8%
	55-64	78.3%	21.7%
	65-74	83.7%	16.3%
	75+	89.3%	10.7%
Education	High school graduate/GED or less	76.8%	23.2%
	Trade/Voc, Associate degree or some college	73.4%	26.6%
	Bachelor's degree	81.8%	18.2%
	Graduate or professional degree	74.9%	25.1%
Poverty 200%	200% poverty or less	69.7%	30.3%
	Greater than 200% poverty	76.0%	24.0%
Local Comparisons			
	Benton	71.7%	28.3%
	Region	76.6%	23.4%
	Rural Stearns	84.2%	15.8%
	Sherburne	77.9%	22.1%
	St. Cloud	71.4%	28.6%

9. Have you ever been told by a doctor, nurse, or other health professional that you had memory loss, Alzheimer's disease or another form of dementia?

		No	Yes
Stearns Total		98.0%	2.0%
Gender	Male	97.1%	2.9%
	Female	98.9%	1.1%
Age groups	18-34	100.0%	0.0%
	35-44	97.1%	2.9%
	45-54	96.5%	3.5%
	55-64	98.3%	1.7%
	65-74	99.2%	0.8%
	75+	91.8%	8.2%
Education	High school graduate/GED or less	96.7%	3.3%
	Trade/Voc, Associate degree or some college	98.6%	1.4%
	Bachelor's degree	97.8%	2.2%
	Graduate or professional degree	98.9%	1.1%
Poverty 200%	200% poverty or less	97.1%	2.9%
	Greater than 200% poverty	98.0%	2.0%
Local Comparisons			
	Benton	98.0%	2.0%
	Region	98.3%	1.7%
	Rural Stearns	97.4%	2.6%
	Sherburne	99.0%	1.0%
	St. Cloud	98.1%	1.9%

10. Have you ever been told by a doctor, nurse, or other health professional that you had post-traumatic stress disorder (PTSD)?

		No	Yes
Stearns Total		91.6%	8.4%
Gender	Male	94.5%	5.5%
	Female	88.7%	11.3%
Age groups	18-34	92.9%	7.1%
	35-44	80.0%	20.0%
	45-54	90.5%	9.5%
	55-64	95.6%	4.4%
	65-74	96.6%	3.4%
	75+	97.9%	2.1%
Education	High school graduate/GED or less	93.9%	6.1%
	Trade/Voc, Associate degree or some college	89.8%	10.2%
	Bachelor's degree	91.2%	8.8%
	Graduate or professional degree	93.2%	6.8%
Poverty 200%	200% poverty or less	95.0%	5.0%
	Greater than 200% poverty	90.6%	9.4%
Local Comparisons			
	Benton	88.2%	11.8%
	Region	92.7%	7.3%
	Rural Stearns	95.0%	5.0%
	Sherburne	96.8%	3.2%
	St. Cloud	88.5%	11.5%

11. Have you ever been told by a doctor, nurse, or other health professional that you had other mental health issues?

		No	Yes
Stearns Total		93.3%	6.7%
Gender	Male	91.1%	8.9%
	Female	95.6%	4.4%
Age groups	18-34	94.7%	5.3%
	35-44	83.1%	16.9%
	45-54	97.3%	2.7%
	55-64	92.4%	7.6%
	65-74	95.5%	4.5%
	75+	97.0%	3.0%
Education	High school graduate/GED or less	92.1%	7.9%
	Trade/Voc, Associate degree or some college	89.5%	10.5%
	Bachelor's degree	97.2%	2.8%
	Graduate or professional degree	95.3%	4.7%
Poverty 200%	200% poverty or less	82.0%	18.0%
	Greater than 200% poverty	94.9%	5.1%
Local Comparisons			
	Benton	88.9%	11.1%
	Region	93.7%	6.3%
	Rural Stearns	95.4%	4.6%
	Sherburne	96.6%	3.4%
	St. Cloud	90.5%	9.5%

12. Have you ever been told by a doctor, nurse, or other health professional that you had sleep-related disorders (such as insomnia, restless leg syndrome or sleep apnea)?

		No	Yes
Stearns Total		83.6%	16.4%
Gender	Male	81.9%	18.1%
	Female	85.4%	14.6%
Age groups	18-34	95.1%	4.9%
	35-44	85.7%	14.3%
	45-54	78.3%	21.7%
	55-64	73.3%	26.7%
	65-74	68.6%	31.4%
	75+	71.1%	28.9%
Education	High school graduate/GED or less	71.7%	28.3%
	Trade/Voc, Associate degree or some college	87.8%	12.2%
	Bachelor's degree	86.3%	13.7%
	Graduate or professional degree	83.8%	16.2%
Poverty 200%	200% poverty or less	73.1%	26.9%
	Greater than 200% poverty	85.3%	14.7%
Local Comparisons			
	Benton	84.4%	15.6%
	Region	83.3%	16.7%
	Rural Stearns	84.5%	15.5%
	Sherburne	82.3%	17.7%
	St. Cloud	83.9%	16.1%

13. Have you ever been told by a doctor, nurse, or other health professional that you had cancer?

		No	Yes
Stearns Total		93.4%	6.6%
Gender	Male	93.2%	6.8%
	Female	93.7%	6.3%
Age groups	18-34	99.5%	0.5%
	35-44	94.8%	5.2%
	45-54	97.4%	2.6%
	55-64	91.4%	8.6%
	65-74	75.8%	24.2%
	75+	75.1%	24.9%
Education	High school graduate/GED or less	91.0%	9.0%
	Trade/Voc, Associate degree or some college	92.9%	7.1%
	Bachelor's degree	95.2%	4.8%
	Graduate or professional degree	94.2%	5.8%
Poverty 200%	200% poverty or less	91.6%	8.4%
	Greater than 200% poverty	93.6%	6.4%
Local Comparisons			
	Benton	88.7%	11.3%
	Region	92.4%	7.6%
	Rural Stearns	91.4%	8.6%
	Sherburne	92.3%	7.7%
	St. Cloud	93.2%	6.8%

14. Have you ever been told by a doctor, nurse, or other health professional that you had heart trouble or angina?

		No	Yes
Stearns Total		94.2%	5.8%
Gender	Male	91.8%	8.2%
	Female	96.6%	3.4%
Age groups	18-34	100.0%	0.0%
	35-44	98.5%	1.5%
	45-54	93.3%	6.7%
	55-64	94.3%	5.7%
	65-74	78.6%	21.4%
	75+	76.4%	23.6%
Education	High school graduate/GED or less	90.9%	9.1%
	Trade/Voc, Associate degree or some college	95.1%	4.9%
	Bachelor's degree	96.6%	3.4%
	Graduate or professional degree	91.2%	8.8%
Poverty 200%	200% poverty or less	94.1%	5.9%
	Greater than 200% poverty	94.2%	5.8%
Local Comparisons			
	Benton	95.6%	4.4%
	Region	94.7%	5.3%
	Rural Stearns	92.6%	7.4%
	Sherburne	95.2%	4.8%
	St. Cloud	95.1%	4.9%

15. Have you ever been told by a doctor, nurse, or other health professional that you had a stroke or stroke-related health issues?

		No	Yes
Stearns Total		95.9%	4.1%
Gender	Male	95.7%	4.3%
	Female	96.1%	3.9%
Age groups	18-34	97.6%	2.4%
	35-44	97.1%	2.9%
	45-54	95.6%	4.4%
	55-64	99.0%	1.0%
	65-74	90.7%	9.3%
	75+	86.5%	13.5%
Education	High school graduate/GED or less	96.0%	4.0%
	Trade/Voc, Associate degree or some college	94.0%	6.0%
	Bachelor's degree	97.1%	2.9%
	Graduate or professional degree	97.8%	2.2%
Poverty 200%	200% poverty or less	91.6%	8.4%
	Greater than 200% poverty	96.3%	3.7%
Local Comparisons			
	Benton	98.3%	1.7%
	Region	97.2%	2.8%
	Rural Stearns	96.0%	4.0%
	Sherburne	98.8%	1.2%
	St. Cloud	96.5%	3.5%

16. Have you ever been told by a doctor, nurse, or other health professional that you had high cholesterol or triglycerides?

		No	Yes
Stearns Total		76.4%	23.6%
Gender	Male	74.7%	25.3%
	Female	78.2%	21.8%
Age groups	18-34	94.5%	5.5%
	35-44	88.0%	12.0%
	45-54	66.7%	33.3%
	55-64	62.3%	37.7%
	65-74	45.2%	54.8%
	75+	48.2%	51.8%
Education	High school graduate/GED or less	61.3%	38.7%
	Trade/Voc, Associate degree or some college	78.1%	21.9%
	Bachelor's degree	77.2%	22.8%
	Graduate or professional degree	89.5%	10.5%
Poverty 200%	200% poverty or less	76.3%	23.7%
	Greater than 200% poverty	76.8%	23.2%
Local Comparisons			
	Benton	75.3%	24.7%
	Region	78.2%	21.8%
	Rural Stearns	71.8%	28.2%
	Sherburne	82.7%	17.3%
	St. Cloud	78.6%	21.4%

17. Have you ever been told by a doctor, nurse, or other health professional that you had chronic lung disease (including COPD, chronic bronchitis or emphysema)?

		No	Yes
Stearns Total		97.1%	2.9%
Gender	Male	96.2%	3.8%
	Female	98.1%	1.9%
Age groups	18-34	100.0%	0.0%
	35-44	97.1%	2.9%
	45-54	100.0%	0.0%
	55-64	91.0%	9.0%
	65-74	92.7%	7.3%
	75+	92.6%	7.4%
Education	High school graduate/GED or less	95.4%	4.6%
	Trade/Voc, Associate degree or some college	97.0%	3.0%
	Bachelor's degree	97.9%	2.1%
	Graduate or professional degree	97.8%	2.2%
Poverty 200%	200% poverty or less	93.4%	6.6%
	Greater than 200% poverty	97.6%	2.4%
Local Comparisons			
	Benton	96.5%	3.5%
	Region	97.3%	2.7%
	Rural Stearns	96.4%	3.6%
	Sherburne	97.8%	2.2%
	St. Cloud	97.1%	2.9%

18. Have you ever been told by a doctor, nurse, or other health professional that you had asthma?

		No	Yes
Stearns Total		92.3%	7.7%
Gender	Male	95.7%	4.3%
	Female	88.7%	11.3%
Age groups	18-34	94.5%	5.5%
	35-44	88.4%	11.6%
	45-54	93.8%	6.2%
	55-64	90.1%	9.9%
	65-74	90.6%	9.4%
	75+	91.0%	9.0%
Education	High school graduate/GED or less	95.1%	4.9%
	Trade/Voc, Associate degree or some college	89.2%	10.8%
	Bachelor's degree	95.3%	4.7%
	Graduate or professional degree	89.2%	10.8%
Poverty 200%	200% poverty or less	95.4%	4.6%
	Greater than 200% poverty	92.4%	7.6%
Local Comparisons			
	Benton	85.8%	14.2%
	Region	88.0%	12.0%
	Rural Stearns	91.3%	8.7%
	Sherburne	81.3%	18.7%
	St. Cloud	90.8%	9.2%

19. Have you ever been told by a doctor, nurse, or other health professional that you had arthritis?

		No	Yes
Stearns Total		79.0%	21.0%
Gender	Male	78.2%	21.8%
	Female	79.8%	20.2%
Age groups	18-34	89.2%	10.8%
	35-44	88.5%	11.5%
	45-54	88.0%	12.0%
	55-64	64.5%	35.5%
	65-74	51.0%	49.0%
	75+	46.6%	53.4%
Education	High school graduate/GED or less	75.1%	24.9%
	Trade/Voc, Associate degree or some college	76.2%	23.8%
	Bachelor's degree	82.1%	17.9%
	Graduate or professional degree	83.4%	16.6%
Poverty 200%	200% poverty or less	72.4%	27.6%
	Greater than 200% poverty	78.9%	21.1%
Local Comparisons			
	Benton	80.8%	19.2%
	Region	81.4%	18.6%
	Rural Stearns	80.3%	19.7%
	Sherburne	86.0%	14.0%
	St. Cloud	79.4%	20.6%

20. Have you ever been told by a doctor, nurse, or other health professional that you had a risk of falling?

		No	Yes
Stearns Total		95.6%	4.4%
Gender	Male	95.4%	4.6%
	Female	95.8%	4.2%
Age groups	18-34	100.0%	0.0%
	35-44	97.1%	2.9%
	45-54	95.4%	4.6%
	55-64	94.1%	5.9%
	65-74	90.5%	9.5%
	75+	80.1%	19.9%
Education	High school graduate/GED or less	91.2%	8.8%
	Trade/Voc, Associate degree or some college	94.9%	5.1%
	Bachelor's degree	98.0%	2.0%
	Graduate or professional degree	97.2%	2.8%
Poverty 200%	200% poverty or less	88.3%	11.7%
	Greater than 200% poverty	96.8%	3.2%
Local Comparisons			
	Benton	90.6%	9.4%
	Region	95.2%	4.8%
	Rural Stearns	93.3%	6.7%
	Sherburne	96.8%	3.2%
	St. Cloud	95.1%	4.9%

21. Have you ever been told by a doctor, nurse, or other health professional that you had a sexually transmitted diseases/infections (Chlamydia, HIV, etc.)?

		No	Yes
Stearns Total		96.7%	3.3%
Gender	Male	98.7%	1.3%
	Female	94.5%	5.5%
Age groups	18-34	97.6%	2.4%
	35-44	94.2%	5.8%
	45-54	93.8%	6.2%
	55-64	98.5%	1.5%
	65-74	97.4%	2.6%
	75+	99.6%	0.4%
Education	High school graduate/GED or less	100.0%	0.0%
	Trade/Voc, Associate degree or some college	95.2%	4.8%
	Bachelor's degree	96.7%	3.3%
	Graduate or professional degree	95.7%	4.3%
Poverty 200%	200% poverty or less	97.5%	2.5%
	Greater than 200% poverty	96.0%	4.0%
Local Comparisons			
	Benton	97.8%	2.2%
	Region	96.6%	3.4%
	Rural Stearns	96.9%	3.1%
	Sherburne	96.1%	3.9%
	St. Cloud	96.8%	3.2%

22. Is there a place that you usually go to when you are sick or need medical care?

		No	Yes
Stearns Total		6.6%	93.4%
Gender	Male	11.1%	88.9%
	Female	2.0%	98.0%
Age groups	18-34	11.5%	88.5%
	35-44	6.2%	93.8%
	45-54	5.7%	94.3%
	55-64	0.3%	99.7%
	65-74	0.4%	99.6%
	75+	4.1%	95.9%
Education	High school graduate/GED or less	3.4%	96.6%
	Trade/Voc, Associate degree or some college	10.1%	89.9%
	Bachelor's degree	3.8%	96.2%
	Graduate or professional degree	9.2%	90.8%
Poverty 200%	200% poverty or less	10.7%	89.3%
	Greater than 200% poverty	6.6%	93.4%
Local Comparisons			
	Benton	7.0%	93.0%
	Region	12.9%	87.1%
	Rural Stearns	6.6%	93.4%
	Sherburne	16.2%	83.8%
	St. Cloud	7.4%	92.6%

23. Is there a place that you usually go to when you are sick or need medical care? (check one)

	Checked
Stearns Total	
A doctor's office	82.5%
A hospital outpatient clinic	3.9%
Public health	0.9%
A chiropractor's office	2.4%
An urgent care center	3.1%
An emergency room	1.5%
Some other health center	0.5%
Schedule an e-visit	0.2%
Call nurse line	0.8%
Traditional healer	0.0%
Religious healer	0.4%
Google/Internet	0.3%
Trusted family or friends	0.7%
VA Medical Center	0.8%
Some other place	0.1%

**24. Is there a place that you usually go to when you are sick or need medical care?
A doctor's office**

		Checked
Stearns Total		82.5%
Gender	Male	77.5%
	Female	87.5%
Age groups	18-34	84.4%
	35-44	73.4%
	45-54	83.0%
	55-64	86.8%
	65-74	86.2%
	75+	78.1%
Education	High school graduate/GED or less	73.1%
	Trade/Voc, Associate degree or some college	82.2%
	Bachelor's degree	88.8%
	Graduate or professional degree	80.5%
Poverty 200%	200% poverty or less	65.5%
	Greater than 200% poverty	84.3%
Local Comparisons		
	Benton	76.2%
	Region	77.6%
	Rural Stearns	83.2%
	Sherburne	69.6%
	St. Cloud	78.0%

**25. Is there a place that you usually go to when you are sick or need medical care?
A hospital outpatient clinic**

		Checked
Stearns Total		3.9%
Gender	Male	5.3%
	Female	2.5%
Age groups	18-34	0.0%
	35-44	4.7%
	45-54	8.9%
	55-64	2.6%
	65-74	5.0%
	75+	10.2%
Education	High school graduate/GED or less	5.0%
	Trade/Voc, Associate degree or some college	4.1%
	Bachelor's degree	2.3%
	Graduate or professional degree	5.4%
Poverty 200%	200% poverty or less	5.2%
	Greater than 200% poverty	3.1%
Local Comparisons		
	Benton	2.5%
	Region	3.5%
	Rural Stearns	3.3%
	Sherburne	3.5%
	St. Cloud	3.8%

26. Is there a place that you usually go to when you are sick or need medical care?
Public health

		Checked
Stearns Total		0.9%
Gender	Male	0.0%
	Female	1.9%
Age groups	18-34	2.4%
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.2%
	75+	0.5%
Education	High school graduate/GED or less	5.1%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	5.8%
	Greater than 200% poverty	0.0%
Local Comparisons		
	Benton	0.0%
	Region	0.5%
	Rural Stearns	0.1%
	Sherburne	0.0%
	St. Cloud	1.1%

**27. Is there a place that you usually go to when you are sick or need medical care?
A chiropractor's office**

		Checked
Stearns Total		2.4%
Gender	Male	0.8%
	Female	4.0%
Age groups	18-34	1.1%
	35-44	1.9%
	45-54	1.8%
	55-64	7.1%
	65-74	2.0%
	75+	2.9%
Education	High school graduate/GED or less	2.1%
	Trade/Voc, Associate degree or some college	2.8%
	Bachelor's degree	3.3%
	Graduate or professional degree	0.3%
Poverty 200%	200% poverty or less	3.6%
	Greater than 200% poverty	2.5%
Local Comparisons		
	Benton	1.8%
	Region	3.0%
	Rural Stearns	4.3%
	Sherburne	4.6%
	St. Cloud	1.1%

**28. Is there a place that you usually go to when you are sick or need medical care?
An urgent care center**

		Checked
Stearns Total		3.1%
Gender	Male	3.7%
	Female	2.5%
Age groups	18-34	1.2%
	35-44	10.3%
	45-54	0.9%
	55-64	1.4%
	65-74	3.0%
	75+	6.2%
Education	High school graduate/GED or less	6.1%
	Trade/Voc, Associate degree or some college	1.7%
	Bachelor's degree	3.9%
	Graduate or professional degree	1.0%
Poverty 200%	200% poverty or less	7.3%
	Greater than 200% poverty	2.6%
Local Comparisons		
	Benton	8.8%
	Region	3.9%
	Rural Stearns	2.7%
	Sherburne	3.2%
	St. Cloud	6.0%

**29. Is there a place that you usually go to when you are sick or need medical care?
An emergency room**

		Checked
Stearns Total		1.5%
Gender	Male	2.0%
	Female	1.0%
Age groups	18-34	0.0%
	35-44	1.5%
	45-54	3.2%
	55-64	1.6%
	65-74	1.8%
	75+	4.1%
Education	High school graduate/GED or less	5.2%
	Trade/Voc, Associate degree or some college	0.4%
	Bachelor's degree	1.2%
	Graduate or professional degree	0.3%
Poverty 200%	200% poverty or less	5.1%
	Greater than 200% poverty	0.9%
<hr/>		
Local Comparisons	Benton	2.3%
	Region	1.5%
	Rural Stearns	2.7%
	Sherburne	1.1%
	St. Cloud	1.3%

**30. Is there a place that you usually go to when you are sick or need medical care?
Some other health center**

		Checked
Stearns Total		0.5%
Gender	Male	0.7%
	Female	0.3%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.0%
	55-64	2.1%
	65-74	2.6%
	75+	0.4%
Education	High school graduate/GED or less	1.3%
	Trade/Voc, Associate degree or some college	1.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	1.5%
	Greater than 200% poverty	0.4%
Local Comparisons		
	Benton	1.8%
	Region	0.7%
	Rural Stearns	0.4%
	Sherburne	0.6%
	St. Cloud	1.0%

**31. Is there a place that you usually go to when you are sick or need medical care?
Schedule an e-visit**

		Checked
Stearns Total		0.2%
Gender	Male	0.1%
	Female	0.3%
Age groups	18-34	0.0%
	35-44	0.8%
	45-54	0.0%
	55-64	0.0%
	65-74	0.0%
	75+	0.9%
Education	High school graduate/GED or less	0.2%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.3%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.0%
<hr/>		
Local Comparisons	Benton	1.0%
	Region	0.9%
	Rural Stearns	0.5%
	Sherburne	2.2%
	St. Cloud	1.1%

**32. Is there a place that you usually go to when you are sick or need medical care?
Call Nurse line**

		Checked
Stearns Total		0.8%
Gender	Male	0.0%
	Female	1.6%
Age groups	18-34	0.0%
	35-44	2.1%
	45-54	0.0%
	55-64	1.8%
	65-74	1.0%
	75+	1.6%
Education	High school graduate/GED or less	0.5%
	Trade/Voc, Associate degree or some college	0.2%
	Bachelor's degree	1.0%
	Graduate or professional degree	1.9%
Poverty 200%	200% poverty or less	2.6%
	Greater than 200% poverty	0.5%
Local Comparisons		
	Benton	1.7%
	Region	0.7%
	Rural Stearns	0.2%
	Sherburne	0.1%
	St. Cloud	1.2%

33. Is there a place that you usually go to when you are sick or need medical care?
Traditional healer

		Checked
Stearns Total		0.0%
Gender	Male	0.0%
	Female	0.0%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.0%
Local Comparisons		
Local Comparisons	Benton	0.3%
	Region	0.0%
	Rural Stearns	0.0%
	Sherburne	0.0%
	St. Cloud	0.0%

**34. Is there a place that you usually go to when you are sick or need medical care?
Religious healer**

		Checked
Stearns Total		0.4%
Gender	Male	0.7%
	Female	0.1%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	1.3%
	55-64	1.2%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	2.2%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.2%
	Greater than 200% poverty	0.2%
Local Comparisons		
	Benton	0.1%
	Region	0.2%
	Rural Stearns	0.1%
	Sherburne	0.0%
	St. Cloud	0.4%

**35. Is there a place that you usually go to when you are sick or need medical care?
Google/Internet**

		Checked
Stearns Total		0.3%
Gender	Male	0.2%
	Female	0.5%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.9%
	55-64	1.0%
	65-74	0.3%
	75+	0.0%
Education	High school graduate/GED or less	0.1%
	Trade/Voc, Associate degree or some college	0.7%
	Bachelor's degree	0.2%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.1%
	Greater than 200% poverty	0.4%
Local Comparisons		
	Benton	0.5%
	Region	0.8%
	Rural Stearns	0.8%
	Sherburne	1.8%
	St. Cloud	0.2%

**36. Is there a place that you usually go to when you are sick or need medical care?
Trusted family or friends**

		Checked
Stearns Total		0.7%
Gender	Male	0.7%
	Female	0.6%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	1.3%
	55-64	2.8%
	65-74	0.0%
	75+	0.5%
Education	High school graduate/GED or less	2.1%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.8%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	2.5%
	Greater than 200% poverty	0.0%
Local Comparisons		
	Benton	1.2%
	Region	0.5%
	Rural Stearns	0.1%
	Sherburne	0.1%
	St. Cloud	0.8%

**37. Is there a place that you usually go to when you are sick or need medical care?
VA Medical Center**

		Checked
Stearns Total		0.8%
Gender	Male	1.3%
	Female	0.3%
Age groups	18-34	0.0%
	35-44	1.1%
	45-54	0.0%
	55-64	1.5%
	65-74	5.2%
	75+	0.4%
Education	High school graduate/GED or less	1.3%
	Trade/Voc, Associate degree or some college	0.4%
	Bachelor's degree	0.1%
	Graduate or professional degree	1.8%
Poverty 200%	200% poverty or less	0.6%
	Greater than 200% poverty	0.8%
Local Comparisons		
	Benton	1.0%
	Region	0.8%
	Rural Stearns	1.2%
	Sherburne	0.7%
	St. Cloud	0.6%

38. Is there a place that you usually go to when you are sick or need medical care?
Some other place

		Checked
Stearns Total		0.1%
Gender	Male	0.1%
	Female	0.0%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.0%
	55-64	0.5%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.2%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.1%
Local Comparisons		
	Benton	0.2%
	Region	0.1%
	Rural Stearns	0.2%
	Sherburne	0.0%
	St. Cloud	0.0%

39. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?

	Checked
Stearns Total	
Within the past year	73.4%
Within the past 2 years	15.2%
Within the past 5 years	4.5%
5 of more years ago	5.4%
Never	1.6%

**40. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?
Within the past year**

		Checked
Stearns Total		73.4%
Gender	Male	64.0%
	Female	82.9%
Age groups	18-34	60.5%
	35-44	71.8%
	45-54	80.1%
	55-64	80.4%
	65-74	89.9%
	75+	94.1%
Education	High school graduate/GED or less	79.6%
	Trade/Voc, Associate degree or some college	72.3%
	Bachelor's degree	66.3%
	Graduate or professional degree	82.5%
Poverty 200%	200% poverty or less	68.5%
	Greater than 200% poverty	78.7%
<hr/>		
Local Comparisons	Benton	78.0%
	Region	68.6%
	Rural Stearns	67.9%
	Sherburne	55.8%
	St. Cloud	76.3%

**41. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?
Within the past 2 years**

		Checked
Stearns Total		15.2%
Gender	Male	17.6%
	Female	12.7%
Age groups	18-34	23.0%
	35-44	11.6%
	45-54	14.9%
	55-64	8.7%
	65-74	6.4%
	75+	4.8%
Education	High school graduate/GED or less	8.8%
	Trade/Voc, Associate degree or some college	17.5%
	Bachelor's degree	22.0%
	Graduate or professional degree	3.8%
Poverty 200%	200% poverty or less	7.2%
	Greater than 200% poverty	13.7%
Local Comparisons		
	Benton	8.7%
	Region	16.0%
	Rural Stearns	20.3%
	Sherburne	20.8%
	St. Cloud	10.4%

**42. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?
Within the past 5 years**

		Checked
Stearns Total		4.5%
Gender	Male	6.9%
	Female	2.1%
Age groups	18-34	2.9%
	35-44	12.7%
	45-54	4.1%
	55-64	4.0%
	65-74	2.8%
	75+	0.0%
Education	High school graduate/GED or less	9.0%
	Trade/Voc, Associate degree or some college	5.5%
	Bachelor's degree	0.3%
	Graduate or professional degree	6.3%
Poverty 200%	200% poverty or less	15.3%
	Greater than 200% poverty	2.9%
Local Comparisons		
	Benton	4.2%
	Region	8.2%
	Rural Stearns	3.8%
	Sherburne	16.4%
	St. Cloud	5.3%

**43. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?
5 or more years ago**

		Checked
Stearns Total		5.4%
Gender	Male	9.0%
	Female	1.6%
Age groups	18-34	10.1%
	35-44	3.2%
	45-54	0.9%
	55-64	5.8%
	65-74	0.5%
	75+	1.0%
Education	High school graduate/GED or less	1.9%
	Trade/Voc, Associate degree or some college	3.3%
	Bachelor's degree	11.4%
	Graduate or professional degree	1.1%
Poverty 200%	200% poverty or less	6.8%
	Greater than 200% poverty	2.9%
Local Comparisons		
	Benton	8.6%
	Region	6.1%
	Rural Stearns	4.2%
	Sherburne	6.4%
	St. Cloud	7.7%

44. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?
Never

		Checked
Stearns Total		1.6%
Gender	Male	2.5%
	Female	0.7%
Age groups	18-34	3.4%
	35-44	0.7%
	45-54	0.0%
	55-64	1.1%
	65-74	0.4%
	75+	0.0%
Education	High school graduate/GED or less	0.6%
	Trade/Voc, Associate degree or some college	1.4%
	Bachelor's degree	0.0%
	Graduate or professional degree	6.4%
Poverty 200%	200% poverty or less	2.3%
	Greater than 200% poverty	1.7%
Local Comparisons		
	Benton	0.6%
	Region	1.1%
	Rural Stearns	3.8%
	Sherburne	0.5%
	St. Cloud	0.3%

45. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?

		Yes	No
Stearns Total		26.9%	73.1%
Gender	Male	27.3%	72.7%
	Female	26.6%	73.4%
Age groups	18-34	33.0%	67.0%
	35-44	38.1%	61.9%
	45-54	19.8%	80.2%
	55-64	22.8%	77.2%
	65-74	19.2%	80.8%
	75+	6.4%	93.6%
Education	High school graduate/GED or less	21.7%	78.3%
	Trade/Voc, Associate degree or some college	35.4%	64.6%
	Bachelor's degree	23.5%	76.5%
	Graduate or professional degree	23.3%	76.7%
Poverty 200%	200% poverty or less	33.8%	66.2%
	Greater than 200% poverty	27.9%	72.1%
Local Comparisons			
	Benton	24.9%	75.1%
	Region	26.2%	73.8%
	Rural Stearns	17.6%	82.4%
	Sherburne	25.6%	74.4%
	St. Cloud	31.8%	68.2%

46. Why did you not get or delay getting the medical care you thought you needed?

	Checked
Stearns Total	
The care I needed cost too much	33.6%
My co-pay was too expensive	5.8%
My deductible was too expensive	28.7%
My insurance did not cover it	8.7%
I did not have insurance	0.3%
I could not get an appointment	9.7%
I had transportation problems	0.9%
I did not think it was serious enough	37.7%
I was too nervous or afraid	1.7%
I don't trust the health care system	2.1%
The clinic cancelled my appointment due to COVID-19	11.3%
I cancelled my appointment due to COVID-19	15.1%
I did not have access to telehealth or a virtual visit	3.7%
Other reason	8.3%

47. Why did you not get or delay getting the medical care you thought you needed?
The care I needed cost too much

		Checked
Stearns Total		33.6%
Gender	Male	34.8%
	Female	32.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	41.1%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	37.8%
Local Comparisons		
	Benton	35.7%
	Region	37.7%
	Rural Stearns	26.9%
	Sherburne	46.1%
	St. Cloud	39.2%

**48. Why did you not get or delay getting the medical care you thought you needed?
My co-pay was too expensive**

		Checked
Stearns Total		5.8%
Gender	Male	1.9%
	Female	9.9%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		8.6%
Bachelor's degree		DS
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	6.8%
Local Comparisons		
	Benton	2.3%
	Region	8.6%
	Rural Stearns	6.9%
	Sherburne	16.6%
	St. Cloud	4.6%

**49. Why did you not get or delay getting the medical care you thought you needed?
My deductible was too expensive**

		Checked
Stearns Total		28.7%
Gender	Male	32.9%
	Female	24.3%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	17.6%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	34.8%
Local Comparisons		
	Benton	12.5%
	Region	31.8%
	Rural Stearns	16.9%
	Sherburne	45.9%
	St. Cloud	27.4%

**50. Why did you not get or delay getting the medical care you thought you needed?
My insurance did not cover it**

		Checked
Stearns Total		8.7%
Gender	Male	6.9%
	Female	10.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	6.7%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	8.1%
Local Comparisons		
	Benton	9.5%
	Region	19.3%
	Rural Stearns	12.6%
	Sherburne	42.9%
	St. Cloud	8.2%

51. Why did you not get or delay getting the medical care you thought you needed?
I did not have insurance

		Checked
Stearns Total		0.3%
Gender	Male	0.0%
	Female	0.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.4%
Local Comparisons		
	Benton	28.7%
	Region	13.0%
	Rural Stearns	0.0%
	Sherburne	29.6%
	St. Cloud	7.8%

**52. Why did you not get or delay getting the medical care you thought you needed?
I could not get an appointment**

		Checked
Stearns Total		9.7%
Gender	Male	6.0%
	Female	13.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	6.8%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	9.7%
Local Comparisons		
	Benton	7.3%
	Region	8.2%
	Rural Stearns	13.5%
	Sherburne	5.8%
	St. Cloud	7.6%

**53. Why did you not get or delay getting the medical care you thought you needed?
I had transportation problems**

		Checked
Stearns Total		0.9%
Gender	Male	0.0%
	Female	1.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	1.3%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.4%
Local Comparisons		
	Benton	2.9%
	Region	1.2%
	Rural Stearns	2.0%
	Sherburne	0.9%
	St. Cloud	1.1%

**54. Why did you not get or delay getting the medical care you thought you needed?
I did not think it was serious enough**

		Checked
Stearns Total		37.7%
Gender	Male	34.2%
	Female	41.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	42.1%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	33.4%
Local Comparisons		
	Benton	41.7%
	Region	35.8%
	Rural Stearns	48.6%
	Sherburne	29.6%
	St. Cloud	34.4%

**55. Why did you not get or delay getting the medical care you thought you needed?
I was too nervous or afraid**

		Checked
Stearns Total		1.7%
Gender	Male	1.0%
	Female	2.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	2.1%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	1.5%
Local Comparisons		
	Benton	6.5%
	Region	3.3%
	Rural Stearns	0.9%
	Sherburne	4.9%
	St. Cloud	4.0%

**56. Why did you not get or delay getting the medical care you thought you needed?
I don't trust the health care system**

		Checked
Stearns Total		2.1%
Gender	Male	2.5%
	Female	1.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	3.5%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.8%
Local Comparisons		
	Benton	6.1%
	Region	4.9%
	Rural Stearns	7.9%
	Sherburne	9.5%
	St. Cloud	1.2%

**57. Why did you not get or delay getting the medical care you thought you needed?
The clinic cancelled my appointment due to COVID-19**

		Checked
Stearns Total		11.3%
Gender	Male	5.3%
	Female	17.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	12.2%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	12.4%
Local Comparisons		
	Benton	3.8%
	Region	10.2%
	Rural Stearns	13.3%
	Sherburne	10.9%
	St. Cloud	8.5%

**58. Why did you not get or delay getting the medical care you thought you needed?
I cancelled my appointment due to COVID-19**

		Checked
Stearns Total		15.1%
Gender	Male	8.8%
	Female	21.6%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	17.4%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	15.7%
Local Comparisons		
	Benton	9.6%
	Region	13.7%
	Rural Stearns	19.3%
	Sherburne	13.1%
	St. Cloud	11.7%

**59. Why did you not get or delay getting the medical care you thought you needed?
I did not have access to telehealth or a virtual visit**

		Checked
Stearns Total		3.7%
Gender	Male	5.3%
	Female	2.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	4.5%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	3.2%
Local Comparisons		
Local Comparisons	Benton	1.0%
	Region	2.2%
	Rural Stearns	11.1%
	Sherburne	0.0%
	St. Cloud	0.9%

60. Why did you not get or delay getting the medical care you thought you needed?
Other reason

		Checked
Stearns Total		8.3%
Gender	Male	1.3%
	Female	15.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	6.6%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	9.1%
Local Comparisons		
	Benton	4.1%
	Region	5.8%
	Rural Stearns	9.8%
	Sherburne	1.9%
	St. Cloud	6.1%

61. During the past 12 months, was there a time when you thought you needed dental care but did not get it or delayed getting it?

		Yes	No
Stearns Total		20.6%	79.4%
Gender	Male	19.4%	80.6%
	Female	21.9%	78.1%
Age groups	18-34	18.8%	81.2%
	35-44	24.5%	75.5%
	45-54	24.1%	75.9%
	55-64	18.3%	81.7%
	65-74	21.1%	78.9%
	75+	17.1%	82.9%
Education	High school graduate/GED or less	29.7%	70.3%
	Trade/Voc, Associate degree or some college	22.1%	77.9%
	Bachelor's degree	17.3%	82.7%
	Graduate or professional degree	15.7%	84.3%
Poverty 200%	200% poverty or less	44.5%	55.5%
	Greater than 200% poverty	15.9%	84.1%
Local Comparisons			
Local Comparisons	Benton	31.1%	68.9%
	Region	28.0%	72.0%
	Rural Stearns	18.7%	81.3%
	Sherburne	39.7%	60.3%
	St. Cloud	25.0%	75.0%

	Checked
Stearns Total	
The care I needed cost too much	31.6%
My co-pay was too expensive	5.9%
My deductible was too expensive	6.5%
My insurance did not cover it	16.3%
I did not have insurance	7.6%
The dentist would not accept my insurance	4.3%
I could not get an appointment	2.1%
I had transportation problems	0.5%
I did not think it was serious enough	6.5%
I was too nervous or afraid	6.9%
I don't trust the health care system	0.0%
The office cancelled my appointment due to COVID-19	17.6%
I cancelled my appointment due to COVID-19	21.1%
I did not have access to telehealth or a virtual visit	1.6%
Other reason	4.8%

63. Why did you not get or delay getting the dental care you thought you needed?
The care I needed cost too much

		Checked
Stearns Total		31.6%
Gender	Male	35.1%
	Female	28.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	24.2%
	75+	DS
Education	High school graduate/GED or less	25.1%
	Trade/Voc, Associate degree or some college	46.4%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	41.5%
	Greater than 200% poverty	25.4%
<hr/>		
Local Comparisons	Benton	57.9%
	Region	41.4%
	Rural Stearns	35.2%
	Sherburne	44.6%
	St. Cloud	42.6%

**64. Why did you not get or delay getting the dental care you thought you needed?
My co-pay was too expensive**

		Checked
Stearns Total		5.9%
Gender	Male	10.1%
	Female	2.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	7.4%
	75+	DS
Education	High school graduate/GED or less	0.8%
	Trade/Voc, Associate degree or some college	13.9%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	3.1%
	Greater than 200% poverty	8.7%
Local Comparisons		
	Benton	12.3%
	Region	6.5%
	Rural Stearns	9.2%
	Sherburne	5.0%
	St. Cloud	6.5%

**65. Why did you not get or delay getting the dental care you thought you needed?
My deductible was too expensive**

		Checked
Stearns Total		6.5%
Gender	Male	9.2%
	Female	4.1%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	4.7%
	75+	DS
Education	High school graduate/GED or less	0.8%
	Trade/Voc, Associate degree or some college	8.4%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	1.1%
	Greater than 200% poverty	10.8%
Local Comparisons		
	Benton	4.1%
	Region	6.4%
	Rural Stearns	10.9%
	Sherburne	7.0%
	St. Cloud	4.6%

**66. Why did you not get or delay getting the dental care you thought you needed?
My insurance did not cover it**

		Checked
Stearns Total		16.7%
Gender	Male	19.6%
	Female	13.3%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	14.5%
	75+	DS
Education	High school graduate/GED or less	19.2%
	Trade/Voc, Associate degree or some college	20.3%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	9.4%
	Greater than 200% poverty	22.5%
Local Comparisons		
	Benton	12.9%
	Region	18.2%
	Rural Stearns	22.9%
	Sherburne	21.9%
	St. Cloud	14.9%

67. Why did you not get or delay getting the dental care you thought you needed?
I did not have insurance

		Checked
Stearns Total		7.6%
Gender	Male	11.6%
	Female	4.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	7.4%
	75+	DS
Education	High school graduate/GED or less	23.7%
	Trade/Voc, Associate degree or some college	2.4%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	11.2%
	Greater than 200% poverty	6.3%
Local Comparisons		
Local Comparisons	Benton	37.1%
	Region	20.8%
	Rural Stearns	8.1%
	Sherburne	27.1%
	St. Cloud	17.2%

**68. Why did you not get or delay getting the dental care you thought you needed?
My dentist would not accept my insurance**

		Checked
Stearns Total		4.3%
Gender	Male	4.1%
	Female	4.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	15.8%
	75+	DS
Education	High school graduate/GED or less	4.3%
	Trade/Voc, Associate degree or some college	3.1%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	6.8%
	Greater than 200% poverty	3.8%
Local Comparisons		
	Benton	0.8%
	Region	5.3%
	Rural Stearns	2.2%
	Sherburne	7.8%
	St. Cloud	4.4%

**69. Why did you not get or delay getting the dental care you thought you needed?
I could not get an appointment**

		Checked
Stearns Total		2.1%
Gender	Male	0.0%
	Female	4.1%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	3.6%
	75+	DS
Education	High school graduate/GED or less	1.2%
	Trade/Voc, Associate degree or some college	2.4%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	5.9%
	Greater than 200% poverty	0.5%
Local Comparisons		
	Benton	7.3%
	Region	7.3%
	Rural Stearns	3.1%
	Sherburne	12.0%
	St. Cloud	2.8%

**70. Why did you not get or delay getting the dental care you thought you needed?
I had transportation problems**

		Checked
Stearns Total		0.5%
Gender	Male	0.0%
	Female	1.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	0.0%
	75+	DS
Education	High school graduate/GED or less	0.8%
	Trade/Voc, Associate degree or some college	0.9%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	1.1%
	Greater than 200% poverty	0.3%
Local Comparisons		
	Benton	1.3%
	Region	0.4%
	Rural Stearns	1.4%
	Sherburne	0.0%
	St. Cloud	0.2%

**71. Why did you not get or delay getting the dental care you thought you needed?
I did not think it was serious enough**

		Checked
Stearns Total		6.5%
Gender	Male	11.4%
	Female	2.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	5.1%
	75+	DS
Education	High school graduate/GED or less	2.5%
	Trade/Voc, Associate degree or some college	14.6%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	1.3%
	Greater than 200% poverty	2.3%
Local Comparisons		
	Benton	12.2%
	Region	17.4%
	Rural Stearns	16.5%
	Sherburne	29.3%
	St. Cloud	4.8%

**72. Why did you not get or delay getting the dental care you thought you needed?
I was too nervous or afraid**

		Checked
Stearns Total		6.9%
Gender	Male	0.8%
	Female	12.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	2.4%
	75+	DS
Education	High school graduate/GED or less	0.8%
	Trade/Voc, Associate degree or some college	16.2%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	3.8%
	Greater than 200% poverty	10.1%
Local Comparisons		
	Benton	18.6%
	Region	11.1%
	Rural Stearns	12.8%
	Sherburne	12.2%
	St. Cloud	8.4%

**73. Why did you not get or delay getting the dental care you thought you needed?
I don't trust the health care system**

		Checked
Stearns Total		0.0%
Gender	Male	0.0%
	Female	0.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	0.0%
	75+	DS
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.0%
Local Comparisons		
	Benton	0.7%
	Region	0.8%
	Rural Stearns	0.0%
	Sherburne	1.6%
	St. Cloud	0.4%

**74. Why did you not get or delay getting the dental care you thought you needed?
The clinic cancelled my appointment due to COVID-19**

		Checked
Stearns Total		17.6%
Gender	Male	15.5%
	Female	19.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	34.0%
	75+	DS
Education	High school graduate/GED or less	14.0%
	Trade/Voc, Associate degree or some college	15.1%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	7.7%
	Greater than 200% poverty	25.9%
Local Comparisons		
	Benton	5.1%
	Region	10.0%
	Rural Stearns	21.0%
	Sherburne	4.8%
	St. Cloud	10.1%

**75. Why did you not get or delay getting the dental care you thought you needed?
I cancelled my appointment due to COVID-19**

		Checked
Stearns Total		21.1%
Gender	Male	16.9%
	Female	24.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	27.5%
	75+	DS
Education	High school graduate/GED or less	25.9%
	Trade/Voc, Associate degree or some college	2.9%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	19.8%
	Greater than 200% poverty	22.8%
Local Comparisons		
	Benton	8.8%
	Region	15.4%
	Rural Stearns	8.8%
	Sherburne	12.5%
	St. Cloud	20.3%

**76. Why did you not get or delay getting the dental care you thought you needed?
I did not have access to telehealth or a virtual visit**

		Checked
Stearns Total		1.6%
Gender	Male	3.5%
	Female	0.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	0.0%
	75+	DS
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	2.9%
Local Comparisons		
	Benton	0.3%
	Region	0.7%
	Rural Stearns	4.4%
	Sherburne	0.0%
	St. Cloud	0.1%

77. Why did you not get or delay getting the dental care you thought you needed?
Other reason

		Checked
Stearns Total		4.8%
Gender	Male	1.7%
	Female	7.6%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	7.4%
	75+	DS
Education	High school graduate/GED or less	4.0%
	Trade/Voc, Associate degree or some college	2.3%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	3.9%
	Greater than 200% poverty	6.4%
Local Comparisons		
	Benton	2.9%
	Region	5.3%
	Rural Stearns	8.6%
	Sherburne	6.7%
	St. Cloud	2.4%

78. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about mental health issues such as stress, depression, excess worrying, troubling thoughts or emotional problems, but did not or delayed talking with someone?

		Yes	No
Stearns Total		12.9%	87.1%
Gender	Male	9.5%	90.5%
	Female	16.3%	83.7%
Age groups	18-34	10.8%	89.2%
	35-44	31.5%	68.5%
	45-54	11.5%	88.5%
	55-64	10.4%	89.6%
	65-74	6.7%	93.3%
	75+	1.4%	98.6%
Education	High school graduate/GED or less	9.4%	90.6%
	Trade/Voc, Associate degree or some college	14.2%	85.8%
	Bachelor's degree	15.2%	84.8%
	Graduate or professional degree	9.3%	90.7%
Poverty 200%	200% poverty or less	12.4%	87.6%
	Greater than 200% poverty	14.8%	85.2%
Local Comparisons	Benton	20.0%	80.0%
	Region	14.5%	85.5%
	Rural Stearns	8.9%	91.1%
	Sherburne	15.0%	85.0%
	St. Cloud	18.8%	81.2%

79. Why did you not get or delay getting the mental health care you thought you needed? (Mark all that apply)

	Checked
Stearns Total	
The care I needed cost too much	13.4%
My co-pay was too expensive	11.9%
My deductible was too expensive	19.6%
My insurance did not cover it	7.5%
I did not have insurance	3.4%
I could not get an appointment	8.5%
I had transportation problems	0.3%
I did not think it was serious enough	32.0%
I was too nervous or afraid	24.9%
I was afraid someone I know would see me	4.2%
I don't trust the health care system	7.2%
The office cancelled my appointment due to COVID-19	0.3%
I cancelled my appointment due to COVID-19	1.6%
I did not have access to telehealth or a virtual visit	0.8%
Other reason	24.5%

80. Why did you not get or delay getting the mental health care you thought you needed?
The care I needed cost too much

		Checked
Stearns Total		13.4%
Gender	Male	DS
	Female	11.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	11.9%
Local Comparisons		
	Benton	35.5%
	Region	30.0%
	Rural Stearns	DS
	Sherburne	51.6%
	St. Cloud	23.3%

**81. Why did you not get or delay getting the mental health care you thought you needed?
My co-pay was too expensive**

		Checked
Stearns Total		11.9%
Gender	Male	DS
	Female	14.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	12.6%
Local Comparisons		
	Benton	0.7%
	Region	14.2%
	Rural Stearns	DS
	Sherburne	25.7%
	St. Cloud	7.4%

**82. Why did you not get or delay getting the mental health care you thought you needed?
My deductible was too expensive**

		Checked
Stearns Total		19.6%
Gender	Male	DS
	Female	16.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	21.9%
Local Comparisons		
	Benton	6.2%
	Region	21.1%
	Rural Stearns	DS
	Sherburne	32.2%
	St. Cloud	12.0%

**83. Why did you not get or delay getting the mental health care you thought you needed?
My insurance did not cover it**

		Checked
Stearns Total		7.5%
Gender	Male	DS
	Female	9.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	8.5%
Local Comparisons		
	Benton	8.0%
	Region	9.5%
	Rural Stearns	DS
	Sherburne	13.4%
	St. Cloud	6.7%

84. Why did you not get or delay getting the mental health care you thought you needed?
I did not have insurance

		Checked
Stearns Total		3.4%
Gender	Male	DS
	Female	5.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	3.7%
Local Comparisons		
	Benton	32.3%
	Region	12.5%
	Rural Stearns	DS
	Sherburne	14.5%
	St. Cloud	13.4%

**85. Why did you not get or delay getting the mental health care you thought you needed?
I could not get an appointment**

		Checked
Stearns Total		8.5%
Gender	Male	DS
	Female	10.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	7.0%
Local Comparisons		
	Benton	14.3%
	Region	13.6%
	Rural Stearns	DS
	Sherburne	20.9%
	St. Cloud	11.6%

**86. Why did you not get or delay getting the mental health care you thought you needed?
I had transportation problems**

		Checked
Stearns Total		0.3%
Gender	Male	DS
	Female	0.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.0%
Local Comparisons		
	Benton	2.4%
	Region	0.6%
	Rural Stearns	DS
	Sherburne	0.0%
	St. Cloud	0.9%

**87. Why did you not get or delay getting the mental health care you thought you needed?
I did not think it was serious enough**

		Checked
Stearns Total		32.0%
Gender	Male	DS
	Female	35.9%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	36.0%
<hr/>		
Local Comparisons	Benton	23.2%
	Region	29.2%
	Rural Stearns	DS
	Sherburne	28.3%
	St. Cloud	26.8%

**88. Why did you not get or delay getting the mental health care you thought you needed?
I was too nervous or afraid**

		Checked
Stearns Total		24.9%
Gender	Male	DS
	Female	25.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	25.3%
<hr/>		
Local Comparisons	Benton	61.6%
	Region	29.1%
	Rural Stearns	DS
	Sherburne	16.4%
	St. Cloud	35.3%

**89. Why did you not get or delay getting the mental health care you thought you needed?
I was afraid someone I know would see me**

		Checked
Stearns Total		4.2%
Gender	Male	DS
	Female	2.6%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	3.4%
<hr/>		
Local Comparisons	Benton	14.4%
	Region	4.8%
	Rural Stearns	DS
	Sherburne	0.0%
	St. Cloud	6.8%

**90. Why did you not get or delay getting the mental health care you thought you needed?
I don't trust the health care system**

		Checked
Stearns Total		7.2%
Gender	Male	DS
	Female	9.3%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	3.4%
Local Comparisons		
	Benton	2.6%
	Region	7.5%
	Rural Stearns	DS
	Sherburne	10.8%
	St. Cloud	1.8%

**91. Why did you not get or delay getting the mental health care you thought you needed?
The clinic cancelled my appointment due to COVID-19**

		Checked
Stearns Total		0.3%
Gender	Male	DS
	Female	0.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.0%
Local Comparisons		
	Benton	0.3%
	Region	0.4%
	Rural Stearns	DS
	Sherburne	0.7%
	St. Cloud	0.6%

**92. Why did you not get or delay getting the mental health care you thought you needed?
I cancelled my appointment due to COVID-19**

		Checked
Stearns Total		1.6%
Gender	Male	DS
	Female	2.1%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	1.5%
<hr/>		
Local Comparisons	Benton	4.3%
	Region	1.6%
	Rural Stearns	DS
	Sherburne	0.0%
	St. Cloud	1.7%

**93. Why did you not get or delay getting the mental health care you thought you needed?
I did not have access to telehealth or a virtual visit**

		Checked
Stearns Total		0.8%
Gender	Male	DS
	Female	0.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.6%
Local Comparisons		
	Benton	0.4%
	Region	0.5%
	Rural Stearns	DS
	Sherburne	0.0%
	St. Cloud	0.2%

**94. Why did you not get or delay getting the mental health care you thought you needed?
Other reason**

		Checked
Stearns Total		24.5%
Gender	Male	DS
	Female	16.9%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	22.4%
Local Comparisons		
	Benton	12.0%
	Region	20.0%
	Rural Stearns	DS
	Sherburne	18.0%
	St. Cloud	20.7%

95. During the past 30 days, about how many days have you felt sad, blue, or depressed?

		0 days	1-9 days	10-19 days	20-29 days	All 30 days
Stearns Total		48.1%	37.3%	9.2%	3.8%	1.6%
Gender	Male	59.1%	26.5%	8.7%	2.7%	2.9%
	Female	36.8%	48.4%	9.6%	4.9%	0.3%
Age groups	18-34	46.3%	40.1%	12.5%	1.2%	0.0%
	35-44	40.5%	36.3%	10.3%	8.0%	4.9%
	45-54	40.8%	40.9%	6.6%	7.9%	3.7%
	55-64	52.2%	35.6%	8.6%	3.6%	0.0%
	65-74	61.9%	33.6%	2.8%	0.6%	1.1%
	75+	70.9%	22.0%	3.2%	2.2%	1.7%
Education	High school graduate/GED or less	68.4%	22.6%	5.9%	2.6%	0.5%
	Trade/Voc, Associate degree or some college	39.7%	36.7%	15.0%	5.0%	3.6%
	Bachelor's degree	44.7%	44.9%	8.0%	1.4%	1.0%
	Graduate or professional degree	50.7%	38.2%	3.2%	7.9%	0.0%
Poverty 200%	200% poverty or less	62.9%	25.2%	7.0%	2.3%	2.6%
	Greater than 200% poverty	43.4%	39.7%	10.9%	4.3%	1.7%
Local Comparisons	Benton	41.3%	38.3%	11.4%	5.8%	3.2%
	Region	49.4%	37.0%	8.1%	3.4%	2.1%
	Rural Stearns	57.5%	35.2%	3.8%	1.4%	2.2%
	Sherburne	55.0%	36.0%	4.8%	1.7%	2.4%
	St. Cloud	39.8%	39.6%	13.4%	5.3%	1.9%

96. Which statement best describes the medications prescribed for you in the past 6 months?

		No prescriptions	Had prescriptions and filled them all	Had prescriptions and did not fill at least one
Stearns Total		44.2%	53.4%	2.5%
Gender	Male	42.8%	54.2%	3.0%
	Female	45.6%	52.5%	1.9%
Age groups	18-34	50.4%	49.6%	0.0%
	35-44	50.6%	39.9%	9.5%
	45-54	58.2%	38.6%	3.2%
	55-64	31.3%	67.1%	1.6%
	65-74	16.3%	83.3%	0.4%
	75+	17.1%	79.2%	3.7%
Education	High school graduate/GED or less	23.2%	73.7%	3.1%
	Trade/Voc, Associate degree or some college	44.9%	50.9%	4.1%
	Bachelor's degree	47.1%	52.0%	0.9%
	Graduate or professional degree	54.1%	43.9%	2.0%
Poverty 200%	200% poverty or less	33.6%	64.4%	2.0%
	Greater than 200% poverty	41.8%	55.3%	2.9%
Local Comparisons	Benton	33.5%	61.8%	4.7%
	Region	45.2%	52.5%	2.2%
	Rural Stearns	49.0%	48.3%	2.7%
	Sherburne	52.1%	47.1%	0.8%
	St. Cloud	38.5%	59.0%	2.5%

97. Why did you not fill at least one prescription? (mark all that apply)

	Checked
Stearns Total	DS
The medication I needed cost too much	DS
My co-pay was too expensive	DS
My deductible was too expensive	DS
My insurance did not cover it	DS
I did not have insurance	DS
I do not like taking medications	DS
I did not like the side effects	DS
I had transportation problems	DS
Pharmacy services are not available in my community	DS
Other reason	DS

**The number of respondents who did not fill a Rx was too small to be able to break out the reasons by the demographic factors, so only the overall percentages can be shown. County specific tables are also not available due to insufficient data.

98. Current insurance status

		Currently uninsured	Currently insured
Stearns Total		0.5%	99.5%
Gender	Male	0.2%	99.8%
	Female	0.8%	99.2%
Age groups	18-34	0.5%	99.5%
	35-44	0.0%	100.0%
	45-54	0.0%	100.0%
	55-64	1.6%	98.4%
	65-74	0.0%	100.0%
	75+	0.9%	99.1%
Education	High school graduate/GED or less	1.6%	98.4%
	Trade/Voc, Associate degree or some college	0.6%	99.4%
	Bachelor's degree	0.0%	100.0%
	Graduate or professional degree	0.0%	100.0%
Poverty 200%	200% poverty or less	0.5%	99.5%
	Greater than 200% poverty	0.5%	99.5%
Local Comparisons			
	Benton	0.5%	99.5%
	Region	1.2%	98.8%
	Rural Stearns	0.8%	99.2%
	Sherburne	2.8%	97.2%
	St. Cloud	1.0%	99.0%

99. A serving of fruit is a medium-sized fruit or a half cup chopped, cut, or canned fruit. How many servings of fruit did you have yesterday?

		0 servings	1-2 servings	3-4 servings	5 or more servings
Stearns Total		25.1%	54.2%	15.5%	5.2%
Gender	Male	27.2%	52.9%	12.3%	7.7%
	Female	23.0%	55.5%	18.8%	2.7%
Age groups	18-34	25.0%	53.0%	13.8%	8.2%
	35-44	25.4%	46.5%	21.0%	7.2%
	45-54	26.6%	56.1%	16.0%	1.3%
	55-64	25.0%	56.9%	15.4%	2.7%
	65-74	29.8%	52.7%	16.6%	0.9%
	75+	16.5%	67.3%	10.9%	5.3%
Education	High school graduate/GED or less	20.7%	64.1%	13.3%	2.0%
	Trade/Voc, Associate degree or some college	32.4%	53.7%	13.3%	0.6%
	Bachelor's degree	19.9%	49.9%	21.9%	8.2%
	Graduate or professional degree	23.8%	54.3%	9.6%	12.2%
Poverty 200%	200% poverty or less	21.4%	64.8%	13.3%	0.5%
	Greater than 200% poverty	24.8%	53.8%	15.0%	6.5%
Local Comparisons					
	Benton	22.0%	52.1%	24.5%	1.3%
	Region	23.2%	57.3%	15.6%	4.0%
	Rural Stearns	21.4%	54.3%	22.8%	1.5%
	Sherburne	20.4%	65.0%	11.6%	3.0%
	St. Cloud	26.7%	52.7%	14.7%	5.9%

100. A serving of 100% fruit juice is 6 ounces. How many servings of fruit juice did you have yesterday?

		0 servings	1-2 servings	3-4 servings	5 or more servings
Stearns Total		70.7%	25.4%	3.2%	0.6%
Gender	Male	62.8%	31.3%	4.8%	1.0%
	Female	78.8%	19.4%	1.6%	0.2%
Age groups	18-34	69.4%	30.6%	0.0%	0.0%
	35-44	80.1%	13.5%	6.4%	0.0%
	45-54	71.1%	18.0%	9.6%	1.3%
	55-64	69.1%	26.9%	1.6%	2.4%
	65-74	71.1%	27.7%	0.4%	0.8%
	75+	60.2%	36.7%	3.1%	0.0%
Education	High school graduate/GED or less	58.8%	34.1%	4.1%	3.0%
	Trade/Voc, Associate degree or some college	77.3%	20.1%	2.4%	0.2%
	Bachelor's degree	62.4%	33.9%	3.6%	0.1%
	Graduate or professional degree	87.5%	9.5%	3.0%	0.0%
Poverty 200%	200% poverty or less	69.7%	23.5%	5.1%	1.7%
	Greater than 200% poverty	71.9%	25.7%	2.3%	0.2%
<hr/>					
Local Comparisons	Benton	71.6%	23.5%	2.5%	2.3%
	Region	71.1%	23.7%	4.2%	1.0%
	Rural Stearns	70.2%	27.0%	2.5%	0.3%
	Sherburne	71.4%	20.6%	6.9%	1.1%
	St. Cloud	70.7%	24.5%	3.7%	1.1%

101. A serving of vegetables-not including french fries- is one cup of salad greens or half cup of vegetables. How many servings did you have yesterday?

		0 servings	1-2 servings	3-4 servings	5 or more servings
Stearns Total		13.1%	54.1%	23.8%	9.0%
Gender	Male	17.3%	51.7%	17.1%	13.9%
	Female	8.7%	56.5%	30.7%	4.1%
Age groups	18-34	9.2%	47.8%	27.7%	15.3%
	35-44	14.9%	52.5%	24.3%	8.4%
	45-54	19.7%	53.3%	22.1%	4.9%
	55-64	15.0%	57.5%	24.0%	3.5%
	65-74	10.3%	72.4%	14.6%	2.6%
	75+	12.3%	64.6%	17.7%	5.5%
Education	High school graduate/GED or less	14.9%	68.4%	15.4%	1.2%
	Trade/Voc, Associate degree or some college	17.7%	55.4%	22.3%	4.5%
	Bachelor's degree	11.8%	45.4%	25.9%	16.9%
	Graduate or professional degree	2.9%	53.7%	32.7%	10.7%
Poverty 200%	200% poverty or less	19.9%	53.2%	25.8%	1.1%
	Greater than 200% poverty	11.5%	57.4%	23.9%	7.3%
Local Comparisons					
	Benton	16.2%	60.2%	20.1%	3.4%
	Region	12.6%	54.4%	24.6%	8.4%
	Rural Stearns	13.6%	51.3%	28.8%	6.3%
	Sherburne	10.0%	52.3%	28.0%	9.7%
	St. Cloud	14.2%	57.5%	19.7%	8.6%

102. How many servings of fruits and vegetables did you have yesterday?

		0 servings	1-2 servings	3-4 servings	5 or more servings
Stearns Total		4.8%	24.5%	26.9%	43.8%
Gender	Male	8.2%	18.0%	28.4%	45.4%
	Female	1.4%	31.1%	25.4%	42.1%
Age groups	18-34	3.9%	19.9%	22.3%	53.9%
	35-44	7.7%	20.2%	32.5%	39.6%
	45-54	1.8%	32.6%	24.5%	41.0%
	55-64	9.6%	22.6%	28.7%	39.1%
	65-74	3.9%	37.2%	28.2%	30.7%
	75+	3.1%	26.2%	39.4%	31.2%
Education	High school graduate/GED or less	5.7%	26.7%	37.0%	30.6%
	Trade/Voc, Associate degree or some college	9.4%	25.7%	36.1%	28.8%
	Bachelor's degree	1.1%	23.1%	14.3%	61.6%
	Graduate or professional degree	0.7%	22.3%	23.5%	53.4%
Poverty 200%	200% poverty or less	7.2%	24.5%	36.8%	31.5%
	Greater than 200% poverty	2.9%	27.3%	26.8%	42.9%
Local Comparisons					
	Benton	3.5%	27.6%	32.9%	36.0%
	Region	4.3%	25.3%	29.0%	41.5%
	Rural Stearns	8.0%	18.5%	30.5%	43.0%
	Sherburne	3.9%	25.5%	30.8%	39.7%
	St. Cloud	2.9%	29.2%	26.4%	41.6%

103. How often did you drink the following beverages in the past week?

	Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Stearns Total							
Fruit drinks (such as Snapple, flavored teas, Capri Sun or Kool-Aid)	79.7%	6.5%	10.7%	0.9%	0.9%	1.0%	0.3%
Sports drinks (such as Gatorade or Powerade); these drinks usually do not have caffeine	84.4%	7.8%	4.4%	0.7%	1.9%	0.6%	0.2%
Regular soda or pop (include all kinds such as Coke, Pepsi, 7-Up, Sprite or root beer)	44.5%	15.3%	18.7%	4.4%	8.0%	7.2%	2.0%
Energy drinks (such as Rockstar, Red Bull, Monster or Full Throttle); these drinks usually have caffeine	89.3%	4.0%	2.9%	3.2%	0.5%	0.1%	0.1%

104. How often did you drink fruit drinks in the past week?

		Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Stearns Total		79.7%	6.5%	10.7%	0.9%	0.9%	1.0%	0.3%
Gender	Male	77.4%	7.0%	13.2%	1.5%	0.3%	0.3%	0.3%
	Female	81.9%	6.1%	8.2%	0.4%	1.5%	1.8%	0.2%
Age groups	18-34	80.2%	4.7%	15.2%	0.0%	0.0%	0.0%	0.0%
	35-44	71.6%	12.2%	12.9%	3.2%	0.0%	0.0%	0.0%
	45-54	78.7%	5.8%	6.7%	0.9%	3.0%	4.9%	0.0%
	55-64	82.7%	7.7%	7.7%	0.0%	0.3%	0.6%	1.1%
	65-74	88.1%	3.1%	4.8%	1.1%	1.9%	0.0%	1.0%
	75+	80.6%	7.9%	5.4%	2.7%	1.9%	0.9%	0.5%
Education	High school graduate/GED or less	60.7%	15.1%	18.7%	2.8%	1.2%	0.8%	0.7%
	Trade/Voc, Associate degree or some college	83.5%	7.0%	7.2%	1.2%	0.2%	0.5%	0.4%
	Bachelor's degree	81.9%	1.8%	14.5%	0.1%	1.6%	0.0%	0.0%
	Graduate or professional degree	87.1%	6.5%	1.6%	0.0%	0.3%	4.5%	0.0%
Poverty 200%	200% poverty or less	68.7%	6.7%	20.0%	3.5%	0.7%	0.0%	0.5%
	Greater than 200% poverty	79.4%	7.0%	10.4%	0.5%	1.0%	1.4%	0.2%
Local Comparisons	Benton	65.6%	9.4%	21.7%	1.7%	0.8%	0.4%	0.4%
	Region	75.1%	9.1%	11.1%	2.7%	0.7%	1.0%	0.2%
	Rural Stearns	83.0%	8.2%	6.1%	0.9%	0.4%	0.8%	0.6%
	Sherburne	71.6%	13.6%	6.8%	6.2%	0.4%	1.3%	0.2%
	St. Cloud	73.1%	6.7%	16.3%	1.4%	1.1%	1.4%	0.1%

105. How often did you drink sports drinks in the past week?

		Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Stearns Total		84.4%	7.8%	4.4%	0.7%	1.9%	0.6%	0.2%
Gender	Male	81.6%	8.9%	3.4%	1.0%	3.6%	1.3%	0.1%
	Female	87.2%	6.6%	5.3%	0.4%	0.3%	0.0%	0.2%
Age groups	18-34	91.8%	1.4%	2.9%	0.0%	3.9%	0.0%	0.0%
	35-44	65.9%	18.6%	9.4%	2.2%	0.0%	3.1%	0.8%
	45-54	82.1%	11.5%	4.5%	0.9%	0.9%	0.0%	0.0%
	55-64	80.2%	11.4%	5.1%	1.3%	2.0%	0.0%	0.0%
	65-74	93.0%	3.7%	2.4%	0.5%	0.0%	0.4%	0.0%
	75+	89.3%	6.2%	1.5%	0.0%	0.5%	1.5%	1.0%
Education	High school graduate/GED or less	73.7%	13.1%	7.3%	0.0%	2.4%	3.0%	0.4%
	Trade/Voc, Associate degree or some college	80.2%	7.9%	4.8%	1.7%	4.7%	0.3%	0.4%
	Bachelor's degree	91.5%	4.9%	3.1%	0.5%	0.0%	0.0%	0.0%
	Graduate or professional degree	88.7%	8.1%	3.2%	0.0%	0.0%	0.0%	0.0%
Poverty 200%	200% poverty or less	78.8%	6.7%	11.3%	0.0%	0.0%	3.1%	0.0%
	Greater than 200% poverty	86.6%	8.2%	3.5%	1.0%	0.3%	0.2%	0.3%
Local Comparisons	Benton	73.1%	15.3%	6.0%	2.3%	0.4%	2.8%	0.1%
	Region	81.2%	8.4%	5.0%	3.1%	1.4%	0.9%	0.1%
	Rural Stearns	80.5%	7.8%	5.5%	1.2%	4.4%		0.5%
	Sherburne	79.3%	6.1%	5.6%	7.8%	0.8%	0.4%	0.0%
	St. Cloud	82.7%	9.9%	4.6%	0.3%	0.7%	1.9%	0.0%

106. How often did you drink regular soda/pop in the past week?

		Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Stearns Total		44.5%	15.3%	18.7%	4.4%	8.0%	7.2%	2.0%
Gender	Male	39.6%	13.5%	19.4%	2.1%	9.8%	12.3%	3.3%
	Female	49.3%	17.0%	17.9%	6.8%	6.2%	2.2%	0.6%
Age groups	18-34	39.3%	10.0%	22.6%	6.3%	8.7%	10.0%	3.1%
	35-44	45.6%	16.4%	17.8%	4.1%	8.5%	6.0%	1.5%
	45-54	43.1%	21.7%	19.4%	2.3%	8.1%	5.5%	0.0%
	55-64	49.2%	18.0%	14.7%	4.3%	7.5%	6.3%	0.0%
	65-74	52.8%	14.9%	14.6%	3.5%	4.7%	5.9%	3.6%
	75+	51.8%	17.4%	12.6%	2.9%	7.4%	3.9%	4.0%
Education	High school graduate/GED or less	36.2%	15.9%	15.5%	2.8%	11.7%	8.5%	9.3%
	Trade/Voc, Associate degree or some college	39.0%	14.2%	16.0%	5.7%	11.2%	13.5%	0.5%
	Bachelor's degree	47.1%	15.1%	28.4%	2.0%	4.7%	2.3%	0.4%
	Graduate or professional degree	58.2%	17.5%	9.0%	8.5%	4.3%	2.6%	0.0%
Poverty 200%	200% poverty or less	46.8%	10.8%	17.4%	1.2%	11.9%	0.9%	11.0%
	Greater than 200% poverty	44.4%	16.0%	17.8%	5.5%	6.7%	9.3%	0.3%
<hr/>								
Local Comparisons	Benton	46.8%	12.2%	22.3%	4.4%	7.3%	6.4%	0.6%
	Region	44.8%	14.8%	18.8%	6.3%	8.1%	5.5%	1.7%
	Rural Stearns	40.1%	18.5%	19.3%	4.7%	9.2%	7.2%	1.1%
	Sherburne	44.6%	15.1%	17.4%	10.3%	8.8%	2.2%	1.6%
	St. Cloud	46.7%	12.7%	19.6%	4.6%	7.6%	6.8%	2.1%

107. How often did you drink energy drinks in the past week?

		Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Stearns Total		89.3%	4.0%	2.9%	3.2%	0.5%	0.1%	0.1%
Gender	Male	82.5%	6.2%	4.8%	5.5%	0.9%	0.0%	0.1%
	Female	95.8%	1.9%	1.1%	1.0%	0.2%	0.1%	0.0%
Age groups	18-34	81.6%	7.3%	5.0%	6.1%	0.0%	0.0%	0.0%
	35-44	83.2%	2.5%	6.7%	6.1%	1.5%	0.0%	0.0%
	45-54	98.0%	2.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	55-64	94.1%	4.0%	0.0%	0.0%	1.4%	0.5%	0.0%
	65-74	98.7%	0.3%	0.0%	0.0%	1.1%	0.0%	0.0%
	75+	99.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%
Education	High school graduate/GED or less	89.6%	3.2%	4.1%	1.0%	1.3%	0.4%	0.4%
	Trade/Voc, Associate degree or some college	86.7%	1.7%	3.3%	8.3%	0.0%	0.0%	0.0%
	Bachelor's degree	86.7%	9.0%	3.3%	0.7%	0.3%	0.0%	0.0%
	Graduate or professional degree	98.8%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%
Poverty 200%	200% poverty or less	94.7%	0.0%	3.1%	1.5%	0.7%	0.0%	0.0%
	Greater than 200% poverty	86.8%	5.3%	3.2%	4.0%	0.5%	0.1%	0.1%
Local Comparisons	Benton	87.7%	3.1%	7.5%	0.2%	0.6%	1.0%	0.0%
	Region	84.5%	4.8%	6.3%	2.5%	1.2%	0.6%	0.0%
	Rural Stearns	92.9%	1.7%	2.4%	1.6%	1.1%	0.2%	0.2%
	Sherburne	74.9%	7.1%	11.8%	2.2%	2.8%	1.2%	0.0%
	St. Cloud	86.8%	5.0%	5.0%	3.1%	0.1%	0.1%	0.0%

108. During the past 12 months, have you used a community food shelf program or a community food box program?

		Yes	No
Stearns Total		4.1%	95.9%
Gender	Male	2.5%	97.5%
	Female	5.7%	94.3%
Age groups	18-34	3.7%	96.3%
	35-44	6.5%	93.5%
	45-54	0.5%	99.5%
	55-64	4.1%	95.9%
	65-74	6.4%	93.6%
	75+	7.3%	92.7%
Education	High school graduate/GED or less	5.1%	94.9%
	Trade/Voc, Associate degree or some college	7.2%	92.8%
	Bachelor's degree	1.2%	98.8%
	Graduate or professional degree	2.8%	97.2%
Poverty 200%	200% poverty or less	11.9%	88.1%
	Greater than 200% poverty	3.2%	96.8%
Local Comparisons			
Local Comparisons	Benton	11.4%	88.6%
	Region	6.4%	93.6%
	Rural Stearns	5.4%	94.6%
	Sherburne	8.1%	91.9%
	St. Cloud	5.9%	94.1%

109. How often do you or others in your household buy or get food from the following places?

	Never or less than 1 time per month	About 1 time per month	About 2 or 3 times per month	About 1 time per week	2 or more times per week
Stearns Total					
Supermarket or large grocery store	1.4%	7.0%	29.0%	45.0%	17.5%
Small grocery store	30.7%	21.3%	18.1%	26.7%	3.2%
Convenience store or gas station	50.7%	21.1%	12.3%	7.3%	8.5%
Food shelf, food pantry or community food box program	96.5%	2.7%	0.0%	0.7%	0.0%
Some other place	91.7%	3.3%	1.6%	2.3%	1.1%

110. How often do you or others in your household buy or get food from a supermarket or large grocery store?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Stearns Total		1.4%	7.0%	29.0%	45.0%	17.5%
Gender	Male	1.7%	6.7%	28.4%	44.7%	18.5%
	Female	1.1%	7.3%	29.7%	45.4%	16.6%
Age groups	18-34	0.0%	4.0%	32.8%	47.3%	15.9%
	35-44	1.5%	3.7%	27.1%	43.2%	24.5%
	45-54	2.2%	11.8%	24.4%	39.6%	22.0%
	55-64	1.5%	8.8%	28.5%	48.8%	12.4%
	65-74	3.7%	8.9%	26.8%	44.2%	16.5%
	75+	3.3%	11.8%	28.8%	44.6%	11.5%
Education	High school graduate/GED or less	3.9%	8.4%	35.3%	42.0%	10.5%
	Trade/Voc, Associate degree or some college	0.9%	10.2%	32.1%	40.4%	16.3%
	Bachelor's degree	0.1%	4.4%	32.1%	39.3%	24.2%
	Graduate or professional degree	2.2%	4.3%	10.4%	70.1%	13.0%
Poverty 200%	200% poverty or less	1.4%	4.7%	38.8%	37.2%	17.9%
	Greater than 200% poverty	1.2%	7.9%	22.5%	49.2%	19.2%
Local Comparisons	Benton	4.7%	5.4%	23.6%	47.3%	18.9%
	Region	1.6%	7.1%	29.0%	43.2%	19.1%
	Rural Stearns	2.4%	9.3%	35.4%	41.0%	11.9%
	Sherburne	0.6%	7.8%	31.6%	38.1%	21.9%
	St. Cloud	2.0%	5.4%	23.4%	48.2%	21.0%

111. How often do you or others in your household buy or get food from a small grocery store?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Stearns Total		30.7%	21.3%	18.1%	26.7%	3.2%
Gender	Male	36.5%	14.6%	18.4%	28.1%	2.4%
	Female	24.9%	28.1%	17.9%	25.2%	3.9%
Age groups	18-34	30.5%	23.6%	15.2%	29.4%	1.2%
	35-44	25.5%	23.1%	24.2%	23.7%	3.4%
	45-54	31.3%	19.1%	16.0%	27.8%	5.8%
	55-64	23.8%	20.2%	23.8%	29.7%	2.6%
	65-74	35.1%	25.5%	14.2%	22.8%	2.5%
	75+	53.5%	7.7%	18.1%	12.7%	8.0%
Education	High school graduate/GED or less	38.8%	18.0%	12.7%	23.5%	7.0%
	Trade/Voc, Associate degree or some college	28.6%	26.4%	15.7%	26.1%	3.2%
	Bachelor's degree	30.9%	15.6%	25.0%	25.6%	2.9%
	Graduate or professional degree	27.1%	25.1%	15.9%	31.9%	0.0%
Poverty 200%	200% poverty or less	39.3%	21.8%	10.7%	27.1%	1.2%
	Greater than 200% poverty	28.6%	24.0%	17.4%	26.4%	3.5%
Local Comparisons	Benton	44.0%	19.1%	12.3%	20.2%	4.4%
	Region	34.8%	21.3%	16.3%	23.0%	4.6%
	Rural Stearns	26.0%	19.0%	21.6%	26.4%	7.0%
	Sherburne	37.8%	22.4%	14.7%	17.9%	7.2%
	St. Cloud	38.0%	21.6%	14.5%	24.5%	1.5%

112. How often do you or others in your household buy or get food from a convenience store or gas station?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Stearns Total		50.7%	21.1%	12.3%	7.3%	8.5%
Gender	Male	47.7%	28.4%	7.9%	4.6%	11.4%
	Female	53.7%	14.1%	16.7%	9.9%	5.6%
Age groups	18-34	53.6%	25.8%	7.6%	5.2%	7.9%
	35-44	49.5%	16.5%	13.9%	5.7%	14.5%
	45-54	44.3%	13.0%	18.0%	12.9%	11.8%
	55-64	50.1%	22.1%	14.2%	8.9%	4.7%
	65-74	53.6%	20.9%	14.6%	8.8%	2.0%
	75+	54.1%	27.9%	12.5%	2.4%	3.0%
Education	High school graduate/GED or less	38.7%	23.8%	13.8%	12.6%	11.1%
	Trade/Voc, Associate degree or some college	53.1%	16.1%	12.8%	3.3%	14.6%
	Bachelor's degree	42.4%	31.7%	15.1%	9.1%	1.7%
	Graduate or professional degree	73.2%	7.4%	5.0%	6.8%	7.6%
Poverty 200%	200% poverty or less	43.2%	29.6%	9.8%	6.2%	11.2%
	Greater than 200% poverty	54.7%	19.0%	13.1%	8.7%	4.5%
Local Comparisons	Benton	39.7%	18.8%	29.3%	5.9%	6.4%
	Region	49.7%	20.3%	14.6%	8.4%	7.0%
	Rural Stearns	55.5%	16.5%	10.0%	6.5%	11.5%
	Sherburne	52.6%	19.5%	11.6%	11.6%	4.7%
	St. Cloud	45.1%	23.0%	18.2%	7.2%	6.5%

113. How often do you or others in your household buy or get food from a food shelf or food pantry?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Stearns Total		96.5%	2.7%	0.0%	0.7%	0.0%
Gender	Male	97.2%	1.3%	0.1%	1.3%	0.1%
	Female	95.8%	4.1%	0.0%	0.1%	0.0%
Age groups	18-34	96.7%	3.3%	0.0%	0.0%	0.0%
	35-44	92.5%	4.4%	0.0%	3.1%	0.0%
	45-54	100.0%	0.0%	0.0%	0.0%	0.0%
	55-64	99.2%	0.5%	0.3%	0.0%	0.0%
	65-74	93.2%	5.1%	0.0%	1.1%	0.6%
	75+	94.3%	4.5%	0.0%	1.2%	0.0%
Education	High school graduate/GED or less	90.6%	4.4%	0.3%	4.4%	0.3%
	Trade/Voc, Associate degree or some college	95.0%	5.0%	0.0%	0.0%	0.0%
	Bachelor's degree	99.2%	0.8%	0.0%	0.0%	0.0%
	Graduate or professional degree	99.6%	0.4%	0.0%	0.0%	0.0%
Poverty 200%	200% poverty or less	85.9%	9.9%	0.3%	3.9%	0.0%
	Greater than 200% poverty	98.2%	1.7%	0.0%	0.1%	0.1%
<hr/>						
Local Comparisons	Benton	96.6%	2.5%	0.9%	0.0%	0.0%
	Region	95.4%	3.7%	0.3%	0.4%	0.1%
	Rural Stearns	96.5%	2.9%	0.1%	0.4%	0.1%
	Sherburne	92.9%	6.2%	0.6%	0.2%	0.0%
	St. Cloud	96.4%	2.7%	0.3%	0.7%	0.0%

114. How often do you or others in your household buy or get food from some other place?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Stearns Total		91.7%	3.3%	1.6%	2.3%	1.1%
Gender	Male	96.9%	2.7%	0.1%	0.1%	0.2%
	Female	87.7%	3.9%	2.7%	3.9%	1.8%
Age groups	18-34	95.7%	1.4%	0.0%	2.9%	0.0%
	35-44	83.2%	5.5%	5.0%	3.7%	2.7%
	45-54	91.9%	6.5%	0.0%	0.0%	1.6%
	55-64	93.1%	1.0%	3.5%	2.3%	0.0%
	65-74	88.1%	3.6%	3.5%	1.7%	3.1%
	75+	87.5%	6.1%	1.2%	2.5%	2.7%
Education	High school graduate/GED or less	85.5%	9.4%	1.5%	1.4%	2.1%
	Trade/Voc, Associate degree or some college	89.3%	2.2%	1.9%	4.3%	2.2%
	Bachelor's degree	96.3%	1.1%	1.7%	0.9%	0.0%
	Graduate or professional degree	91.4%	4.8%	1.0%	2.2%	0.6%
Poverty 200%	200% poverty or less	81.8%	11.0%	4.5%	0.5%	2.2%
	Greater than 200% poverty	93.0%	2.5%	0.8%	2.8%	0.9%
Local Comparisons	Benton	90.5%	3.4%	4.8%	1.1%	0.2%
	Region	92.5%	2.9%	2.2%	1.4%	0.9%
	Rural Stearns	89.8%	5.4%	0.7%	1.6%	2.6%
	Sherburne	94.9%	1.9%	2.1%	0.1%	1.0%
	St. Cloud	92.6%	2.2%	2.8%	2.3%	0.2%

115. During the past 12 months, how often did you worry that your food would run out before you had money to buy more?

		Often	Sometimes	Rarely	Never
Stearns Total		0.9%	4.7%	9.5%	84.8%
Gender	Male	0.1%	3.2%	9.8%	86.9%
	Female	1.8%	6.3%	9.2%	82.6%
Age groups	18-34	0.5%	5.3%	12.2%	82.0%
	35-44	3.1%	5.5%	11.8%	79.6%
	45-54	0.0%	3.1%	3.6%	93.3%
	55-64	1.2%	6.9%	9.5%	82.4%
	65-74	0.9%	3.3%	6.1%	89.6%
	75+	0.0%	2.4%	9.8%	87.8%
Education	High school graduate/GED or less	1.4%	11.7%	10.8%	76.1%
	Trade/Voc, Associate degree or some college	2.0%	6.2%	16.9%	74.9%
	Bachelor's degree	0.1%	0.4%	5.0%	94.5%
	Graduate or professional degree	0.0%	3.2%	2.6%	94.2%
Poverty 200%	200% poverty or less	0.8%	16.3%	24.3%	58.6%
	Greater than 200% poverty	1.1%	3.0%	7.4%	88.4%
<hr/>					
Local Comparisons	Benton	1.5%	9.5%	7.5%	81.6%
	Region	0.9%	5.3%	11.0%	82.7%
	Rural Stearns	0.5%	2.7%	8.2%	88.6%
	Sherburne	0.6%	4.4%	15.4%	79.5%
	St. Cloud	1.4%	7.1%	10.3%	81.2%

116. During the past 30 days, other than your regular job, did you participate in any physical activity or exercises such as running, calisthenics, golf, gardening or walking for exercise?

		Yes	No
Stearns Total		85.8%	14.2%
Gender	Male	84.2%	15.8%
	Female	87.4%	12.6%
Age groups	18-34	87.0%	13.0%
	35-44	92.1%	7.9%
	45-54	90.5%	9.5%
	55-64	80.9%	19.1%
	65-74	78.8%	21.2%
	75+	72.3%	27.7%
Education	High school graduate/GED or less	73.5%	26.5%
	Trade/Voc, Associate degree or some college	79.6%	20.4%
	Bachelor's degree	95.8%	4.2%
	Graduate or professional degree	91.1%	8.9%
Poverty 200%	200% poverty or less	74.2%	25.8%
	Greater than 200% poverty	87.5%	12.5%
Local Comparisons			
Local Comparisons	Benton	70.2%	29.8%
	Region	84.8%	15.2%
	Rural Stearns	88.4%	11.6%
	Sherburne	90.3%	9.7%
	St. Cloud	80.0%	20.0%

117. During an average week, other than your regular job, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate activities cause only light sweating and a small increase in breathing or heart rate.)

		0 days	1-4 days	5-7 days
Stearns Total		11.0%	59.4%	29.5%
Gender	Male	11.7%	63.2%	25.1%
	Female	10.3%	55.6%	34.0%
Age groups	18-34	9.9%	61.6%	28.5%
	35-44	6.6%	67.1%	26.3%
	45-54	11.3%	55.3%	33.4%
	55-64	10.4%	62.8%	26.7%
	65-74	12.4%	53.2%	34.4%
	75+	23.7%	44.3%	32.0%
Education	High school graduate/GED or less	12.9%	61.8%	25.3%
	Trade/Voc, Associate degree or some college	15.3%	63.1%	21.6%
	Bachelor's degree	8.1%	60.0%	31.9%
	Graduate or professional degree	6.3%	47.8%	45.9%
Poverty 200%	200% poverty or less	14.1%	57.8%	28.1%
	Greater than 200% poverty	8.8%	60.9%	30.3%
Local Comparisons	Benton	11.6%	67.9%	20.5%
	Region	11.1%	60.2%	28.7%
	Rural Stearns	13.0%	61.1%	25.9%
	Sherburne	10.9%	58.0%	31.0%
	St. Cloud	9.6%	60.6%	29.8%

118. During an average week, other than your regular job, on how many days do you get at least 20 minutes of vigorous physical activity? (Vigorous activities cause heavy sweating and a large increase in breathing and heart rate.)

		0 days	1-2 days	3-7 days
Stearns Total		35.5%	35.8%	28.7%
Gender	Male	27.1%	40.1%	32.8%
	Female	44.0%	31.5%	24.5%
Age groups	18-34	36.5%	35.8%	27.8%
	35-44	26.3%	36.6%	37.0%
	45-54	27.8%	42.8%	29.3%
	55-64	39.7%	33.7%	26.6%
	65-74	37.2%	39.3%	23.6%
	75+	57.6%	18.3%	24.0%
Education	High school graduate/GED or less	41.5%	35.5%	23.0%
	Trade/Voc, Associate degree or some college	35.2%	41.9%	22.9%
	Bachelor's degree	24.9%	34.2%	40.9%
	Graduate or professional degree	49.1%	28.6%	22.3%
Poverty 200%	200% poverty or less	47.2%	26.5%	26.3%
	Greater than 200% poverty	33.5%	39.7%	26.8%
Local Comparisons				
Local Comparisons	Benton	41.2%	39.1%	19.7%
	Region	34.1%	36.4%	29.5%
	Rural Stearns	30.8%	35.6%	33.6%
	Sherburne	28.2%	36.1%	35.7%
	St. Cloud	39.3%	36.6%	24.1%

119. Meets physical activity guideline (moderate activity for 30 minutes for 5+ days per week or vigorous activity for 20 minutes for 3+ days per week or both)

		Does not meet guideline	Meets guideline
Stearns Total		60.9%	39.1%
Gender	Male	63.1%	36.9%
	Female	58.6%	41.4%
Age groups	18-34	63.4%	36.6%
	35-44	52.7%	47.3%
	45-54	61.1%	38.9%
	55-64	63.2%	36.8%
	65-74	58.4%	41.6%
	75+	63.3%	36.7%
Education	High school graduate/GED or less	67.9%	32.1%
	Trade/Voc, Associate degree or some college	72.5%	27.5%
	Bachelor's degree	52.9%	47.1%
	Graduate or professional degree	45.6%	54.4%
Poverty 200%	200% poverty or less	68.6%	31.4%
	Greater than 200% poverty	60.6%	39.4%
Local Comparisons			
	Benton	69.0%	31.0%
	Region	60.5%	39.5%
	Rural Stearns	60.2%	39.8%
	Sherburne	55.9%	44.1%
	St. Cloud	62.5%	37.5%

120. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

	Not a problem	A small problem	A big problem
Stearns Total			
Lack of programs or facilities	79.4%	19.0%	1.6%
Public facilities (schools, sports fields, etc.) are not open or available at the times I want to use them	79.6%	14.0%	6.5%
Distance I have to travel to a fitness or community center, parks or walking trails	80.8%	14.0%	5.2%
No safe place to be physically active	89.3%	6.9%	3.9%
Not having sidewalks or walking paths/trails	78.2%	15.2%	6.6%
Poor maintenance of sidewalks or walking paths/trails	87.7%	9.3%	3.0%
Other reason	77.7%	6.1%	16.3%

121. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Lack of programs or facilities

		Not a problem	A small problem	A big problem
Stearns Total		79.4%	19.0%	1.6%
Gender	Male	80.5%	17.4%	2.1%
	Female	78.2%	20.7%	1.1%
Age groups	18-34	80.4%	19.6%	0.0%
	35-44	81.4%	18.6%	0.0%
	45-54	76.0%	22.2%	1.8%
	55-64	76.5%	19.0%	4.5%
	65-74	84.8%	12.5%	2.7%
	75+	77.3%	16.2%	6.5%
Education	High school graduate/GED or less	82.3%	15.3%	2.4%
	Trade/Voc, Associate degree or some college	75.0%	22.2%	2.8%
	Bachelor's degree	81.9%	17.9%	0.2%
	Graduate or professional degree	78.9%	19.8%	1.3%
Poverty 200%	200% poverty or less	61.8%	34.0%	4.2%
	Greater than 200% poverty	82.2%	16.6%	1.3%
Local Comparisons				
Local Comparisons	Benton	77.7%	19.6%	2.7%
	Region	78.9%	18.8%	2.2%
	Rural Stearns	79.4%	17.7%	2.9%
	Sherburne	78.8%	18.1%	3.1%
	St. Cloud	80.1%	19.0%	0.9%

122. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Public facilities are not open or available the times I want to use them

		Not a problem	A small problem	A big problem
Stearns Total		79.6%	14.0%	6.5%
Gender	Male	82.0%	8.2%	9.7%
	Female	77.0%	19.9%	3.1%
Age groups	18-34	81.2%	8.4%	10.4%
	35-44	79.1%	15.7%	5.2%
	45-54	75.2%	22.1%	2.8%
	55-64	77.5%	18.3%	4.2%
	65-74	85.2%	11.5%	3.4%
	75+	80.5%	13.8%	5.8%
Education	High school graduate/GED or less	84.2%	14.0%	1.8%
	Trade/Voc, Associate degree or some college	70.9%	13.1%	16.0%
	Bachelor's degree	81.0%	16.9%	2.1%
	Graduate or professional degree	88.5%	10.2%	1.3%
Poverty 200%	200% poverty or less	64.2%	23.2%	12.7%
	Greater than 200% poverty	81.6%	12.4%	6.1%
Local Comparisons	Benton	79.7%	15.3%	5.0%
	Region	79.1%	14.5%	6.5%
	Rural Stearns	80.6%	12.9%	6.5%
	Sherburne	77.9%	15.0%	7.1%
	St. Cloud	80.4%	13.9%	5.6%

123. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Distance I have to travel to a fitness or community center, parks or walking trails

		Not a problem	A small problem	A big problem
Stearns Total		80.8%	14.0%	5.2%
Gender	Male	78.8%	14.2%	7.0%
	Female	82.9%	13.7%	3.4%
Age groups	18-34	80.9%	13.2%	5.9%
	35-44	76.1%	21.7%	2.3%
	45-54	84.3%	10.2%	5.5%
	55-64	79.5%	13.3%	7.2%
	65-74	83.7%	12.9%	3.4%
	75+	81.3%	13.4%	5.3%
Education	High school graduate/GED or less	89.2%	7.4%	3.3%
	Trade/Voc, Associate degree or some college	77.2%	12.3%	10.5%
	Bachelor's degree	76.0%	21.1%	2.9%
	Graduate or professional degree	89.4%	9.2%	1.4%
Poverty 200%	200% poverty or less	84.4%	10.5%	5.1%
	Greater than 200% poverty	78.3%	16.0%	5.8%
Local Comparisons	Benton	76.1%	12.4%	11.5%
	Region	78.6%	13.5%	7.9%
	Rural Stearns	78.9%	15.1%	6.0%
	Sherburne	75.8%	13.2%	11.0%
	St. Cloud	81.9%	12.1%	6.0%

124. How much of a problem are the following factors for you in terms of preventing you from being more physically active?
No safe place to be physically active

		Not a problem	A small problem	A big problem
Stearns Total		89.3%	6.9%	3.9%
Gender	Male	88.5%	5.6%	5.9%
	Female	90.0%	8.2%	1.8%
Age groups	18-34	87.3%	6.8%	5.9%
	35-44	92.2%	5.9%	1.9%
	45-54	91.4%	6.7%	1.9%
	55-64	88.6%	8.4%	3.0%
	65-74	90.7%	5.5%	3.9%
	75+	87.5%	8.5%	4.0%
Education	High school graduate/GED or less	94.4%	3.0%	2.5%
	Trade/Voc, Associate degree or some college	83.1%	7.8%	9.1%
	Bachelor's degree	90.3%	9.5%	0.3%
	Graduate or professional degree	94.5%	3.3%	2.2%
Poverty 200%	200% poverty or less	88.1%	5.8%	6.0%
	Greater than 200% poverty	88.6%	7.4%	3.9%
Local Comparisons	Benton	82.9%	7.6%	9.5%
	Region	88.6%	7.9%	3.5%
	Rural Stearns	91.4%	5.7%	2.9%
	Sherburne	89.9%	9.9%	0.2%
	St. Cloud	85.7%	8.2%	6.0%

125. How much of a problem are the following factors for you in terms of preventing you from being more physically active?
Not having sidewalks or walking paths/trails

		Not a problem	A small problem	A big problem
Stearns Total		78.2%	15.2%	6.6%
Gender	Male	78.4%	14.5%	7.1%
	Female	78.1%	15.9%	6.0%
Age groups	18-34	71.1%	20.0%	8.9%
	35-44	77.8%	14.3%	7.9%
	45-54	84.6%	9.4%	6.0%
	55-64	83.9%	13.6%	2.6%
	65-74	85.4%	13.0%	1.6%
	75+	81.2%	12.6%	6.2%
Education	High school graduate/GED or less	85.8%	10.8%	3.5%
	Trade/Voc, Associate degree or some college	69.5%	22.4%	8.0%
	Bachelor's degree	80.2%	11.9%	7.9%
	Graduate or professional degree	83.3%	12.5%	4.2%
Poverty 200%	200% poverty or less	81.4%	10.5%	8.1%
	Greater than 200% poverty	75.2%	17.6%	7.2%
Local Comparisons	Benton	76.8%	16.7%	6.5%
	Region	77.4%	15.2%	7.4%
	Rural Stearns	78.7%	13.0%	8.3%
	Sherburne	76.2%	14.4%	9.4%
	St. Cloud	78.1%	16.6%	5.3%

126. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Poor maintenance of sidewalks or walking paths/trails

		Not a problem	A small problem	A big problem
Stearns Total		87.7%	9.3%	3.0%
Gender	Male	89.0%	8.5%	2.5%
	Female	86.4%	10.1%	3.6%
Age groups	18-34	89.2%	8.4%	2.4%
	35-44	89.6%	10.4%	0.0%
	45-54	84.3%	9.0%	6.7%
	55-64	86.0%	11.5%	2.4%
	65-74	91.0%	8.4%	0.5%
	75+	84.1%	8.9%	7.0%
Education	High school graduate/GED or less	89.8%	4.0%	6.2%
	Trade/Voc, Associate degree or some college	86.9%	7.5%	5.5%
	Bachelor's degree	89.3%	10.7%	0.0%
	Graduate or professional degree	83.6%	15.2%	1.2%
Poverty 200%	200% poverty or less	91.5%	1.7%	6.8%
	Greater than 200% poverty	85.6%	11.8%	2.7%
Local Comparisons	Benton	81.2%	9.4%	9.4%
	Region	84.0%	10.9%	5.1%
	Rural Stearns	89.7%	6.8%	3.5%
	Sherburne	78.6%	14.5%	6.8%
	St. Cloud	84.0%	11.3%	4.7%

**127. How much of a problem are the following factors for you in terms of preventing you from being more physically active?
Other reasons**

		Not a problem	A small problem	A big problem
Stearns Total		77.7%	6.1%	16.3%
Gender	Male	77.4%	7.9%	14.6%
	Female	77.9%	4.2%	17.9%
Age groups	18-34	81.6%	7.1%	11.4%
	35-44	72.7%	3.5%	23.8%
	45-54	82.0%	7.1%	10.9%
	55-64	73.3%	7.0%	19.7%
	65-74	81.1%	4.7%	14.2%
	75+	64.8%	5.0%	30.2%
Education	High school graduate/GED or less	67.0%	14.3%	18.7%
	Trade/Voc, Associate degree or some college	67.9%	7.9%	24.2%
	Bachelor's degree	85.2%	2.9%	11.8%
	Graduate or professional degree	85.9%	1.6%	12.5%
Poverty 200%	200% poverty or less	63.9%	22.1%	14.0%
	Greater than 200% poverty	78.7%	2.5%	18.8%
Local Comparisons	Benton	80.9%	3.1%	16.0%
	Region	74.2%	4.8%	21.0%
	Rural Stearns	79.4%	4.8%	15.8%
	Sherburne	65.0%	3.8%	31.2%
	St. Cloud	78.7%	5.2%	16.1%

128. How often do you feel safe in your community?

		Often	Sometimes	Rarely	Never
Stearns Total		85.8%	6.5%	6.0%	1.7%
Gender	Male	85.4%	4.9%	9.4%	0.3%
	Female	86.2%	8.2%	2.5%	3.0%
Age groups	18-34	83.1%	2.9%	11.6%	2.4%
	35-44	85.6%	11.6%	2.7%	0.0%
	45-54	88.7%	8.3%	3.0%	0.0%
	55-64	85.7%	9.4%	2.7%	2.2%
	65-74	93.7%	4.1%	1.4%	0.8%
	75+	84.6%	7.3%	2.6%	5.5%
Education	High school graduate/GED or less	82.3%	7.9%	2.2%	7.6%
	Trade/Voc, Associate degree or some college	77.3%	11.8%	10.1%	0.8%
	Bachelor's degree	91.6%	1.9%	6.5%	0.0%
	Graduate or professional degree	95.2%	3.9%	0.4%	0.4%
Poverty 200%	200% poverty or less	80.8%	6.7%	4.1%	8.3%
	Greater than 200% poverty	85.3%	7.1%	7.1%	0.5%
Local Comparisons					
Local Comparisons	Benton	82.8%	14.8%	1.1%	1.3%
	Region	87.8%	7.3%	3.8%	1.1%
	Rural Stearns	92.1%	5.0%	1.5%	1.4%
	Sherburne	93.7%	5.1%	1.1%	0.1%
	St. Cloud	80.4%	10.5%	7.3%	1.7%

129. If you were to experience or witness a crime or harassment in your community, how safe would you feel calling the police or sheriff for help?

		Very safe	Fairly safe	Not very safe	Not at all safe
Stearns Total		78.7%	18.5%	1.7%	1.0%
Gender	Male	84.6%	13.8%	0.5%	1.1%
	Female	72.7%	23.4%	3.0%	0.9%
Age groups	18-34	84.7%	12.1%	3.2%	0.0%
	35-44	69.1%	25.3%	2.4%	3.2%
	45-54	80.3%	19.7%	0.0%	0.0%
	55-64	76.3%	20.6%	1.0%	2.2%
	65-74	76.1%	23.2%	0.0%	0.7%
	75+	72.0%	25.2%	0.5%	2.4%
Education	High school graduate/GED or less	69.3%	29.1%	0.2%	1.4%
	Trade/Voc, Associate degree or some college	78.6%	18.7%	1.9%	0.9%
	Bachelor's degree	85.1%	14.4%	0.6%	0.0%
	Graduate or professional degree	78.2%	13.3%	5.5%	3.0%
Poverty 200%	200% poverty or less	63.6%	29.9%	4.3%	2.3%
	Greater than 200% poverty	80.1%	17.6%	1.4%	0.8%
Local Comparisons	Benton	71.7%	18.9%	8.3%	1.1%
	Region	75.9%	20.7%	2.5%	0.9%
	Rural Stearns	80.2%	17.5%	1.4%	0.8%
	Sherburne	72.6%	25.4%	1.2%	0.8%
	St. Cloud	74.1%	20.3%	4.2%	1.4%

**130. During the past 12 months, have you applied for a job?
If yes, have you felt you were discriminated against when you applied for a job?**

		Experienced the situation	Experienced discrimination
Stearns Total		14.3%	13.5%
Gender	Male	16.1%	DS
	Female	12.5%	DS
Age groups	18-34	18.7%	DS
	35-44	19.4%	DS
	45-54	17.0%	DS
	55-64	8.0%	DS
	65-74	1.1%	DS
	75+	0.0%	DS
Education	High school graduate/GED or less	13.5%	DS
	Trade/Voc, Associate degree or some college	12.8%	DS
	Bachelor's degree	15.5%	DS
	Graduate or professional degree	16.1%	DS
Poverty 200%	200% poverty or less	24.7%	DS
	Greater than 200% poverty	13.3%	15.2%
Local Comparisons			
Local Comparisons	Benton	14.2%	8.7%
	Region	15.0%	14.7%
	Rural Stearns	11.0%	DS
	Sherburne	16.7%	19.2%
	St. Cloud	17.5%	13.8%

**131. During the past 12 months, have you worked at a job?
If yes, have you felt you were discriminated against when you worked at a job?**

		Experienced the situation	Experienced discrimination
Stearns Total		63.6%	5.8%
Gender	Male	62.8%	4.8%
	Female	64.4%	6.8%
Age groups	18-34	73.5%	5.1%
	35-44	81.8%	6.2%
	45-54	74.0%	6.3%
	55-64	59.9%	7.1%
	65-74	18.0%	DS
	75+	4.1%	DS
Education	High school graduate/GED or less	48.8%	5.5%
	Trade/Voc, Associate degree or some college	63.7%	7.7%
	Bachelor's degree	73.7%	4.6%
	Graduate or professional degree	59.7%	5.1%
Poverty 200%	200% poverty or less	45.9%	DS
	Greater than 200% poverty	65.6%	6.7%
Local Comparisons			
Local Comparisons	Benton	60.7%	15.8%
	Region	63.9%	7.7%
	Rural Stearns	58.5%	6.4%
	Sherburne	65.9%	7.0%
	St. Cloud	65.3%	8.8%

**132. During the past 12 months, have you received medical care?
If yes, have you felt you were discriminated against when you received medical care?**

		Experienced the situation	Experienced discrimination
Stearns Total		55.1%	2.1%
Gender	Male	43.9%	1.6%
	Female	66.2%	2.3%
Age groups	18-34	46.4%	1.9%
	35-44	69.4%	0.0%
	45-54	65.0%	3.6%
	55-64	51.3%	5.2%
	65-74	54.8%	0.0%
	75+	49.7%	0.0%
Education	High school graduate/GED or less	47.0%	0.0%
	Trade/Voc, Associate degree or some college	53.4%	5.0%
	Bachelor's degree	60.0%	1.3%
	Graduate or professional degree	56.8%	0.0%
Poverty 200%	200% poverty or less	53.7%	8.9%
	Greater than 200% poverty	58.4%	1.0%
Local Comparisons			
	Benton	64.5%	11.2%
	Region	55.7%	4.0%
	Rural Stearns	49.6%	3.8%
	Sherburne	52.4%	3.5%
	St. Cloud	61.3%	4.9%

**133. During the past 12 months, have you looked for a different house or apartment?
If yes, have you felt you were discriminated against when you looked for a different house or apartment?**

		Experienced the situation	Experienced discrimination
Stearns Total		7.9%	1.2%
Gender	Male	6.5%	DS
	Female	9.2%	DS
Age groups	18-34	13.2%	DS
	35-44	9.7%	DS
	45-54	3.8%	DS
	55-64	3.0%	DS
	65-74	2.6%	DS
	75+	3.0%	DS
Education	High school graduate/GED or less	7.6%	DS
	Trade/Voc, Associate degree or some college	4.9%	DS
	Bachelor's degree	10.4%	DS
	Graduate or professional degree	9.0%	DS
Poverty 200%	200% poverty or less	7.6%	DS
	Greater than 200% poverty	9.2%	DS
Local Comparisons			
Local Comparisons	Benton	15.0%	DS
	Region	10.8%	9.6%
	Rural Stearns	9.2%	DS
	Sherburne	13.6%	DS
	St. Cloud	10.8%	DS

**134. During the past 12 months, have you applied for a credit card, bank loan or a mortgage?
If yes, have you felt you were discriminated against when you applied for a credit card, bank loan or a mortgage?**

		Experienced the situation	Experienced discrimination
Stearns Total		25.2%	1.9%
Gender	Male	19.4%	0.0%
	Female	31.0%	3.0%
Age groups	18-34	28.7%	DS
	35-44	40.4%	DS
	45-54	29.0%	DS
	55-64	10.1%	DS
	65-74	12.1%	DS
	75+	8.4%	DS
Education	High school graduate/GED or less	23.8%	DS
	Trade/Voc, Associate degree or some college	24.2%	DS
	Bachelor's degree	26.7%	0.0%
	Graduate or professional degree	26.3%	DS
Poverty 200%	200% poverty or less	20.0%	DS
	Greater than 200% poverty	26.4%	2.2%
<hr/>			
Local Comparisons	Benton	29.5%	6.2%
	Region	30.1%	2.3%
	Rural Stearns	24.1%	0.4%
	Sherburne	38.7%	1.4%
	St. Cloud	27.6%	4.2%

**135. During the past 12 months, have you shopped at a store or eaten at a restaurant?
If yes, have you felt you were discriminated against when you shopped at a store or eaten at a restaurant?**

		Experienced the situation	Experienced discrimination
Stearns Total		77.7%	1.3%
Gender	Male	73.8%	2.7%
	Female	81.5%	0.0%
Age groups	18-34	80.4%	0.0%
	35-44	87.9%	0.0%
	45-54	86.4%	3.8%
	55-64	66.5%	4.2%
	65-74	63.0%	0.0%
	75+	58.6%	0.0%
Education	High school graduate/GED or less	64.5%	2.5%
	Trade/Voc, Associate degree or some college	79.8%	0.5%
	Bachelor's degree	81.6%	2.2%
	Graduate or professional degree	80.0%	0.0%
Poverty 200%	200% poverty or less	69.3%	0.0%
	Greater than 200% poverty	80.1%	1.3%
<hr/>			
Local Comparisons	Benton	74.0%	8.9%
	Region	78.2%	3.2%
	Rural Stearns	72.8%	1.6%
	Sherburne	81.0%	3.7%
	St. Cloud	79.4%	3.6%

**136. During the past 12 months, have you applied for social services or public assistance?
If yes, have you felt you were discriminated against when you applied for social services or public assistance?**

		Experienced the situation	Experienced discrimination
Stearns Total		3.2%	DS
Gender	Male	2.4%	DS
	Female	3.9%	DS
Age groups	18-34	4.1%	DS
	35-44	5.2%	DS
	45-54	1.3%	DS
	55-64	2.4%	DS
	65-74	2.7%	DS
	75+	0.6%	DS
Education	High school graduate/GED or less	6.2%	DS
	Trade/Voc, Associate degree or some college	6.1%	DS
	Bachelor's degree	0.4%	DS
	Graduate or professional degree	0.7%	DS
Poverty 200%	200% poverty or less	10.0%	DS
	Greater than 200% poverty	2.0%	DS
Local Comparisons			
Local Comparisons	Benton	10.3%	DS
	Region	4.4%	29.3%
	Rural Stearns	3.8%	DS
	Sherburne	3.6%	DS
	St. Cloud	5.3%	DS

**137. During the past 12 months, have you dealt with the police?
If yes, have you felt you were discriminated against when you dealt with the police?**

		Experienced the situation	Experienced discrimination
Stearns Total		12.6%	1.1%
Gender	Male	9.2%	DS
	Female	15.9%	0.0%
Age groups	18-34	6.6%	DS
	35-44	20.6%	DS
	45-54	17.4%	DS
	55-64	16.6%	DS
	65-74	8.4%	DS
	75+	9.0%	DS
Education	High school graduate/GED or less	4.3%	DS
	Trade/Voc, Associate degree or some college	13.8%	DS
	Bachelor's degree	15.6%	DS
	Graduate or professional degree	11.2%	DS
Poverty 200%	200% poverty or less	11.5%	DS
	Greater than 200% poverty	14.1%	0.0%
Local Comparisons			
Local Comparisons	Benton	18.6%	40.6%
	Region	16.7%	9.4%
	Rural Stearns	10.2%	0.0%
	Sherburne	22.7%	5.4%
	St. Cloud	16.1%	18.1%

**138. During the past 12 months, have you appeared in court?
If yes, have you felt you were discriminated against when you appeared in court?**

		Experienced the situation	Experienced discrimination
Stearns Total		2.5%	DS
Gender	Male	3.1%	DS
	Female	1.9%	DS
Age groups	18-34	1.3%	DS
	35-44	10.9%	DS
	45-54	1.4%	DS
	55-64	0.0%	DS
	65-74	0.6%	DS
	75+	0.0%	DS
Education	High school graduate/GED or less	3.1%	DS
	Trade/Voc, Associate degree or some college	2.7%	DS
	Bachelor's degree	1.9%	DS
	Graduate or professional degree	3.0%	DS
Poverty 200%	200% poverty or less	1.6%	DS
	Greater than 200% poverty	3.1%	DS
Local Comparisons			
Local Comparisons	Benton	1.5%	22.5%
	Region	1.8%	DS
	Rural Stearns	1.3%	DS
	Sherburne	0.8%	DS
	St. Cloud	3.1%	18.7%

**139. Experienced discrimination during any of the following situations:
 applying for a job, working at a job, receiving medical care, looking for a different house or
 apartment, applying for a credit card, bank loan or a mortgage, shopping at a store or eating at a
 restaurant, applying for social services or public assistance, dealing with the police**

		Experienced discrimination	Did not experience discrimination
Stearns Total		13.9%	86.1%
Gender	Male	12.5%	87.5%
	Female	15.2%	84.8%
Age groups	18-34	11.1%	88.9%
	35-44	17.6%	82.4%
	45-54	19.6%	80.4%
	55-64	19.2%	80.8%
	65-74	7.0%	93.0%
	75+	6.4%	93.6%
Education	High school graduate/GED or less	17.3%	82.7%
	Trade/Voc, Associate degree or some college	19.0%	81.0%
	Bachelor's degree	10.1%	89.9%
	Graduate or professional degree	7.8%	92.2%
Poverty 200%	200% poverty or less	22.8%	77.2%
	Greater than 200% poverty	12.9%	87.1%
<hr/>			
Local Comparisons	Benton	22.5%	77.5%
	Region	37.1%	62.9%
	Rural Stearns	11.2%	88.8%
	Sherburne	13.5%	86.5%
	St. Cloud	18.7%	81.3%

140. If you felt discriminated against in any of the above situations, what was the reason(s)? (mark all that apply)

	Checked
Stearns Total	
I did not experience any discrimination	86.1%
Race, color, ethnicity or country of origin	3.2%
Age	3.9%
Gender	1.2%
Sexual orientation	0.7%
Gender identity	0.0%
Disability	4.0%
Religion	0.8%
Being overweight or obese	0.5%
Other	5.0%

**141. If you felt discriminated against in any of the above situations, what was the reason(s)?
Race, color, ethnicity or country of origin**

		Checked
Stearns Total		3.2%
Gender	Male	3.4%
	Female	2.9%
Age groups	18-34	3.0%
	35-44	7.1%
	45-54	2.7%
	55-64	0.8%
	65-74	3.3%
	75+	2.2%
Education	High school graduate/GED or less	11.0%
	Trade/Voc, Associate degree or some college	0.3%
	Bachelor's degree	3.3%
	Graduate or professional degree	0.6%
Poverty 200%	200% poverty or less	10.7%
	Greater than 200% poverty	1.8%
Local Comparisons		
	Benton	3.7%
	Region	3.1%
	Rural Stearns	1.9%
	Sherburne	6.3%
	St. Cloud	4.7%

142. If you felt discriminated against in any of the above situations, what was the reason(s)?
Age

		Checked
Stearns Total		3.9%
Gender	Male	4.8%
	Female	3.0%
Age groups	18-34	0.3%
	35-44	0.0%
	45-54	11.7%
	55-64	9.3%
	65-74	3.9%
	75+	2.2%
Education	High school graduate/GED or less	2.3%
	Trade/Voc, Associate degree or some college	5.2%
	Bachelor's degree	3.6%
	Graduate or professional degree	3.5%
Poverty 200%	200% poverty or less	4.2%
	Greater than 200% poverty	4.4%
Local Comparisons		
	Benton	12.9%
	Region	3.9%
	Rural Stearns	3.5%
	Sherburne	4.2%
	St. Cloud	7.3%

143. If you felt discriminated against in any of the above situations, what was the reason(s)?
Gender

		Checked
Stearns Total		1.2%
Gender	Male	1.6%
	Female	0.8%
Age groups	18-34	0.3%
	35-44	3.3%
	45-54	2.6%
	55-64	0.0%
	65-74	1.9%
	75+	0.0%
Education	High school graduate/GED or less	2.1%
	Trade/Voc, Associate degree or some college	1.3%
	Bachelor's degree	0.3%
	Graduate or professional degree	1.9%
Poverty 200%	200% poverty or less	2.0%
	Greater than 200% poverty	0.7%
<hr/>		
Local Comparisons	Benton	11.2%
	Region	2.9%
	Rural Stearns	1.9%
	Sherburne	5.2%
	St. Cloud	3.9%

144. If you felt discriminated against in any of the above situations, what was the reason(s)?
Sexual orientation

		Checked
Stearns Total		0.7%
Gender	Male	1.1%
	Female	0.3%
Age groups	18-34	0.3%
	35-44	0.0%
	45-54	2.7%
	55-64	0.0%
	65-74	0.9%
	75+	0.0%
Education	High school graduate/GED or less	0.5%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	1.4%
	Graduate or professional degree	0.9%
Poverty 200%	200% poverty or less	0.4%
	Greater than 200% poverty	0.8%
Local Comparisons		
	Benton	7.7%
	Region	1.3%
	Rural Stearns	1.7%
	Sherburne	0.9%
	St. Cloud	2.6%

145. If you felt discriminated against in any of the above situations, what was the reason(s)?
Gender identity

		Checked
Stearns Total		0.0%
Gender	Male	0.1%
	Female	0.0%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.5%
	75+	0.0%
Education	High school graduate/GED or less	0.3%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.3%
	Greater than 200% poverty	0.0%
Local Comparisons		
	Benton	7.8%
	Region	0.9%
	Rural Stearns	0.0%
	Sherburne	0.2%
	St. Cloud	2.6%

146. If you felt discriminated against in any of the above situations, what was the reason(s)?
Disability

		Checked
Stearns Total		4.0%
Gender	Male	4.5%
	Female	3.4%
Age groups	18-34	4.1%
	35-44	4.7%
	45-54	4.6%
	55-64	5.5%
	65-74	0.5%
	75+	1.5%
Education	High school graduate/GED or less	5.9%
	Trade/Voc, Associate degree or some college	7.9%
	Bachelor's degree	1.1%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	10.9%
	Greater than 200% poverty	2.5%
Local Comparisons		
	Benton	11.6%
	Region	3.0%
	Rural Stearns	2.7%
	Sherburne	0.8%
	St. Cloud	7.3%

147. If you felt discriminated against in any of the above situations, what was the reason(s)?
Religion

		Checked
Stearns Total		0.8%
Gender	Male	1.0%
	Female	0.7%
Age groups	18-34	0.0%
	35-44	2.4%
	45-54	0.0%
	55-64	0.8%
	65-74	1.5%
	75+	3.5%
Education	High school graduate/GED or less	1.2%
	Trade/Voc, Associate degree or some college	1.6%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.5%
Poverty 200%	200% poverty or less	3.1%
	Greater than 200% poverty	0.3%
Local Comparisons		
	Benton	1.5%
	Region	0.5%
	Rural Stearns	0.9%
	Sherburne	0.2%
	St. Cloud	1.0%

**148. If you felt discriminated against in any of the above situations, what was the reason(s)?
Being overweight or obese**

		Checked
Stearns Total		0.5%
Gender	Male	0.1%
	Female	0.8%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.0%
	55-64	2.3%
	65-74	0.5%
	75+	1.5%
Education	High school graduate/GED or less	0.9%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.7%
	Graduate or professional degree	0.6%
Poverty 200%	200% poverty or less	0.9%
	Greater than 200% poverty	0.4%
Local Comparisons		
	Benton	9.3%
	Region	1.8%
	Rural Stearns	1.1%
	Sherburne	2.8%
	St. Cloud	3.1%

149. If you felt discriminated against in any of the above situations, what was the reason(s)?
Other

		Checked
Stearns Total		5.0%
Gender	Male	1.6%
	Female	8.3%
Age groups	18-34	6.7%
	35-44	9.5%
	45-54	0.7%
	55-64	5.4%
	65-74	1.2%
	75+	0.0%
Education	High school graduate/GED or less	0.6%
	Trade/Voc, Associate degree or some college	9.3%
	Bachelor's degree	3.7%
	Graduate or professional degree	3.3%
Poverty 200%	200% poverty or less	1.1%
	Greater than 200% poverty	6.7%
Local Comparisons		
	Benton	6.5%
	Region	3.2%
	Rural Stearns	2.6%
	Sherburne	2.2%
	St. Cloud	6.4%

150. Do you use any of the following products?

	Current user
Stearns Total	
Cigarettes	8.6%
Cigars, cigarillos or little cigars	3.8%
Pipe	0.9%
Snuff, snus or chewing tobacco	4.3%
E-cigarettes or vaping devices to smoke nicotine products	3.2%
A hookah water pipe	0.0%
Any other type of tobacco product	2.8%

151. Cigarette smoking status

		Current smoker	Former smoker	Never smoked
Stearns Total		8.6%	18.7%	72.7%
Gender	Male	9.1%	22.1%	68.8%
	Female	8.1%	15.3%	76.6%
Age groups	18-34	3.2%	8.5%	88.4%
	35-44	23.0%	18.3%	58.8%
	45-54	9.4%	21.5%	69.1%
	55-64	9.9%	26.3%	63.7%
	65-74	8.6%	32.3%	59.1%
	75+	2.4%	35.2%	62.4%
Education	High school graduate/GED or less	11.2%	22.0%	66.8%
	Trade/Voc, Associate degree or some college	13.2%	20.0%	66.9%
	Bachelor's degree	6.6%	15.0%	78.4%
	Graduate or professional degree	1.2%	18.9%	79.9%
Poverty 200%	200% poverty or less	11.0%	20.9%	68.1%
	Greater than 200% poverty	8.0%	19.3%	72.7%
Local Comparisons	Benton	9.4%	19.9%	70.7%
	Region	9.6%	20.4%	70.0%
	Rural Stearns	9.3%	19.4%	71.2%
	Sherburne	11.6%	23.6%	64.7%
	St. Cloud	8.8%	18.8%	72.4%

152. Quit cigarette smoking for one day or more during the past 12 months, among current smokers

		Yes
Stearns Total		45.6%
Gender	Male	44.7%
	Female	46.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		DS
Bachelor's degree		DS
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	59.5%
<hr/>		
Local Comparisons	Benton	31.6%
	Region	54.1%
	Rural Stearns	52.2%
	Sherburne	73.9%
	St. Cloud	41.2%

DS: Data suppressed due to < 30 responses

153. Cigar smoking status

		Non-smoker	Current smoker
Stearns Total		96.2%	3.8%
Gender	Male	93.4%	6.6%
	Female	99.0%	1.0%
Age groups	18-34	94.8%	5.2%
	35-44	99.2%	0.8%
	45-54	95.5%	4.5%
	55-64	95.7%	4.3%
	65-74	96.8%	3.2%
	75+	98.9%	1.1%
Education	High school graduate/GED or less	95.8%	4.2%
	Trade/Voc, Associate degree or some college	94.9%	5.1%
	Bachelor's degree	98.8%	1.2%
	Graduate or professional degree	93.3%	6.7%
Poverty 200%	200% poverty or less	93.7%	6.3%
	Greater than 200% poverty	97.4%	2.6%
Local Comparisons			
	Benton	98.6%	1.4%
	Region	96.2%	3.8%
	Rural Stearns	92.6%	7.4%
	Sherburne	95.3%	4.7%
	St. Cloud	98.2%	1.8%

154. Pipe smoking status

		Non-smoker	Current smoker
Stearns Total		99.1%	0.9%
Gender	Male	99.1%	0.9%
	Female	99.1%	0.9%
Age groups	18-34	98.8%	1.2%
	35-44	100.0%	0.0%
	45-54	98.2%	1.8%
	55-64	100.0%	0.0%
	65-74	99.2%	0.8%
	75+	99.5%	0.5%
Education	High school graduate/GED or less	99.4%	0.6%
	Trade/Voc, Associate degree or some college	99.0%	1.0%
	Bachelor's degree	98.7%	1.3%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	97.6%	2.4%
	Greater than 200% poverty	99.2%	0.8%
Local Comparisons			
Local Comparisons	Benton	100.0%	0.0%
	Region	97.5%	2.5%
	Rural Stearns	99.1%	0.9%
	Sherburne	93.6%	6.4%
	St. Cloud	98.8%	1.2%

155. Smokeless tobacco use status (snuff, snus or chewing tobacco)

		Non-user	Current user
Stearns Total		95.7%	4.3%
Gender	Male	91.7%	8.3%
	Female	100.0%	0.0%
Age groups	18-34	94.1%	5.9%
	35-44	94.6%	5.4%
	45-54	94.7%	5.3%
	55-64	98.4%	1.6%
	65-74	99.4%	0.6%
	75+	100.0%	0.0%
Education	High school graduate/GED or less	96.0%	4.0%
	Trade/Voc, Associate degree or some college	90.9%	9.1%
	Bachelor's degree	98.7%	1.3%
	Graduate or professional degree	98.9%	1.1%
Poverty 200%	200% poverty or less	97.3%	2.7%
	Greater than 200% poverty	94.8%	5.2%
Local Comparisons			
	Benton	98.1%	1.9%
	Region	94.5%	5.5%
	Rural Stearns	96.5%	3.5%
	Sherburne	90.7%	9.3%
	St. Cloud	96.5%	3.5%

156. E-cigarette use status (e-cigarettes or vaping devices to smoke nicotine products)

		Non-smoker	Current smoker
Stearns Total		96.8%	3.2%
Gender	Male	97.1%	2.9%
	Female	96.5%	3.5%
Age groups	18-34	96.0%	4.0%
	35-44	94.5%	5.5%
	45-54	96.1%	3.9%
	55-64	98.9%	1.1%
	65-74	99.8%	0.2%
	75+	100.0%	0.0%
Education	High school graduate/GED or less	98.5%	1.5%
	Trade/Voc, Associate degree or some college	93.3%	6.7%
	Bachelor's degree	98.0%	2.0%
	Graduate or professional degree	99.6%	0.4%
Poverty 200%	200% poverty or less	99.9%	0.1%
	Greater than 200% poverty	97.7%	2.3%
Local Comparisons			
Local Comparisons	Benton	97.9%	2.1%
	Region	95.5%	4.5%
	Rural Stearns	95.7%	4.3%
	Sherburne	92.1%	7.9%
	St. Cloud	97.2%	2.8%

157. Hookah use status

		Non-user	Current user
Stearns Total		100.0%	0.0%
Gender	Male	100.0%	0.0%
	Female	100.0%	0.0%
Age groups	18-34	100.0%	0.0%
	35-44	100.0%	0.0%
	45-54	100.0%	0.0%
	55-64	100.0%	0.0%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school graduate/GED or less	100.0%	0.0%
	Trade/Voc, Associate degree or some college	100.0%	0.0%
	Bachelor's degree	100.0%	0.0%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	100.0%	0.0%
	Greater than 200% poverty	100.0%	0.0%
Local Comparisons			
Local Comparisons	Benton	99.4%	0.6%
	Region	99.8%	0.2%
	Rural Stearns	100.0%	0.0%
	Sherburne	99.7%	0.3%
	St. Cloud	99.8%	0.2%

158. Other tobacco use

		Non-user	Current user
Stearns Total		97.2%	2.8%
Gender	Male	98.2%	1.8%
	Female	96.3%	3.7%
Age groups	18-34	100.0%	0.0%
	35-44	93.1%	6.9%
	45-54	94.3%	5.7%
	55-64	97.6%	2.4%
	65-74	95.7%	4.3%
	75+	99.3%	0.7%
Education	High school graduate/GED or less	94.7%	5.3%
	Trade/Voc, Associate degree or some college	95.5%	4.5%
	Bachelor's degree	98.8%	1.2%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	98.7%	1.3%
	Greater than 200% poverty	96.6%	3.4%
Local Comparisons			
	Benton	95.8%	4.2%
	Region	95.7%	4.3%
	Rural Stearns	98.5%	1.5%
	Sherburne	93.0%	7.0%
	St. Cloud	96.1%	3.9%

159. Any tobacco use (including e-cigarettes)

		Non-user	Current user
Stearns Total		83.5%	16.5%
Gender	Male	77.1%	22.9%
	Female	90.0%	10.0%
Age groups	18-34	83.3%	16.7%
	35-44	71.2%	28.8%
	45-54	81.7%	18.3%
	55-64	88.7%	11.3%
	65-74	89.8%	10.2%
	75+	97.3%	2.7%
Education	High school graduate/GED or less	83.5%	16.5%
	Trade/Voc, Associate degree or some college	72.4%	27.6%
	Bachelor's degree	90.2%	9.8%
	Graduate or professional degree	91.7%	8.3%
Poverty 200%	200% poverty or less	84.6%	15.4%
	Greater than 200% poverty	84.2%	15.8%
Local Comparisons			
	Benton	87.6%	12.4%
	Region	81.4%	18.6%
	Rural Stearns	79.8%	20.2%
	Sherburne	74.8%	25.2%
	St. Cloud	86.2%	13.8%

160. How often do you feel lonely or isolated from those around you?

		Always	Often	Sometimes	Rarely	Never
Stearns Total		3.7%	5.4%	19.4%	31.5%	40.0%
Gender	Male	5.1%	5.2%	14.7%	25.2%	49.8%
	Female	2.4%	5.7%	24.0%	37.5%	30.3%
Age groups	18-34	8.6%	6.1%	14.5%	40.9%	29.8%
	35-44	1.0%	12.5%	20.0%	28.5%	37.9%
	45-54	1.8%	1.8%	30.0%	19.9%	46.5%
	55-64	0.6%	5.2%	18.3%	25.4%	50.5%
	65-74	0.0%	0.5%	17.6%	31.0%	50.9%
	75+	0.5%	2.5%	19.8%	32.3%	44.9%
Education	High school graduate/GED or less	1.1%	7.9%	11.9%	29.5%	49.5%
	Trade/Voc, Associate degree or some college	9.3%	9.6%	14.9%	28.8%	37.5%
	Bachelor's degree	1.4%	1.5%	29.4%	31.5%	36.2%
	Graduate or professional degree	0.0%	2.2%	17.8%	39.6%	40.4%
Poverty 200%	200% poverty or less	3.0%	10.5%	19.6%	33.8%	33.0%
	Greater than 200% poverty	4.4%	5.1%	20.3%	33.6%	36.7%
<hr/>						
Local Comparisons	Benton	1.8%	12.1%	20.1%	27.9%	38.2%
	Region	2.8%	5.5%	20.9%	31.6%	39.3%
	Rural Stearns	1.0%	4.3%	14.5%	32.7%	47.5%
	Sherburne	1.5%	2.6%	23.9%	33.4%	38.6%
	St. Cloud	4.6%	8.1%	23.0%	30.2%	34.0%

161. Have you ever considered attempting suicide? (mark ALL that apply)

	Checked
Stearns Total	
No	86.6%
Yes, during the last 6 months	1.7%
Yes, during the last year	2.4%
Yes, more than a year ago	10.3%

162. Have you ever considered attempting suicide?**No**

		Checked
Stearns Total		86.6%
Gender	Male	88.7%
	Female	84.5%
Age groups	18-34	86.8%
	35-44	86.8%
	45-54	83.0%
	55-64	85.6%
	65-74	90.5%
	75+	91.6%
Education	High school graduate/GED or less	82.8%
	Trade/Voc, Associate degree or some college	84.0%
	Bachelor's degree	87.6%
	Graduate or professional degree	93.9%
Poverty 200%	200% poverty or less	78.3%
	Greater than 200% poverty	86.5%
<hr/>		
Local Comparisons	Benton	78.7%
	Region	84.7%
	Rural Stearns	91.1%
	Sherburne	84.0%
	St. Cloud	80.7%

**163. Have you ever considered attempting suicide?
Yes, during the last 6 months**

		Checked
Stearns Total		1.7%
Gender	Male	2.8%
	Female	0.5%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	6.2%
	55-64	3.8%
	65-74	0.4%
	75+	0.0%
Education	High school graduate/GED or less	0.9%
	Trade/Voc, Associate degree or some college	2.0%
	Bachelor's degree	2.7%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	3.7%
	Greater than 200% poverty	1.5%
Local Comparisons		
	Benton	8.1%
	Region	2.7%
	Rural Stearns	1.9%
	Sherburne	2.0%
	St. Cloud	3.9%

**164. Have you ever considered attempting suicide?
Yes, during the last year**

		Checked
Stearns Total		2.4%
Gender	Male	2.3%
	Female	2.5%
Age groups	18-34	1.2%
	35-44	1.5%
	45-54	8.3%
	55-64	1.5%
	65-74	0.9%
	75+	0.0%
Education	High school graduate/GED or less	2.4%
	Trade/Voc, Associate degree or some college	2.4%
	Bachelor's degree	3.7%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	2.2%
	Greater than 200% poverty	2.9%
Local Comparisons		
	Benton	8.4%
	Region	3.0%
	Rural Stearns	1.8%
	Sherburne	1.4%
	St. Cloud	5.0%

**165. Have you ever considered attempting suicide?
Yes, more than a year ago**

		Checked
Stearns Total		10.3%
Gender	Male	8.5%
	Female	12.2%
Age groups	18-34	12.0%
	35-44	11.7%
	45-54	11.3%
	55-64	8.2%
	65-74	8.6%
	75+	3.1%
Education	High school graduate/GED or less	12.5%
	Trade/Voc, Associate degree or some college	11.5%
	Bachelor's degree	10.6%
	Graduate or professional degree	5.4%
Poverty 200%	200% poverty or less	14.2%
	Greater than 200% poverty	11.1%
Local Comparisons		
	Benton	15.1%
	Region	11.9%
	Rural Stearns	5.2%
	Sherburne	13.1%
	St. Cloud	15.7%

166. Have you experienced any losses related to the COVID-19 pandemic? (mark ALL that apply)

	Checked
Stearns Total	
None	28.3%
Job (layoff, furlough, hours reduction)	13.0%
Income	12.8%
Housing	1.4%
Health Insurance	4.5%
Transportation	2.5%
Child care	7.2%
Regular school routine	25.8%
Social connectedness	49.9%
Social support	15.3%
Sense of wellness	20.7%
Recreation or entertainment	49.5%
Exercise opportunities	29.3%
Death of a family member or friend	14.9%
Other	1.4%

167. Have you experienced any losses related to the COVID-19 pandemic?

		No losses due to COVID	Any losses due to COVID
Stearns Total		28.3%	71.7%
Gender	Male	36.2%	63.8%
	Female	20.4%	79.6%
Age groups	18-34	27.9%	72.1%
	35-44	21.2%	78.8%
	45-54	20.5%	79.5%
	55-64	32.9%	67.1%
	65-74	36.2%	63.8%
	75+	47.0%	53.0%
Education	High school graduate/GED or less	53.7%	46.3%
	Trade/Voc, Associate degree or some college	21.6%	78.4%
	Bachelor's degree	23.2%	76.8%
	Graduate or professional degree	23.0%	77.0%
Poverty 200%	200% poverty or less	35.7%	64.3%
	Greater than 200% poverty	20.6%	79.4%
Local Comparisons			
	Benton	27.3%	72.7%
	Region	27.3%	72.7%
	Rural Stearns	33.5%	66.5%
	Sherburne	25.5%	74.5%
	St. Cloud	24.7%	75.3%

**168. Have you experienced any losses related to the COVID-19 pandemic?
Job (lay off, furlough, hours reduction)**

		Checked
Stearns Total		13.0%
Gender	Male	8.0%
	Female	18.0%
Age groups	18-34	11.5%
	35-44	12.6%
	45-54	20.7%
	55-64	18.6%
	65-74	4.7%
	75+	0.5%
Education	High school graduate/GED or less	4.1%
	Trade/Voc, Associate degree or some college	21.0%
	Bachelor's degree	12.9%
	Graduate or professional degree	6.6%
Poverty 200%	200% poverty or less	15.7%
	Greater than 200% poverty	13.9%
Local Comparisons		
	Benton	21.8%
	Region	18.5%
	Rural Stearns	12.3%
	Sherburne	26.7%
	St. Cloud	16.0%

**169. Have you experienced any losses related to the COVID-19 pandemic?
Income**

		Checked
Stearns Total		12.8%
Gender	Male	9.9%
	Female	15.7%
Age groups	18-34	2.0%
	35-44	22.4%
	45-54	29.5%
	55-64	20.3%
	65-74	5.2%
	75+	0.5%
Education	High school graduate/GED or less	5.7%
	Trade/Voc, Associate degree or some college	12.4%
	Bachelor's degree	15.7%
	Graduate or professional degree	15.6%
Poverty 200%	200% poverty or less	12.5%
	Greater than 200% poverty	13.5%
Local Comparisons		
Local Comparisons	Benton	20.5%
	Region	18.1%
	Rural Stearns	14.1%
	Sherburne	26.6%
	St. Cloud	14.0%

**170. Have you experienced any losses related to the COVID-19 pandemic?
Housing**

		Checked
Stearns Total		0.0%
Gender	Male	0.1%
	Female	0.0%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.4%
	75+	0.0%
Education	High school graduate/GED or less	0.2%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.2%
	Greater than 200% poverty	0.0%
Local Comparisons		
	Benton	7.5%
	Region	1.4%
	Rural Stearns	0.0%
	Sherburne	0.9%
	St. Cloud	2.1%

171. Have you experienced any losses related to the COVID-19 pandemic?
Health insurance

		Checked
Stearns Total		0.9%
Gender	Male	1.4%
	Female	0.4%
Age groups	18-34	0.0%
	35-44	0.8%
	45-54	2.6%
	55-64	2.0%
	65-74	0.4%
	75+	0.0%
Education	High school graduate/GED or less	0.2%
	Trade/Voc, Associate degree or some college	0.4%
	Bachelor's degree	1.4%
	Graduate or professional degree	1.6%
Poverty 200%	200% poverty or less	1.1%
	Greater than 200% poverty	1.0%
<hr/>		
Local Comparisons	Benton	3.5%
	Region	4.5%
	Rural Stearns	0.6%
	Sherburne	11.3%
	St. Cloud	1.7%

**172. Have you experienced any losses related to the COVID-19 pandemic?
Transportation**

		Checked
Stearns Total		2.4%
Gender	Male	3.1%
	Female	1.8%
Age groups	18-34	2.9%
	35-44	1.6%
	45-54	4.0%
	55-64	1.6%
	65-74	1.8%
	75+	0.5%
Education	High school graduate/GED or less	6.5%
	Trade/Voc, Associate degree or some college	1.4%
	Bachelor's degree	2.4%
	Graduate or professional degree	0.5%
Poverty 200%	200% poverty or less	9.6%
	Greater than 200% poverty	1.3%
Local Comparisons	Benton	7.7%
	Region	2.5%
	Rural Stearns	0.7%
	Sherburne	0.3%
	St. Cloud	4.9%

**173. Have you experienced any losses related to the COVID-19 pandemic?
Childcare**

		Checked
Stearns Total		6.1%
Gender	Male	3.6%
	Female	8.6%
Age groups	18-34	7.0%
	35-44	19.4%
	45-54	2.7%
	55-64	0.0%
	65-74	0.4%
	75+	0.0%
Education	High school graduate/GED or less	1.6%
	Trade/Voc, Associate degree or some college	8.5%
	Bachelor's degree	8.3%
	Graduate or professional degree	1.7%
Poverty 200%	200% poverty or less	6.0%
	Greater than 200% poverty	6.9%
Local Comparisons		
	Benton	4.4%
	Region	7.2%
	Rural Stearns	5.0%
	Sherburne	10.6%
	St. Cloud	5.9%

**174. Have you experienced any losses related to the COVID-19 pandemic?
Regular school routine**

		Checked
Stearns Total		24.8%
Gender	Male	21.7%
	Female	28.1%
Age groups	18-34	21.3%
	35-44	56.3%
	45-54	35.3%
	55-64	11.5%
	65-74	3.7%
	75+	0.0%
Education	High school graduate/GED or less	8.1%
	Trade/Voc, Associate degree or some college	30.5%
	Bachelor's degree	24.5%
	Graduate or professional degree	32.8%
Poverty 200%	200% poverty or less	21.9%
	Greater than 200% poverty	26.6%
Local Comparisons	Benton	30.2%
	Region	25.8%
	Rural Stearns	24.1%
	Sherburne	25.3%
	St. Cloud	26.7%

175. Have you experienced any losses related to the COVID-19 pandemic?

Social connectedness

		Checked
Stearns Total		51.1%
Gender	Male	46.3%
	Female	55.9%
Age groups	18-34	53.7%
	35-44	57.8%
	45-54	54.6%
	55-64	39.5%
	65-74	51.5%
	75+	36.2%
Education	High school graduate/GED or less	31.4%
	Trade/Voc, Associate degree or some college	45.6%
	Bachelor's degree	65.8%
	Graduate or professional degree	55.0%
Poverty 200%	200% poverty or less	53.8%
	Greater than 200% poverty	57.3%
<hr/>		
Local Comparisons	Benton	47.5%
	Region	49.9%
	Rural Stearns	42.7%
	Sherburne	49.1%
	St. Cloud	53.8%

176. Have you experienced any losses related to the COVID-19 pandemic?
Social support

		Checked
Stearns Total		14.0%
Gender	Male	6.0%
	Female	22.2%
Age groups	18-34	12.5%
	35-44	29.8%
	45-54	8.4%
	55-64	12.5%
	65-74	11.3%
	75+	9.0%
Education	High school graduate/GED or less	7.2%
	Trade/Voc, Associate degree or some college	14.8%
	Bachelor's degree	17.5%
	Graduate or professional degree	13.4%
Poverty 200%	200% poverty or less	16.8%
	Greater than 200% poverty	14.6%
<hr/>		
Local Comparisons	Benton	17.5%
	Region	15.3%
	Rural Stearns	11.0%
	Sherburne	16.4%
	St. Cloud	16.5%

177. Have you experienced any losses related to the COVID-19 pandemic?
Sense of wellness

		Checked
Stearns Total		18.3%
Gender	Male	13.3%
	Female	23.5%
Age groups	18-34	13.8%
	35-44	32.4%
	45-54	27.5%
	55-64	14.4%
	65-74	12.0%
	75+	3.8%
Education	High school graduate/GED or less	6.5%
	Trade/Voc, Associate degree or some college	21.1%
	Bachelor's degree	20.7%
	Graduate or professional degree	21.3%
Poverty 200%	200% poverty or less	17.8%
	Greater than 200% poverty	20.4%
Local Comparisons	Benton	19.7%
	Region	20.7%
	Rural Stearns	10.7%
	Sherburne	25.4%
	St. Cloud	22.5%

**178. Have you experienced any losses related to the COVID-19 pandemic?
Recreation or entertainment**

		Checked
Stearns Total		51.2%
Gender	Male	49.9%
	Female	52.5%
Age groups	18-34	53.5%
	35-44	62.5%
	45-54	54.2%
	55-64	45.5%
	65-74	43.4%
	75+	28.0%
Education	High school graduate/GED or less	31.6%
	Trade/Voc, Associate degree or some college	51.9%
	Bachelor's degree	60.1%
	Graduate or professional degree	54.3%
Poverty 200%	200% poverty or less	48.3%
	Greater than 200% poverty	57.0%
<hr/>		
Local Comparisons	Benton	45.9%
	Region	49.5%
	Rural Stearns	46.6%
	Sherburne	48.2%
	St. Cloud	51.0%

**179. Have you experienced any losses related to the COVID-19 pandemic?
Exercise opportunities**

		Checked
Stearns Total		29.3%
Gender	Male	29.5%
	Female	29.0%
Age groups	18-34	35.7%
	35-44	45.2%
	45-54	26.5%
	55-64	14.1%
	65-74	19.8%
	75+	9.2%
Education	High school graduate/GED or less	14.3%
	Trade/Voc, Associate degree or some college	32.3%
	Bachelor's degree	31.2%
	Graduate or professional degree	36.2%
Poverty 200%	200% poverty or less	29.6%
	Greater than 200% poverty	32.0%
Local Comparisons	Benton	25.7%
	Region	28.5%
	Rural Stearns	15.1%
	Sherburne	28.5%
	St. Cloud	35.1%

**180. Have you experienced any losses related to the COVID-19 pandemic?
Death of a family member or friend**

		Checked
Stearns Total		14.9%
Gender	Male	9.9%
	Female	20.0%
Age groups	18-34	11.0%
	35-44	18.2%
	45-54	12.3%
	55-64	17.9%
	65-74	24.2%
	75+	19.0%
Education	High school graduate/GED or less	10.7%
	Trade/Voc, Associate degree or some college	20.0%
	Bachelor's degree	13.5%
	Graduate or professional degree	12.3%
Poverty 200%	200% poverty or less	14.1%
	Greater than 200% poverty	16.6%
Local Comparisons	Benton	23.6%
	Region	16.0%
	Rural Stearns	19.0%
	Sherburne	14.5%
	St. Cloud	15.5%

**181. Have you experienced any losses related to the COVID-19 pandemic?
Other**

		Checked
Stearns Total		1.4%
Gender	Male	1.4%
	Female	1.5%
Age groups	18-34	0.0%
	35-44	3.0%
	45-54	0.9%
	55-64	3.8%
	65-74	2.3%
	75+	1.5%
Education	High school graduate/GED or less	1.1%
	Trade/Voc, Associate degree or some college	2.6%
	Bachelor's degree	1.1%
	Graduate or professional degree	0.1%
Poverty 200%	200% poverty or less	2.0%
	Greater than 200% poverty	1.5%
Local Comparisons		
	Benton	2.9%
	Region	2.1%
	Rural Stearns	2.6%
	Sherburne	2.8%
	St. Cloud	1.2%

**182. Where do you usually get health, wellness, and medical information?
(Please mark UP TO 3 sources)**

	Checked
Stearns Total	
E-mail alert or e-newsletter	16.9%
Newspaper (print or online)	13.3%
Brochure, newsletter, magazine or other print material	9.8%
Text message	2.4%
Social media such as Facebook or Twitter	17.5%
Websites or internet	49.7%
Phone apps	3.7%
	8.6%
Nurse or other health professional at a church, synagogue, mosque, etc.	
Television	16.2%
Radio	9.2%
Medical professionals	68.3%
Pharmacy	18.4%
Community Health Worker	1.5%
Family or Friends	33.0%
Health fairs or other health-related community events	1.8%
Other	2.0%

**183. Where do you usually get health, wellness, and medical information?
E-mail alert or e-newsletter**

		Checked
Stearns Total		16.9%
Gender	Male	16.3%
	Female	17.5%
Age groups	18-34	13.9%
	35-44	18.4%
	45-54	21.0%
	55-64	20.1%
	65-74	19.9%
	75+	9.6%
Education	High school graduate/GED or less	18.7%
	Trade/Voc, Associate degree or some college	22.6%
	Bachelor's degree	14.4%
	Graduate or professional degree	10.1%
Poverty 200%	200% poverty or less	12.1%
	Greater than 200% poverty	19.2%
<hr/>		
Local Comparisons	Benton	18.5%
	Region	17.3%
	Rural Stearns	10.4%
	Sherburne	17.5%
	St. Cloud	20.4%

**184. Where do you usually get health, wellness, and medical information?
Newspaper (print or online)**

		Checked
Stearns Total		13.3%
Gender	Male	11.5%
	Female	15.1%
Age groups	18-34	12.9%
	35-44	6.1%
	45-54	17.2%
	55-64	8.3%
	65-74	17.0%
	75+	24.5%
Education	High school graduate/GED or less	11.3%
	Trade/Voc, Associate degree or some college	14.3%
	Bachelor's degree	15.5%
	Graduate or professional degree	8.4%
Poverty 200%	200% poverty or less	16.0%
	Greater than 200% poverty	12.7%
<hr/>		
Local Comparisons	Benton	14.6%
	Region	14.9%
	Rural Stearns	13.6%
	Sherburne	17.7%
	St. Cloud	13.2%

**185. Where do you usually get health, wellness, and medical information?
Brochure, newsletter, magazine or other print material**

		Checked
Stearns Total		9.8%
Gender	Male	9.4%
	Female	10.1%
Age groups	18-34	9.3%
	35-44	0.8%
	45-54	13.1%
	55-64	7.7%
	65-74	13.6%
	75+	20.9%
Education	High school graduate/GED or less	7.2%
	Trade/Voc, Associate degree or some college	9.7%
	Bachelor's degree	11.7%
	Graduate or professional degree	9.1%
Poverty 200%	200% poverty or less	9.7%
	Greater than 200% poverty	11.2%
<hr/>		
Local Comparisons	Benton	8.1%
	Region	9.2%
	Rural Stearns	8.0%
	Sherburne	8.5%
	St. Cloud	10.6%

186. Where do you usually get health, wellness, and medical information?
Text message

		Checked
Stearns Total		2.4%
Gender	Male	2.7%
	Female	2.1%
Age groups	18-34	0.0%
	35-44	2.0%
	45-54	1.8%
	55-64	5.9%
	65-74	7.5%
	75+	4.3%
Education	High school graduate/GED or less	6.8%
	Trade/Voc, Associate degree or some college	3.3%
	Bachelor's degree	0.4%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.6%
	Greater than 200% poverty	3.0%
<hr/>		
Local Comparisons	Benton	5.8%
	Region	2.8%
	Rural Stearns	3.0%
	Sherburne	8.5%
	St. Cloud	3.0%

**187. Where do you usually get health, wellness, and medical information?
Social media such as Facebook or Twitter**

		Checked
Stearns Total		17.5%
Gender	Male	20.5%
	Female	14.4%
Age groups	18-34	30.7%
	35-44	17.8%
	45-54	11.3%
	55-64	4.7%
	65-74	6.4%
	75+	3.5%
Education	High school graduate/GED or less	16.1%
	Trade/Voc, Associate degree or some college	13.6%
	Bachelor's degree	24.5%
	Graduate or professional degree	12.3%
Poverty 200%	200% poverty or less	21.6%
	Greater than 200% poverty	11.6%
<hr/>		
Local Comparisons	Benton	15.5%
	Region	16.3%
	Rural Stearns	19.2%
	Sherburne	14.5%
	St. Cloud	15.8%

188. Where do you usually get health, wellness, and medical information?

Websites or internet

		Checked
Stearns Total		49.7%
Gender	Male	51.0%
	Female	48.3%
Age groups	18-34	48.9%
	35-44	66.7%
	45-54	60.1%
	55-64	45.4%
	65-74	43.0%
	75+	10.0%
Education	High school graduate/GED or less	38.8%
	Trade/Voc, Associate degree or some college	38.8%
	Bachelor's degree	63.0%
	Graduate or professional degree	55.7%
Poverty 200%	200% poverty or less	40.8%
	Greater than 200% poverty	53.1%
<hr/>		
Local Comparisons	Benton	50.6%
	Region	55.4%
	Rural Stearns	42.1%
	Sherburne	67.4%
	St. Cloud	54.7%

**189. Where do you usually get health, wellness, and medical information?
Phone apps**

		Checked
Stearns Total		3.7%
Gender	Male	2.2%
	Female	5.2%
Age groups	18-34	4.4%
	35-44	4.8%
	45-54	1.8%
	55-64	3.2%
	65-74	4.8%
	75+	2.4%
Education	High school graduate/GED or less	4.0%
	Trade/Voc, Associate degree or some college	4.4%
	Bachelor's degree	2.4%
	Graduate or professional degree	4.9%
Poverty 200%	200% poverty or less	4.3%
	Greater than 200% poverty	3.7%
Local Comparisons		
	Benton	3.4%
	Region	4.3%
	Rural Stearns	4.5%
	Sherburne	5.8%
	St. Cloud	2.9%

**190. Where do you usually get health, wellness, and medical information?
Nurse or other health professional at a church, synagogue, mosque, etc.**

		Checked
Stearns Total		8.6%
Gender	Male	10.2%
	Female	7.0%
Age groups	18-34	8.4%
	35-44	8.6%
	45-54	8.0%
	55-64	11.5%
	65-74	4.5%
	75+	9.7%
Education	High school graduate/GED or less	8.8%
	Trade/Voc, Associate degree or some college	4.6%
	Bachelor's degree	15.3%
	Graduate or professional degree	2.2%
Poverty 200%	200% poverty or less	4.5%
	Greater than 200% poverty	10.6%
<hr/>		
Local Comparisons	Benton	7.0%
	Region	7.5%
	Rural Stearns	7.2%
	Sherburne	6.0%
	St. Cloud	8.7%

191. Where do you usually get health, wellness, and medical information?

Television

		Checked
Stearns Total		16.2%
Gender	Male	15.3%
	Female	17.0%
Age groups	18-34	6.9%
	35-44	14.6%
	45-54	21.0%
	55-64	19.9%
	65-74	29.8%
	75+	30.8%
Education	High school graduate/GED or less	20.7%
	Trade/Voc, Associate degree or some college	18.3%
	Bachelor's degree	12.0%
	Graduate or professional degree	14.3%
Poverty 200%	200% poverty or less	18.6%
	Greater than 200% poverty	16.2%
Local Comparisons		
	Benton	22.6%
	Region	18.9%
	Rural Stearns	19.3%
	Sherburne	21.8%
	St. Cloud	15.5%

192. Where do you usually get health, wellness, and medical information?
Radio

		Checked
Stearns Total		9.2%
Gender	Male	11.5%
	Female	6.8%
Age groups	18-34	6.6%
	35-44	16.3%
	45-54	11.1%
	55-64	6.0%
	65-74	8.7%
	75+	9.0%
Education	High school graduate/GED or less	8.8%
	Trade/Voc, Associate degree or some college	8.5%
	Bachelor's degree	11.6%
	Graduate or professional degree	5.8%
Poverty 200%	200% poverty or less	4.2%
	Greater than 200% poverty	10.8%
Local Comparisons	Benton	9.5%
	Region	10.3%
	Rural Stearns	9.8%
	Sherburne	12.7%
	St. Cloud	8.6%

**193. Where do you usually get health, wellness, and medical information?
Medical professionals**

		Checked
Stearns Total		68.3%
Gender	Male	63.3%
	Female	73.2%
Age groups	18-34	68.0%
	35-44	71.0%
	45-54	55.7%
	55-64	79.6%
	65-74	72.5%
	75+	69.9%
Education	High school graduate/GED or less	57.8%
	Trade/Voc, Associate degree or some college	65.5%
	Bachelor's degree	67.0%
	Graduate or professional degree	87.5%
Poverty 200%	200% poverty or less	61.8%
	Greater than 200% poverty	73.7%
<hr/>		
Local Comparisons	Benton	59.0%
	Region	66.0%
	Rural Stearns	64.3%
	Sherburne	65.5%
	St. Cloud	67.5%

**194. Where do you usually get health, wellness, and medical information?
Pharmacy**

		Checked
Stearns Total		18.4%
Gender	Male	17.1%
	Female	19.7%
Age groups	18-34	7.2%
	35-44	17.9%
	45-54	19.2%
	55-64	30.1%
	65-74	25.4%
	75+	42.6%
Education	High school graduate/GED or less	29.3%
	Trade/Voc, Associate degree or some college	17.6%
	Bachelor's degree	13.2%
	Graduate or professional degree	19.6%
Poverty 200%	200% poverty or less	32.9%
	Greater than 200% poverty	16.6%
<hr/>		
Local Comparisons	Benton	19.8%
	Region	16.7%
	Rural Stearns	20.7%
	Sherburne	12.3%
	St. Cloud	18.1%

**195. Where do you usually get health, wellness, and medical information?
Community Health Worker**

		Checked
Stearns Total		1.5%
Gender	Male	0.9%
	Female	2.2%
Age groups	18-34	2.5%
	35-44	1.5%
	45-54	0.0%
	55-64	1.0%
	65-74	0.2%
	75+	3.1%
Education	High school graduate/GED or less	6.9%
	Trade/Voc, Associate degree or some college	0.8%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.3%
Poverty 200%	200% poverty or less	8.1%
	Greater than 200% poverty	0.4%
<hr/>		
Local Comparisons	Benton	1.1%
	Region	1.3%
	Rural Stearns	1.1%
	Sherburne	1.0%
	St. Cloud	1.6%

**196. Where do you usually get health, wellness, and medical information?
Family or friends**

		Checked
Stearns Total		33.0%
Gender	Male	28.3%
	Female	37.8%
Age groups	18-34	43.8%
	35-44	33.1%
	45-54	25.6%
	55-64	24.0%
	65-74	24.4%
	75+	24.3%
Education	High school graduate/GED or less	21.7%
	Trade/Voc, Associate degree or some college	36.1%
	Bachelor's degree	35.8%
	Graduate or professional degree	34.9%
Poverty 200%	200% poverty or less	31.1%
	Greater than 200% poverty	34.3%
Local Comparisons		
	Benton	30.1%
	Region	32.7%
	Rural Stearns	26.5%
	Sherburne	33.3%
	St. Cloud	35.7%

**197. Where do you usually get health, wellness, and medical information?
Health fairs or other health-related community events**

		Checked
Stearns Total		1.8%
Gender	Male	3.0%
	Female	0.7%
Age groups	18-34	0.0%
	35-44	4.4%
	45-54	5.5%
	55-64	0.0%
	65-74	1.5%
	75+	0.5%
Education	High school graduate/GED or less	1.7%
	Trade/Voc, Associate degree or some college	1.4%
	Bachelor's degree	3.0%
	Graduate or professional degree	0.5%
Poverty 200%	200% poverty or less	2.4%
	Greater than 200% poverty	2.0%
Local Comparisons	Benton	1.4%
	Region	1.8%
	Rural Stearns	3.1%
	Sherburne	1.9%
	St. Cloud	0.9%

198. Where do you usually get health, wellness, and medical information?

Other

		Checked
Stearns Total		2.0%
Gender	Male	2.2%
	Female	1.7%
Age groups	18-34	0.0%
	35-44	5.6%
	45-54	2.7%
	55-64	1.8%
	65-74	1.1%
	75+	4.0%
Education	High school graduate/GED or less	0.8%
	Trade/Voc, Associate degree or some college	0.5%
	Bachelor's degree	1.0%
	Graduate or professional degree	7.4%
Poverty 200%	200% poverty or less	0.3%
	Greater than 200% poverty	2.5%
Local Comparisons		
	Benton	3.2%
	Region	2.9%
	Rural Stearns	2.8%
	Sherburne	4.4%
	St. Cloud	2.0%

199. Weight status according to BMI

		Not overweight	Overweight but not obese	Obese
Stearns Total		32.7%	40.7%	26.6%
Gender	Male	26.1%	48.3%	25.6%
	Female	39.6%	32.8%	27.6%
Age groups	18-34	40.4%	42.0%	17.5%
	35-44	32.0%	37.1%	30.8%
	45-54	29.3%	40.6%	30.1%
	55-64	21.9%	42.8%	35.2%
	65-74	27.2%	39.5%	33.3%
	75+	30.2%	39.1%	30.7%
Education	High school graduate/GED or less	18.1%	49.7%	32.2%
	Trade/Voc, Associate degree or some college	31.4%	39.3%	29.3%
	Bachelor's degree	38.2%	33.9%	27.9%
	Graduate or professional degree	39.7%	48.1%	12.1%
Poverty 200%	200% poverty or less	38.4%	28.9%	32.7%
	Greater than 200% poverty	33.2%	41.5%	25.2%
Local Comparisons	Benton	29.5%	36.4%	34.1%
	Region	29.5%	40.9%	29.6%
	Rural Stearns	31.2%	38.9%	29.9%
	Sherburne	23.9%	43.4%	32.6%
	St. Cloud	32.5%	41.3%	26.2%

Community Concerns

200. In your opinion, how much of a problem is each of these issues in your county?

	No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total					
A. Issues for Families					
Families experiencing financial stress	9.4%	15.2%	45.3%	21.6%	8.5%
Parents with inadequate or poor parenting skills	8.8%	17.9%	32.9%	27.9%	12.5%
Childhood trauma	13.1%	24.1%	31.9%	13.8%	17.1%
Bullying	8.7%	24.9%	32.8%	21.9%	11.8%
Abuse and neglect of children	11.4%	26.1%	33.9%	12.0%	16.6%
Abuse and neglect of vulnerable adults	12.4%	30.1%	25.8%	10.2%	21.5%
B. Social Experience					
Racism	21.6%	27.5%	25.4%	20.3%	5.2%
White privilege (inherent advantages possessed by a white person on the basis of their race in a society characterized by racial inequality and injustice)	34.3%	22.6%	17.3%	17.8%	8.0%
Police brutality	55.4%	20.6%	11.7%	4.5%	7.8%
C. Discrimination					
Discrimination based on race, color, ethnicity or country of origin	26.8%	26.1%	20.8%	19.2%	7.0%
Discrimination based on age	39.5%	36.4%	11.1%	3.6%	9.4%
Discrimination based on gender	42.5%	27.4%	13.7%	7.3%	9.1%
Discrimination based on sexual orientation	32.7%	25.4%	18.0%	11.6%	12.3%
Discrimination based on gender identity	33.4%	24.7%	16.1%	12.4%	13.3%
Discrimination based on disability	38.6%	28.1%	16.2%	4.7%	12.5%
Discrimination based on religion	38.3%	26.3%	16.6%	8.7%	10.0%
Discrimination based on being overweight or obese	37.6%	32.1%	15.5%	3.9%	11.0%
Discrimination based on something else	52.5%	4.6%	3.9%	2.3%	36.7%
D. Tobacco and Other Drug Use					
Smoking or other tobacco use	18.4%	23.0%	32.0%	14.5%	12.1%
Use of e-cigarettes/vaping for nicotine products	17.6%	20.6%	28.2%	18.4%	15.1%
Abuse of prescription drugs	16.5%	19.2%	28.9%	20.7%	14.7%

Illegal drug use among youth	11.7%	16.1%	35.2%	24.1%	12.9%
Illegal drug use among adults	13.4%	17.8%	31.8%	24.1%	12.9%
E. Mental Health					
Depression among youth	9.2%	17.6%	30.1%	28.4%	14.7%
Depression among adults	9.0%	19.1%	35.6%	23.3%	13.1%
Suicide among youth	16.3%	22.2%	22.6%	22.2%	16.7%
Suicide among adults	15.5%	26.5%	23.6%	18.7%	15.8%
Other mental health issues, such as anxiety or panic attacks, memory loss, Alzheimer's or another form of dementia, etc.	9.0%	18.9%	33.0%	29.7%	9.3%
Difficulty obtaining mental health services for youth	16.6%	22.6%	19.4%	27.3%	14.2%
Difficulty obtaining mental health services for adults	15.9%	23.2%	20.2%	27.6%	13.1%

201. In your opinion, how much of a problem is families experiencing financial stress in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		9.4%	15.2%	45.3%	21.6%	8.5%
Gender	Male	12.9%	18.0%	41.6%	20.3%	7.2%
	Female	5.6%	12.4%	49.2%	22.9%	9.8%
Age groups	18-34	6.2%	6.2%	56.4%	23.6%	7.6%
	35-44	10.0%	19.6%	40.6%	26.5%	3.4%
	45-54	8.4%	25.8%	38.2%	16.8%	10.7%
	55-64	11.8%	19.8%	40.8%	19.5%	8.1%
	65-74	12.1%	17.3%	39.1%	19.4%	12.1%
	75+	19.0%	14.6%	32.2%	19.0%	15.2%
Education	High school graduate/GED or less	24.4%	23.7%	27.4%	12.0%	12.5%
	Trade/Voc, Associate degree or some college	9.3%	16.6%	46.0%	17.3%	10.8%
	Bachelor's degree	5.1%	10.4%	47.4%	30.4%	6.7%
	Graduate or professional degree	0.9%	14.2%	59.9%	21.6%	3.4%
Poverty 200%	200% poverty or less	16.7%	8.0%	45.2%	21.7%	8.5%
	Greater than 200% poverty	7.1%	17.4%	46.7%	21.2%	7.6%
Local Comparisons	Benton	4.7%	18.7%	42.9%	23.4%	10.3%
	Region	7.4%	19.0%	43.9%	20.4%	9.3%
	Rural Stearns	12.7%	23.5%	38.2%	12.9%	12.7%
	Sherburne	5.4%	25.7%	41.7%	17.0%	10.2%
	St. Cloud	6.6%	9.6%	47.9%	29.0%	6.9%

202. In your opinion, how much of a problem is parents with inadequate or poor parenting skills in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		8.8%	17.9%	32.9%	27.9%	12.5%
Gender	Male	12.4%	18.7%	28.6%	29.4%	11.0%
	Female	5.0%	17.2%	37.4%	26.4%	14.0%
Age groups	18-34	6.6%	13.5%	31.2%	33.0%	15.8%
	35-44	9.3%	16.5%	39.1%	31.2%	3.9%
	45-54	5.8%	25.9%	33.5%	22.6%	12.2%
	55-64	12.6%	20.9%	33.7%	24.5%	8.3%
	65-74	11.0%	21.3%	28.5%	23.4%	15.8%
	75+	17.4%	13.5%	29.9%	20.4%	18.8%
Education	High school graduate/GED or less	20.4%	21.0%	27.6%	12.7%	18.3%
	Trade/Voc, Associate degree or some college	9.1%	12.8%	34.9%	32.2%	11.0%
	Bachelor's degree Graduate or professional degree	3.1%	22.4%	34.7%	33.1%	6.7%
Poverty 200%	200% poverty or less	13.5%	18.4%	34.1%	20.9%	13.2%
	Greater than 200% poverty	7.1%	16.4%	36.1%	28.6%	11.8%
Local Comparisons						
Local Comparisons	Benton	7.7%	21.4%	31.6%	30.0%	9.3%
	Region	8.8%	19.8%	33.8%	25.2%	12.4%
	Rural Stearns	14.4%	26.3%	29.3%	16.0%	13.9%
	Sherburne	9.3%	22.2%	36.5%	18.2%	13.7%
	St. Cloud	5.9%	13.2%	34.4%	35.5%	11.0%

203. In your opinion, how much of a problem is childhood trauma in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		13.1%	24.1%	31.9%	13.8%	17.1%
Gender	Male	16.7%	27.0%	27.3%	14.3%	14.6%
	Female	9.3%	20.9%	36.7%	13.4%	19.7%
Age groups	18-34	8.6%	21.4%	31.5%	18.9%	19.6%
	35-44	15.3%	21.6%	41.4%	13.7%	8.0%
	45-54	10.3%	25.4%	34.6%	12.8%	16.8%
	55-64	19.0%	32.1%	29.9%	8.1%	10.9%
	65-74	16.3%	28.9%	21.0%	9.7%	24.2%
	75+	23.8%	19.0%	22.0%	6.7%	28.5%
Education	High school graduate/GED or less	32.2%	13.5%	22.0%	4.8%	27.6%
	Trade/Voc, Associate degree or some college	12.4%	19.5%	31.5%	19.5%	17.1%
	Bachelor's degree	6.5%	36.1%	33.5%	13.2%	10.7%
	Graduate or professional degree	7.9%	19.3%	40.1%	13.2%	19.5%
Poverty 200%	200% poverty or less	18.9%	14.7%	30.3%	9.1%	27.1%
	Greater than 200% poverty	11.5%	25.4%	34.8%	13.3%	15.0%
Local Comparisons						
Local Comparisons	Benton	14.8%	24.9%	24.1%	20.2%	16.1%
	Region	15.4%	26.4%	29.5%	12.9%	15.8%
	Rural Stearns	22.3%	28.1%	23.6%	6.9%	19.1%
	Sherburne	19.7%	31.0%	27.8%	8.0%	13.5%
	St. Cloud	8.7%	20.2%	35.1%	19.7%	16.3%

204. In your opinion, how much of a problem is bullying in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		8.7%	24.9%	32.8%	21.9%	11.8%
Gender	Male	12.3%	29.0%	30.8%	15.4%	12.4%
	Female	5.0%	20.6%	34.9%	28.5%	11.1%
Age groups	18-34	3.7%	28.9%	28.0%	28.3%	11.1%
	35-44	6.3%	27.7%	33.2%	24.0%	8.8%
	45-54	9.0%	17.2%	45.3%	18.3%	10.2%
	55-64	17.6%	27.5%	33.9%	13.8%	7.3%
	65-74	10.9%	20.4%	29.2%	17.5%	22.1%
	75+	18.1%	18.7%	25.9%	15.1%	22.2%
Education	High school graduate/GED or less	26.9%	14.4%	22.5%	11.2%	25.0%
	Trade/Voc, Associate degree or some college	9.6%	19.5%	32.3%	26.8%	11.9%
	Bachelor's degree	2.1%	30.3%	34.9%	27.2%	5.6%
	Graduate or professional degree	0.7%	35.9%	41.2%	11.2%	11.0%
Poverty 200%	200% poverty or less	14.4%	21.6%	31.0%	16.3%	16.6%
	Greater than 200% poverty	6.4%	26.4%	35.1%	22.3%	9.7%
Local Comparisons	Benton	9.3%	17.5%	32.2%	23.1%	18.0%
	Region	9.2%	23.2%	33.3%	19.9%	14.4%
	Rural Stearns	14.5%	27.9%	26.8%	17.4%	13.4%
	Sherburne	10.0%	22.9%	34.6%	15.1%	17.4%
	St. Cloud	5.9%	19.3%	35.9%	25.1%	13.9%

205. In your opinion, how much of a problem is abuse or neglect of children in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		11.4%	26.1%	33.9%	12.0%	16.6%
Gender	Male	13.2%	31.5%	29.8%	11.4%	14.2%
	Female	9.6%	20.5%	38.2%	12.6%	19.0%
Age groups	18-34	8.3%	21.8%	37.9%	10.3%	21.7%
	35-44	6.1%	28.9%	37.6%	17.2%	10.3%
	45-54	12.4%	30.3%	35.4%	10.7%	11.1%
	55-64	17.1%	32.0%	25.1%	14.6%	11.2%
	65-74	15.6%	27.5%	27.3%	9.7%	19.9%
	75+	20.7%	19.0%	25.8%	10.1%	24.5%
Education	High school graduate/GED or less	27.4%	22.9%	16.8%	9.5%	23.4%
	Trade/Voc, Associate degree or some college	10.9%	18.9%	40.4%	12.5%	17.3%
	Bachelor's degree	5.2%	39.1%	31.8%	14.8%	9.0%
	Graduate or professional degree	7.9%	17.6%	43.3%	7.8%	23.5%
Poverty 200%	200% poverty or less	15.0%	10.5%	39.9%	17.4%	17.1%
	Greater than 200% poverty	10.0%	28.8%	35.6%	9.4%	16.2%
Local Comparisons	Benton	11.1%	28.8%	25.2%	15.3%	19.6%
	Region	13.8%	27.0%	30.3%	11.9%	17.0%
	Rural Stearns	19.5%	34.0%	20.5%	8.4%	17.5%
	Sherburne	19.1%	27.7%	26.4%	10.2%	16.6%
	St. Cloud	7.0%	21.1%	38.7%	15.5%	17.8%

206. In your opinion, how much of a problem is abuse and neglect of vulnerable adults in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		12.4%	30.1%	25.8%	10.2%	21.5%
Gender	Male	14.0%	35.9%	22.1%	10.4%	17.7%
	Female	10.8%	24.2%	29.6%	9.9%	25.4%
Age groups	18-34	6.0%	24.6%	34.4%	8.8%	26.1%
	35-44	13.3%	36.1%	22.7%	15.1%	12.9%
	45-54	12.4%	36.0%	16.5%	9.1%	26.0%
	55-64	19.9%	32.6%	23.5%	13.5%	10.5%
	65-74	17.2%	32.2%	24.6%	5.4%	20.6%
	75+	22.7%	22.2%	19.7%	8.3%	27.0%
Education	High school graduate/GED or less	29.0%	25.9%	12.4%	9.2%	23.5%
	Trade/Voc, Associate degree or some college	12.0%	27.6%	28.4%	8.7%	23.3%
	Bachelor's degree	8.4%	37.8%	24.9%	15.0%	13.9%
	Graduate or professional degree	3.0%	23.3%	37.1%	3.8%	32.8%
Poverty 200%	200% poverty or less	14.8%	20.7%	22.8%	14.7%	27.1%
	Greater than 200% poverty	11.4%	31.3%	28.9%	7.5%	20.9%
Local Comparisons	Benton	12.2%	28.8%	22.7%	16.8%	19.6%
	Region	15.5%	29.4%	24.2%	10.4%	20.5%
	Rural Stearns	20.9%	34.5%	16.8%	6.9%	20.9%
	Sherburne	22.4%	28.3%	22.0%	7.9%	19.4%
	St. Cloud	7.7%	25.8%	30.5%	14.6%	21.3%

207. In your opinion, how much of a problem is racism in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		21.6%	27.5%	25.4%	20.3%	5.2%
Gender	Male	26.7%	32.5%	20.2%	16.2%	4.3%
	Female	16.3%	22.3%	30.7%	24.4%	6.2%
Age groups	18-34	19.0%	31.0%	26.5%	19.6%	4.0%
	35-44	22.0%	14.8%	29.2%	31.7%	2.3%
	45-54	18.6%	35.4%	25.0%	15.1%	5.8%
	55-64	27.4%	23.5%	26.4%	18.1%	4.6%
	65-74	23.7%	28.2%	22.6%	15.6%	10.0%
	75+	28.7%	22.2%	13.8%	22.6%	12.7%
Education	High school graduate/GED or less	40.8%	19.2%	23.2%	7.8%	8.9%
	Trade/Voc, Associate degree or some college	31.4%	22.7%	23.2%	13.7%	9.0%
	Bachelor's degree	6.7%	33.8%	28.5%	29.0%	2.0%
	Graduate or professional degree	12.2%	33.0%	25.5%	28.2%	1.1%
Poverty 200%	200% poverty or less	35.9%	11.2%	33.0%	16.8%	3.0%
	Greater than 200% poverty	19.3%	29.8%	26.3%	20.5%	4.0%
Local Comparisons						
Local Comparisons	Benton	21.7%	23.6%	29.1%	19.7%	5.9%
	Region	21.7%	24.5%	26.8%	20.6%	6.4%
	Rural Stearns	32.1%	27.3%	18.0%	13.5%	9.1%
	Sherburne	21.6%	19.6%	28.4%	21.6%	8.8%
	St. Cloud	15.3%	24.5%	31.0%	26.1%	3.1%

208. In your opinion, how much of a problem is white privilege in your county? (inherent advantages possessed by a white person on the basis of their race in a society characterized by racial inequality and injustice)

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		34.3%	22.6%	17.3%	17.8%	8.0%
Gender	Male	44.9%	20.9%	9.9%	15.7%	8.5%
	Female	23.0%	24.4%	25.2%	20.0%	7.4%
Age groups	18-34	33.8%	21.9%	11.5%	25.7%	7.1%
	35-44	29.0%	20.7%	25.0%	20.1%	5.1%
	45-54	38.5%	25.1%	21.9%	7.7%	6.7%
	55-64	36.2%	29.1%	19.7%	9.1%	5.9%
	65-74	29.0%	23.6%	17.9%	15.8%	13.7%
	75+	39.9%	10.4%	13.7%	16.4%	19.7%
Education	High school graduate/GED or less	43.2%	24.5%	10.1%	1.8%	20.4%
	Trade/Voc, Associate degree or some college	48.2%	13.8%	17.8%	8.7%	11.5%
	Bachelor's degree	25.5%	26.1%	17.9%	28.4%	2.0%
	Graduate or professional degree	14.7%	31.0%	22.8%	30.1%	1.3%
Poverty 200%	200% poverty or less	34.9%	18.3%	20.4%	10.3%	16.1%
	Greater than 200% poverty	32.7%	25.1%	18.7%	18.4%	5.2%
Local Comparisons	Benton	30.2%	20.6%	12.1%	26.0%	11.1%
	Region	32.7%	21.3%	17.9%	19.0%	9.1%
	Rural Stearns	46.1%	17.6%	13.7%	10.4%	12.2%
	Sherburne	31.2%	19.3%	21.7%	17.8%	10.0%
	St. Cloud	24.8%	24.0%	19.4%	24.8%	7.0%

209. In your opinion, how much of a problem is police brutality in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		55.4%	20.6%	11.7%	4.5%	7.8%
Gender	Male	68.7%	11.7%	10.3%	2.0%	7.3%
	Female	41.4%	29.8%	13.1%	7.2%	8.4%
Age groups	18-34	60.9%	11.8%	14.5%	6.1%	6.7%
	35-44	46.7%	23.4%	17.6%	8.4%	3.8%
	45-54	54.5%	29.9%	5.5%	0.9%	9.2%
	55-64	55.6%	25.6%	9.4%	2.0%	7.4%
	65-74	48.7%	27.2%	7.8%	2.8%	13.6%
	75+	55.4%	18.2%	9.2%	4.7%	12.5%
Education	High school graduate/GED or less	69.4%	15.3%	2.8%	0.6%	11.9%
	Trade/Voc, Associate degree or some college	56.7%	18.8%	11.3%	3.3%	9.8%
	Bachelor's degree	50.2%	22.3%	16.3%	5.0%	6.3%
	Graduate or professional degree	50.2%	26.1%	11.6%	8.8%	3.3%
Poverty 200%	200% poverty or less	57.1%	19.5%	13.3%	3.7%	6.3%
	Greater than 200% poverty	52.3%	22.9%	12.8%	5.1%	6.9%
Local Comparisons						
Local Comparisons	Benton	48.7%	25.0%	10.7%	3.9%	11.7%
	Region	50.9%	21.1%	12.9%	5.4%	9.7%
	Rural Stearns	59.6%	18.1%	7.8%	2.6%	11.8%
	Sherburne	44.2%	20.3%	16.1%	7.5%	11.9%
	St. Cloud	48.6%	23.9%	14.2%	6.4%	7.0%

210. In your opinion, how much of a problem is discrimination based on race, color, ethnicity or country of origin in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		26.8%	26.1%	20.8%	19.2%	7.0%
Gender	Male	33.1%	27.0%	20.2%	12.2%	7.4%
	Female	20.2%	25.2%	21.4%	26.5%	6.6%
Age groups	18-34	29.7%	29.2%	14.8%	21.1%	5.2%
	35-44	22.4%	15.7%	30.4%	26.9%	4.6%
	45-54	23.6%	29.8%	21.9%	17.5%	7.2%
	55-64	28.1%	27.3%	26.7%	12.3%	5.7%
	65-74	21.3%	29.7%	24.7%	13.2%	11.1%
	75+	33.4%	16.5%	13.0%	16.9%	20.2%
Education	High school graduate/GED or less	46.5%	18.1%	16.3%	3.8%	15.3%
	Trade/Voc, Associate degree or some college	30.6%	27.1%	17.6%	15.2%	9.4%
	Bachelor's degree	17.6%	27.9%	27.7%	23.8%	3.0%
	Graduate or professional degree	17.1%	28.5%	17.9%	33.9%	2.5%
Poverty 200%	200% poverty or less	35.7%	23.8%	13.1%	20.7%	6.8%
	Greater than 200% poverty	22.9%	28.9%	24.6%	18.2%	5.4%
Local Comparisons	Benton	22.3%	27.1%	16.9%	22.0%	11.7%
	Region	25.0%	27.2%	18.8%	19.7%	9.3%
	Rural Stearns	37.8%	22.1%	19.6%	11.1%	9.4%
	Sherburne	23.1%	29.0%	16.3%	19.5%	12.1%
	St. Cloud	18.3%	27.8%	21.2%	25.7%	7.0%

211. In your opinion, how much of a problem is discrimination based on age in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		39.5%	36.4%	11.1%	3.6%	9.4%
Gender	Male	44.4%	38.0%	7.0%	2.9%	7.8%
	Female	34.4%	34.7%	15.5%	4.4%	11.0%
Age groups	18-34	47.7%	35.3%	5.8%	2.5%	8.6%
	35-44	39.5%	31.2%	17.2%	2.6%	9.5%
	45-54	29.2%	45.9%	10.4%	7.7%	6.8%
	55-64	37.5%	35.2%	14.8%	4.3%	8.2%
	65-74	27.3%	43.3%	14.5%	2.0%	12.8%
	75+	41.8%	22.5%	16.4%	1.5%	17.8%
Education	High school graduate/GED or less	48.5%	27.3%	7.0%	1.8%	15.4%
	Trade/Voc, Associate degree or some college	40.6%	28.9%	10.3%	6.2%	14.0%
	Bachelor's degree	34.6%	48.8%	9.5%	3.0%	4.2%
	Graduate or professional degree	38.4%	35.3%	19.5%	1.5%	5.3%
Poverty 200%	200% poverty or less	42.2%	29.0%	14.2%	6.5%	8.2%
	Greater than 200% poverty	35.8%	41.1%	11.2%	3.6%	8.3%
Local Comparisons						
Local Comparisons	Benton	29.9%	35.4%	16.4%	2.8%	15.5%
	Region	37.4%	36.4%	10.9%	3.8%	11.5%
	Rural Stearns	44.5%	30.8%	9.2%	4.1%	11.5%
	Sherburne	37.0%	37.0%	8.0%	4.5%	13.5%
	St. Cloud	33.4%	39.6%	13.6%	3.3%	10.0%

212. In your opinion, how much of a problem is discrimination based on gender in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		42.5%	27.4%	13.7%	7.3%	9.1%
Gender	Male	52.1%	24.9%	7.0%	6.8%	9.2%
	Female	32.4%	30.1%	20.8%	7.7%	8.9%
Age groups	18-34	51.3%	20.8%	13.4%	9.1%	5.3%
	35-44	41.1%	23.7%	16.3%	9.3%	9.5%
	45-54	36.7%	38.9%	10.8%	4.2%	9.4%
	55-64	38.2%	33.2%	13.5%	7.1%	8.0%
	65-74	27.8%	37.0%	15.9%	3.1%	16.2%
	75+	40.1%	18.2%	14.7%	6.3%	20.8%
Education	High school graduate/GED or less	55.5%	18.7%	6.1%	3.6%	16.1%
	Trade/Voc, Associate degree or some college	48.7%	23.5%	11.9%	5.3%	10.6%
	Bachelor's degree	36.8%	31.0%	15.0%	11.6%	5.6%
	Graduate or professional degree	29.0%	36.2%	22.1%	6.0%	6.8%
Poverty 200%	200% poverty or less	42.9%	28.2%	10.6%	11.1%	7.3%
	Greater than 200% poverty	41.7%	30.3%	15.6%	4.3%	8.1%
Local Comparisons						
Local Comparisons	Benton	25.1%	34.5%	15.7%	8.6%	16.1%
	Region	36.2%	30.4%	15.0%	6.9%	11.5%
	Rural Stearns	46.3%	26.0%	12.2%	4.7%	10.8%
	Sherburne	30.4%	33.7%	17.1%	5.5%	13.4%
	St. Cloud	34.1%	29.7%	16.2%	9.8%	10.3%

213. In your opinion, how much of a problem is discrimination based on sexual orientation in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		32.7%	25.4%	18.0%	11.6%	12.3%
Gender	Male	41.5%	31.0%	8.9%	7.8%	10.8%
	Female	23.4%	19.4%	27.8%	15.6%	13.8%
Age groups	18-34	29.4%	28.4%	17.0%	13.6%	11.6%
	35-44	36.5%	20.8%	20.3%	15.2%	7.2%
	45-54	37.8%	19.8%	20.7%	9.8%	11.9%
	55-64	33.8%	29.9%	16.8%	9.1%	10.3%
	65-74	24.5%	34.5%	16.1%	7.1%	17.8%
	75+	34.9%	15.1%	16.2%	8.2%	25.6%
Education	High school graduate/GED or less	53.7%	17.7%	8.3%	2.1%	18.3%
	Trade/Voc, Associate degree or some college	35.0%	27.2%	17.2%	8.8%	11.8%
	Bachelor's degree	26.9%	30.5%	20.6%	13.2%	8.8%
	Graduate or professional degree	18.6%	18.5%	24.4%	23.7%	14.9%
Poverty 200%	200% poverty or less	36.7%	22.3%	19.9%	12.1%	9.0%
	Greater than 200% poverty	29.1%	29.1%	20.0%	9.7%	12.1%
Local Comparisons	Benton	24.4%	24.6%	21.2%	13.5%	16.3%
	Region	31.4%	26.0%	18.4%	10.9%	13.4%
	Rural Stearns	45.3%	18.4%	15.3%	8.1%	12.9%
	Sherburne	32.2%	27.6%	17.8%	8.5%	14.0%
	St. Cloud	22.9%	28.0%	21.3%	14.7%	13.1%

214. In your opinion, how much of a problem is discrimination based on gender identity in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		33.4%	24.7%	16.1%	12.4%	13.3%
Gender	Male	41.6%	30.3%	9.0%	8.0%	11.1%
	Female	24.6%	18.8%	23.7%	17.2%	15.7%
Age groups	18-34	29.4%	29.0%	14.2%	15.2%	12.2%
	35-44	35.8%	19.9%	22.9%	14.1%	7.2%
	45-54	37.9%	21.5%	12.7%	10.7%	17.2%
	55-64	34.8%	24.9%	16.9%	12.2%	11.1%
	65-74	27.6%	29.9%	19.7%	4.7%	18.2%
	75+	40.6%	15.3%	14.8%	8.0%	21.4%
Education	High school graduate/GED or less	54.0%	18.9%	8.4%	0.9%	17.8%
	Trade/Voc, Associate degree or some college	33.3%	28.9%	14.2%	10.0%	13.6%
	Bachelor's degree	30.4%	27.8%	15.5%	15.9%	10.4%
	Graduate or professional degree	18.5%	15.5%	29.6%	21.7%	14.7%
Poverty 200%	200% poverty or less	38.5%	21.6%	18.4%	12.3%	9.2%
	Greater than 200% poverty	30.0%	28.3%	17.4%	11.2%	13.1%
Local Comparisons	Benton	23.5%	24.7%	14.4%	21.9%	15.5%
	Region	31.0%	26.9%	15.2%	12.9%	14.1%
	Rural Stearns	45.3%	18.1%	14.7%	8.1%	13.8%
	Sherburne	30.3%	31.6%	13.9%	9.5%	14.7%
	St. Cloud	23.3%	26.7%	17.7%	18.3%	14.1%

215. In your opinion, how much of a problem is discrimination based on disability in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		38.6%	28.1%	16.2%	4.7%	12.5%
Gender	Male	49.6%	24.4%	12.2%	2.5%	11.5%
	Female	26.9%	32.1%	20.5%	7.0%	13.5%
Age groups	18-34	43.8%	24.5%	18.6%	3.0%	10.0%
	35-44	41.6%	22.8%	15.0%	6.9%	13.7%
	45-54	27.1%	38.9%	12.3%	4.6%	17.2%
	55-64	39.1%	26.9%	18.1%	8.9%	7.1%
	65-74	33.0%	36.2%	13.4%	3.5%	13.9%
	75+	40.7%	23.0%	15.7%	1.5%	19.1%
Education	High school graduate/GED or less	47.5%	29.0%	5.7%	2.9%	14.9%
	Trade/Voc, Associate degree or some college	42.5%	25.3%	11.4%	6.2%	14.7%
	Bachelor's degree	32.8%	32.6%	18.1%	4.3%	12.2%
	Graduate or professional degree	32.7%	24.2%	32.3%	4.3%	6.5%
Poverty 200%	200% poverty or less	34.7%	28.0%	19.8%	9.2%	8.3%
	Greater than 200% poverty	35.9%	30.2%	17.3%	4.5%	12.1%
Local Comparisons						
Local Comparisons	Benton	26.8%	29.7%	17.9%	11.6%	14.0%
	Region	36.0%	28.4%	16.4%	6.1%	13.1%
	Rural Stearns	46.2%	26.2%	11.3%	3.2%	13.0%
	Sherburne	35.8%	28.4%	16.2%	6.0%	13.7%
	St. Cloud	29.3%	29.1%	20.8%	8.2%	12.6%

216. In your opinion, how much of a problem is discrimination based on religion in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		38.3%	26.3%	16.6%	8.7%	10.0%
Gender	Male	46.1%	25.7%	10.7%	7.7%	9.8%
	Female	30.0%	26.9%	22.9%	9.8%	10.3%
Age groups	18-34	36.1%	31.9%	14.6%	12.1%	5.3%
	35-44	37.6%	13.7%	27.9%	14.3%	6.4%
	45-54	40.6%	25.6%	12.5%	4.1%	17.2%
	55-64	44.2%	21.6%	20.2%	4.4%	9.6%
	65-74	35.4%	34.4%	11.0%	4.2%	15.0%
	75+	37.5%	26.6%	12.4%	4.4%	19.1%
Education	High school graduate/GED or less	52.1%	21.3%	10.2%	0.8%	15.6%
	Trade/Voc, Associate degree or some college	40.4%	26.5%	12.3%	9.3%	11.5%
	Bachelor's degree	30.1%	32.6%	17.9%	10.3%	9.1%
	Graduate or professional degree	36.1%	18.4%	29.3%	12.5%	3.7%
Poverty 200%	200% poverty or less	41.4%	25.9%	17.4%	9.1%	6.2%
	Greater than 200% poverty	35.9%	29.1%	18.7%	6.9%	9.3%
Local Comparisons						
Local Comparisons	Benton	30.2%	29.6%	8.8%	15.6%	15.7%
	Region	38.0%	27.6%	12.5%	9.8%	12.1%
	Rural Stearns	51.3%	23.2%	9.3%	5.2%	11.0%
	Sherburne	41.0%	28.8%	7.0%	9.1%	14.1%
	St. Cloud	27.8%	29.1%	18.5%	13.6%	11.0%

217. In your opinion, how much of a problem is discrimination based on being overweight or obese in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		37.6%	32.1%	15.5%	3.9%	11.0%
Gender	Male	48.3%	30.6%	8.7%	2.5%	9.9%
	Female	26.2%	33.6%	22.8%	5.3%	12.1%
Age groups	18-34	44.0%	33.0%	11.9%	2.5%	8.6%
	35-44	43.9%	24.6%	14.4%	3.3%	13.9%
	45-54	27.7%	34.8%	19.8%	8.1%	9.7%
	55-64	32.7%	36.1%	19.3%	4.2%	7.7%
	65-74	28.9%	37.9%	16.2%	2.2%	14.8%
	75+	35.8%	21.7%	17.2%	2.6%	22.6%
Education	High school graduate/GED or less	49.9%	24.7%	7.8%	2.2%	15.4%
	Trade/Voc, Associate degree or some college	39.0%	27.9%	11.0%	7.2%	14.9%
	Bachelor's degree	31.7%	43.6%	15.5%	2.0%	7.3%
	Graduate or professional degree	34.2%	23.8%	32.3%	3.0%	6.8%
Poverty 200%	200% poverty or less	31.1%	31.0%	23.6%	4.8%	9.5%
	Greater than 200% poverty	35.0%	36.0%	14.9%	4.3%	9.9%
Local Comparisons	Benton	29.1%	31.3%	17.9%	9.3%	12.4%
	Region	35.9%	33.3%	14.4%	4.6%	11.8%
	Rural Stearns	45.7%	28.5%	11.0%	3.8%	11.1%
	Sherburne	35.9%	36.4%	11.0%	3.6%	13.0%
	St. Cloud	29.4%	33.5%	20.0%	5.9%	11.2%

218. In your opinion, how much of a problem is discrimination based on something else in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		52.5%	4.6%	3.9%	2.3%	36.7%
Gender	Male	61.1%	5.7%	3.2%	2.4%	27.7%
	Female	43.7%	3.6%	4.6%	2.3%	45.8%
Age groups	18-34	55.3%	0.0%	2.0%	0.0%	42.7%
	35-44	64.6%	1.7%	0.0%	5.2%	28.6%
	45-54	35.2%	12.1%	7.4%	2.8%	42.4%
	55-64	54.3%	8.5%	8.8%	4.3%	24.0%
	65-74	57.2%	5.8%	0.8%	1.7%	34.5%
	75+	48.7%	4.0%	6.4%	2.3%	38.6%
Education	High school graduate/GED or less	56.7%	11.2%	1.3%	3.2%	27.6%
	Trade/Voc, Associate degree or some college	42.7%	6.2%	6.2%	2.5%	42.5%
	Bachelor's degree	59.0%	2.2%	0.0%	1.9%	36.8%
	Graduate or professional degree	52.2%	0.0%	9.4%	2.0%	36.3%
Poverty 200%	200% poverty or less	37.0%	5.5%	1.3%	5.9%	50.3%
	Greater than 200% poverty	55.7%	5.3%	5.2%	1.9%	31.9%
Local Comparisons	Benton	41.6%	7.5%	3.2%	4.8%	42.9%
	Region	48.1%	7.0%	3.3%	5.9%	35.6%
	Rural Stearns	58.4%	6.0%	3.3%	3.2%	29.0%
	Sherburne	44.1%	10.7%	2.5%	12.1%	30.6%
	St. Cloud	43.5%	4.6%	4.2%	3.2%	44.5%

219. In your opinion, how much of a problem is smoking or other tobacco use in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		18.4%	23.0%	32.0%	14.5%	12.1%
Gender	Male	26.8%	22.2%	29.4%	11.4%	10.2%
	Female	9.8%	23.7%	34.7%	17.6%	14.1%
Age groups	18-34	15.5%	14.8%	33.2%	21.8%	14.7%
	35-44	14.9%	35.8%	34.5%	6.7%	8.1%
	45-54	12.9%	27.6%	35.7%	16.1%	7.6%
	55-64	28.9%	23.8%	28.0%	9.5%	9.7%
	65-74	20.4%	31.8%	26.7%	8.2%	12.9%
	75+	33.2%	14.3%	24.4%	5.6%	22.5%
Education	High school graduate/GED or less	32.6%	15.4%	15.6%	10.8%	25.5%
	Trade/Voc, Associate degree or some college	19.3%	22.7%	27.2%	17.3%	13.4%
	Bachelor's degree	15.2%	30.4%	37.6%	11.2%	5.7%
	Graduate or professional degree	7.0%	16.7%	47.5%	19.8%	9.0%
Poverty 200%	200% poverty or less	20.4%	6.7%	28.0%	24.7%	20.2%
	Greater than 200% poverty	15.6%	28.5%	36.5%	10.5%	8.8%
Local Comparisons						
Local Comparisons	Benton	15.6%	29.0%	30.7%	11.5%	13.2%
	Region	16.9%	29.0%	30.6%	12.3%	11.2%
	Rural Stearns	32.0%	25.8%	24.6%	6.0%	11.6%
	Sherburne	14.8%	39.6%	28.2%	8.8%	8.6%
	St. Cloud	10.6%	22.2%	36.4%	18.4%	12.5%

220. In your opinion, how much of a problem is the use of e-cigarettes/vaping for nicotine products in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		17.6%	20.6%	28.2%	18.4%	15.1%
Gender	Male	25.8%	21.5%	25.0%	16.9%	10.9%
	Female	9.2%	19.8%	31.6%	20.0%	19.4%
Age groups	18-34	16.0%	18.0%	25.3%	19.4%	21.3%
	35-44	12.0%	29.6%	30.9%	17.9%	9.5%
	45-54	12.0%	18.5%	37.9%	23.1%	8.5%
	55-64	28.5%	17.1%	24.8%	19.1%	10.4%
	65-74	20.6%	29.8%	23.4%	12.4%	13.9%
	75+	28.7%	17.3%	24.3%	8.3%	21.5%
Education	High school graduate/GED or less	32.2%	12.1%	15.3%	13.2%	27.3%
	Trade/Voc, Associate degree or some college	17.8%	23.5%	22.9%	22.1%	13.7%
	Bachelor's degree	14.7%	22.2%	37.5%	18.0%	7.5%
	Graduate or professional degree	6.5%	20.5%	34.1%	17.9%	20.9%
Poverty 200%	200% poverty or less	17.6%	4.1%	24.7%	31.4%	22.2%
	Greater than 200% poverty	15.0%	25.4%	32.7%	14.6%	12.3%
Local Comparisons	Benton	18.9%	22.6%	31.3%	14.2%	12.9%
	Region	18.5%	21.0%	30.1%	16.2%	14.2%
	Rural Stearns	30.5%	24.4%	21.8%	9.4%	14.0%
	Sherburne	19.8%	20.8%	32.9%	13.3%	13.2%
	St. Cloud	11.5%	18.5%	32.7%	22.6%	14.6%

221. In your opinion, how much of a problem is the abuse of prescription drugs in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		16.5%	19.2%	28.9%	20.7%	14.7%
Gender	Male	22.6%	20.6%	30.3%	14.2%	12.3%
	Female	10.2%	17.7%	27.4%	27.4%	17.3%
Age groups	18-34	13.3%	18.9%	27.2%	26.2%	14.4%
	35-44	10.7%	22.4%	36.4%	16.7%	13.7%
	45-54	12.0%	21.3%	29.9%	20.8%	16.0%
	55-64	29.3%	16.1%	25.8%	18.7%	10.1%
	65-74	19.3%	19.6%	33.0%	13.4%	14.7%
	75+	29.4%	13.6%	20.6%	12.0%	24.4%
Education	High school graduate/GED or less	32.5%	16.8%	13.8%	7.4%	29.5%
	Trade/Voc, Associate degree or some college	16.8%	14.5%	30.5%	25.0%	13.2%
	Bachelor's degree	11.8%	27.4%	33.4%	16.6%	10.9%
	Graduate or professional degree	7.3%	14.6%	32.4%	35.1%	10.6%
Poverty 200%	200% poverty or less	17.3%	9.2%	21.2%	28.3%	24.0%
	Greater than 200% poverty	13.8%	23.4%	32.9%	18.0%	11.9%
Local Comparisons						
Local Comparisons	Benton	16.2%	19.8%	30.1%	12.9%	21.1%
	Region	15.4%	18.3%	30.7%	18.8%	16.8%
	Rural Stearns	28.9%	25.0%	20.2%	10.5%	15.5%
	Sherburne	13.1%	16.1%	34.1%	18.3%	18.4%
	St. Cloud	9.6%	15.4%	34.7%	24.2%	16.2%

222. In your opinion, how much of a problem is illegal drug use among youth in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		11.7%	16.1%	35.2%	24.1%	12.9%
Gender	Male	16.0%	17.9%	34.4%	20.5%	11.2%
	Female	7.2%	14.2%	36.0%	27.9%	14.7%
Age groups	18-34	12.0%	12.0%	41.2%	24.4%	10.4%
	35-44	5.4%	18.2%	35.9%	26.4%	14.1%
	45-54	4.6%	17.3%	35.5%	26.2%	16.4%
	55-64	19.9%	24.5%	22.4%	25.6%	7.7%
	65-74	15.6%	18.6%	35.0%	12.7%	18.1%
	75+	22.1%	11.0%	26.3%	22.2%	18.4%
Education	High school graduate/GED or less	26.1%	13.5%	11.1%	20.1%	29.2%
	Trade/Voc, Associate degree or some college	11.2%	10.9%	38.4%	30.1%	9.4%
	Bachelor's degree	6.5%	24.2%	38.1%	23.0%	8.2%
	Graduate or professional degree	6.5%	12.8%	49.4%	19.1%	12.2%
Poverty 200%	200% poverty or less	15.3%	3.4%	30.2%	25.8%	25.2%
	Greater than 200% poverty	7.9%	20.4%	38.2%	22.7%	10.8%
<hr/>						
Local Comparisons	Benton	12.8%	24.2%	27.3%	23.0%	12.8%
	Region	13.3%	19.0%	32.0%	21.3%	14.3%
	Rural Stearns	22.5%	23.4%	30.7%	11.8%	11.6%
	Sherburne	16.5%	21.6%	28.7%	15.6%	17.5%
	St. Cloud	6.5%	14.3%	35.5%	30.3%	13.4%

223. In your opinion, how much of a problem is illegal drug use in adults in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		13.4%	17.8%	31.8%	24.1%	12.9%
Gender	Male	18.5%	21.0%	29.9%	19.6%	11.0%
	Female	8.0%	14.5%	33.8%	28.8%	14.8%
Age groups	18-34	15.0%	17.4%	30.5%	26.8%	10.4%
	35-44	7.5%	14.0%	33.7%	30.5%	14.3%
	45-54	5.5%	17.4%	38.8%	23.2%	15.0%
	55-64	19.4%	24.6%	28.6%	19.7%	7.7%
	65-74	16.6%	17.2%	32.3%	15.0%	18.8%
	75+	22.7%	17.5%	22.5%	17.3%	20.0%
Education	High school graduate/GED or less	26.4%	15.7%	14.3%	15.9%	27.7%
	Trade/Voc, Associate degree or some college	15.2%	11.2%	33.2%	30.9%	9.5%
	Bachelor's degree	7.5%	27.1%	35.6%	21.0%	8.8%
	Graduate or professional degree	6.5%	14.8%	40.8%	25.9%	11.9%
Poverty 200%	200% poverty or less	22.8%	5.3%	14.0%	31.4%	26.6%
	Greater than 200% poverty	8.6%	22.4%	36.7%	21.5%	10.8%
<hr/>						
Local Comparisons	Benton	13.0%	21.2%	31.5%	22.1%	12.2%
	Region	14.2%	17.9%	32.5%	21.1%	14.3%
	Rural Stearns	23.1%	24.2%	29.5%	12.1%	11.1%
	Sherburne	16.1%	16.2%	34.2%	15.5%	18.0%
	St. Cloud	8.6%	14.2%	33.3%	30.5%	13.3%

224. In your opinion, how much of a problem is depression among youth in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		9.2%	17.6%	30.1%	28.4%	14.7%
Gender	Male	13.2%	25.4%	29.1%	18.4%	13.9%
	Female	5.1%	9.5%	31.2%	38.7%	15.5%
Age groups	18-34	6.6%	10.8%	34.8%	33.7%	14.2%
	35-44	5.4%	21.3%	36.8%	23.9%	12.7%
	45-54	5.5%	16.6%	26.2%	35.7%	16.1%
	55-64	18.4%	27.9%	20.3%	26.0%	7.4%
	65-74	12.1%	26.3%	27.1%	14.6%	19.9%
	75+	20.7%	18.3%	23.5%	11.3%	26.3%
Education	High school graduate/GED or less	21.2%	18.8%	17.5%	10.5%	32.0%
	Trade/Voc, Associate degree or some college	11.9%	15.1%	28.7%	31.6%	12.7%
	Bachelor's degree	1.1%	24.5%	39.3%	31.6%	3.5%
	Graduate or professional degree	6.8%	7.3%	27.6%	34.6%	23.7%
Poverty 200%	200% poverty or less	12.0%	10.8%	26.2%	27.0%	24.0%
	Greater than 200% poverty	8.0%	18.8%	30.3%	31.2%	11.7%
Local Comparisons						
Local Comparisons	Benton	10.3%	21.4%	26.0%	30.7%	11.5%
	Region	8.2%	17.9%	30.5%	29.6%	13.8%
	Rural Stearns	17.3%	25.6%	25.7%	16.2%	15.2%
	Sherburne	5.3%	16.9%	33.1%	31.2%	13.4%
	St. Cloud	5.0%	13.5%	31.9%	36.3%	13.3%

225. In your opinion, how much of a problem is depression among adults in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		9.0%	19.1%	35.6%	23.3%	13.1%
Gender	Male	13.1%	26.8%	35.4%	13.2%	11.6%
	Female	4.8%	11.0%	35.9%	33.7%	14.6%
Age groups	18-34	6.6%	16.1%	38.9%	27.1%	11.2%
	35-44	6.1%	14.0%	48.2%	19.0%	12.7%
	45-54	3.7%	23.4%	30.7%	27.5%	14.7%
	55-64	19.7%	21.1%	30.2%	23.0%	6.0%
	65-74	10.8%	27.0%	28.4%	16.3%	17.5%
	75+	19.3%	21.7%	21.8%	9.8%	27.4%
Education	High school graduate/GED or less	20.2%	18.6%	29.6%	7.3%	24.4%
	Trade/Voc, Associate degree or some college	10.4%	15.5%	30.5%	31.6%	12.0%
	Bachelor's degree	2.1%	28.3%	46.6%	20.1%	2.8%
	Graduate or professional degree	7.3%	8.1%	29.1%	30.3%	25.3%
Poverty 200%	200% poverty or less	11.3%	8.4%	35.6%	27.9%	16.7%
	Greater than 200% poverty	7.9%	21.3%	35.4%	24.2%	11.1%
Local Comparisons						
Local Comparisons	Benton	9.8%	19.9%	30.0%	30.2%	10.2%
	Region	8.1%	18.5%	35.7%	25.1%	12.7%
	Rural Stearns	16.9%	25.2%	28.6%	15.2%	14.1%
	Sherburne	5.7%	16.8%	38.4%	26.0%	13.2%
	St. Cloud	4.7%	15.0%	37.8%	31.1%	11.4%

226. In your opinion, how much of a problem is suicide among youth in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		16.3%	22.2%	22.6%	22.2%	16.7%
Gender	Male	24.9%	26.0%	16.1%	18.2%	14.7%
	Female	7.3%	18.3%	29.2%	26.4%	18.8%
Age groups	18-34	19.2%	13.1%	21.2%	29.1%	17.4%
	35-44	11.3%	19.6%	35.5%	20.1%	13.4%
	45-54	6.7%	29.5%	25.1%	20.3%	18.4%
	55-64	25.2%	33.9%	13.4%	20.5%	7.0%
	65-74	14.9%	35.6%	15.5%	12.8%	21.2%
	75+	20.9%	19.5%	20.3%	10.1%	29.2%
Education	High school graduate/GED or less	25.9%	22.7%	11.7%	7.4%	32.2%
	Trade/Voc, Associate degree or some college	13.2%	22.9%	11.3%	36.1%	16.5%
	Bachelor's degree	18.3%	21.1%	34.3%	21.6%	4.7%
	Graduate or professional degree	6.8%	23.2%	32.5%	11.8%	25.8%
Poverty 200%	200% poverty or less	13.7%	18.9%	20.6%	14.1%	32.8%
	Greater than 200% poverty	11.7%	24.4%	25.6%	25.8%	12.5%
Local Comparisons						
Local Comparisons	Benton	14.2%	25.3%	26.1%	21.7%	12.6%
	Region	13.8%	22.9%	24.9%	22.3%	16.1%
	Rural Stearns	24.8%	27.8%	18.1%	11.8%	17.6%
	Sherburne	9.3%	23.0%	28.5%	22.5%	16.7%
	St. Cloud	10.5%	19.5%	26.3%	28.0%	15.7%

227. In your opinion, how much of a problem is suicide among adults in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		15.5%	26.5%	23.6%	18.7%	15.8%
Gender	Male	24.1%	31.8%	16.6%	12.9%	14.7%
	Female	6.6%	20.9%	30.8%	24.7%	16.9%
Age groups	18-34	18.1%	22.3%	19.1%	23.9%	16.6%
	35-44	8.2%	22.0%	38.4%	18.0%	13.4%
	45-54	7.7%	32.8%	25.4%	17.8%	16.2%
	55-64	24.6%	30.7%	21.4%	15.9%	7.4%
	65-74	13.9%	35.0%	19.8%	10.8%	20.5%
	75+	22.7%	24.4%	18.1%	9.0%	25.8%
Education	High school graduate/GED or less	23.3%	27.9%	10.9%	6.6%	31.3%
	Trade/Voc, Associate degree or some college	13.3%	23.2%	13.2%	35.3%	15.0%
	Bachelor's degree	17.3%	30.7%	36.0%	12.0%	3.9%
	Graduate or professional degree	6.8%	23.4%	32.1%	12.3%	25.4%
Poverty 200%	200% poverty or less	13.2%	20.6%	23.3%	13.4%	29.6%
	Greater than 200% poverty	10.8%	29.6%	25.3%	22.4%	11.8%
Local Comparisons	Benton	14.7%	27.6%	27.8%	17.1%	12.8%
	Region	13.8%	26.2%	28.5%	15.5%	16.1%
	Rural Stearns	24.8%	30.0%	19.6%	9.9%	15.7%
	Sherburne	10.2%	25.2%	37.4%	9.1%	18.1%
	St. Cloud	9.7%	24.4%	27.3%	23.1%	15.5%

228. In your opinion, how much of a problem are other mental health issues, such as anxiety or panic attacks, memory loss, Alzheimer's or another form of dementia, etc. in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		9.0%	18.9%	33.0%	29.7%	9.3%
Gender	Male	13.2%	26.9%	33.2%	16.4%	10.2%
	Female	4.8%	10.5%	32.8%	43.5%	8.4%
Age groups	18-34	6.6%	20.9%	31.5%	34.6%	6.4%
	35-44	5.4%	17.0%	38.9%	26.7%	11.9%
	45-54	3.7%	21.2%	28.9%	36.5%	9.7%
	55-64	21.0%	13.8%	35.2%	24.4%	5.5%
	65-74	12.6%	19.6%	36.6%	16.9%	14.3%
	75+	16.8%	14.6%	31.1%	17.6%	19.8%
Education	High school graduate/GED or less	20.3%	16.5%	31.7%	8.7%	22.9%
	Trade/Voc, Associate degree or some college	10.6%	16.5%	30.8%	33.1%	8.9%
	Bachelor's degree	2.4%	26.7%	31.4%	37.8%	1.7%
	Graduate or professional degree	6.5%	10.1%	42.1%	28.7%	12.5%
Poverty 200%	200% poverty or less	11.8%	16.4%	24.3%	34.3%	13.3%
	Greater than 200% poverty	8.1%	18.2%	37.8%	28.7%	7.2%
Local Comparisons	Benton	13.9%	17.2%	32.8%	27.7%	8.5%
	Region	9.2%	19.7%	31.7%	28.2%	11.2%
	Rural Stearns	15.7%	22.0%	30.5%	19.6%	12.3%
	Sherburne	7.4%	22.3%	28.7%	25.9%	15.7%
	St. Cloud	6.9%	16.1%	33.9%	35.7%	7.4%

229. In your opinion, how much of a problem is difficulty obtaining mental health services for youth in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		16.6%	22.6%	19.4%	27.3%	14.2%
Gender	Male	24.8%	31.9%	13.6%	15.8%	14.0%
	Female	8.1%	12.9%	25.5%	39.2%	14.3%
Age groups	18-34	16.6%	22.0%	13.5%	40.7%	7.2%
	35-44	13.3%	17.0%	36.3%	21.5%	11.9%
	45-54	7.2%	34.6%	13.8%	24.4%	20.0%
	55-64	27.2%	18.7%	29.7%	15.1%	9.3%
	65-74	19.1%	22.9%	16.5%	16.3%	25.2%
	75+	24.7%	14.0%	12.3%	12.3%	36.7%
Education	High school graduate/GED or less	33.5%	18.3%	15.1%	4.8%	28.2%
	Trade/Voc, Associate degree or some college	15.1%	18.6%	20.2%	31.9%	14.1%
	Bachelor's degree	13.5%	32.0%	20.0%	27.5%	7.0%
	Graduate or professional degree	6.8%	16.2%	21.7%	41.5%	13.9%
Poverty 200%	200% poverty or less	23.6%	10.6%	18.2%	25.2%	22.4%
	Greater than 200% poverty	12.9%	24.5%	21.1%	30.4%	11.2%
Local Comparisons	Benton	15.4%	17.5%	21.5%	30.5%	15.1%
	Region	16.2%	21.6%	21.1%	27.0%	14.1%
	Rural Stearns	22.3%	25.5%	18.5%	16.5%	17.1%
	Sherburne	15.8%	21.8%	23.8%	25.0%	13.5%
	St. Cloud	12.4%	19.2%	20.4%	35.6%	12.3%

230. In your opinion, how much of a problem is difficulty obtaining mental health services for adults in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Stearns Total		15.9%	23.2%	20.2%	27.6%	13.1%
Gender	Male	23.4%	31.2%	16.2%	16.2%	13.0%
	Female	8.1%	14.9%	24.4%	39.4%	13.1%
Age groups	18-34	15.5%	23.7%	12.9%	40.7%	7.2%
	35-44	11.7%	20.4%	34.2%	21.7%	11.9%
	45-54	7.3%	32.8%	17.3%	25.3%	17.4%
	55-64	27.7%	15.3%	31.8%	17.4%	7.7%
	65-74	18.4%	27.0%	19.1%	15.7%	19.8%
	75+	24.0%	12.9%	15.2%	10.8%	37.1%
Education	High school graduate/GED or less	32.2%	17.7%	15.4%	8.2%	26.6%
	Trade/Voc, Associate degree or some college	16.1%	17.6%	21.1%	32.2%	13.0%
	Bachelor's degree	11.3%	35.3%	19.9%	27.3%	6.3%
	Graduate or professional degree	6.8%	14.9%	24.9%	40.2%	13.3%
Poverty 200%	200% poverty or less	25.5%	9.5%	18.1%	25.5%	21.4%
	Greater than 200% poverty	11.5%	25.4%	21.8%	30.8%	10.5%
Local Comparisons	Benton	15.1%	17.7%	23.2%	29.0%	15.0%
	Region	15.7%	22.0%	22.3%	26.6%	13.5%
	Rural Stearns	23.2%	25.5%	19.2%	15.9%	16.2%
	Sherburne	15.6%	21.8%	25.3%	23.7%	13.6%
	St. Cloud	10.9%	20.2%	22.2%	35.5%	11.3%

Appendices

Central Minnesota Community Health Survey Tool

CENTRAL MINNESOTA COMMUNITY HEALTH SURVEY

SURVEY INSTRUCTIONS



Correct marks



Incorrect marks

- Please use #2 pencil or blue or black pen to complete this survey.
- Do not use red pencil or ink.
- Do not use X's or check marks to indicate your responses.
- Fill response ovals completely with heavy, dark marks.

INSTRUCTION: Please give this survey to the adult (age 18 or over) in the household who has most recently had a birthday.

GENERAL HEALTH AND HEALTH CARE

1. In general, would you say that your health is:

- Excellent
 Very good
 Good
 Fair
 Poor

2. Have you ever been told by a doctor, nurse or other health care professional that you had any of the following health conditions?

	No	Yes	Yes, but only related to pregnancy
a. Diabetes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Pre-diabetes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. High blood pressure/hypertension	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Pre-hypertension	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Depression	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Anxiety or panic attacks	<input type="radio"/>	<input type="radio"/>	
g. Memory loss, Alzheimer's disease or another form of dementia	<input type="radio"/>	<input type="radio"/>	
h. Post-traumatic stress disorder (PTSD)	<input type="radio"/>	<input type="radio"/>	
i. Other mental health issues	<input type="radio"/>	<input type="radio"/>	
j. Sleep-related disorders (such as insomnia, restless leg syndrome or sleep apnea)	<input type="radio"/>	<input type="radio"/>	
k. Cancer	<input type="radio"/>	<input type="radio"/>	
l. Heart trouble or angina	<input type="radio"/>	<input type="radio"/>	
m. Stroke or stroke-related health issues	<input type="radio"/>	<input type="radio"/>	
n. High cholesterol or triglycerides	<input type="radio"/>	<input type="radio"/>	
o. Chronic lung disease (including COPD, chronic bronchitis or emphysema)	<input type="radio"/>	<input type="radio"/>	
p. Asthma	<input type="radio"/>	<input type="radio"/>	
q. Arthritis	<input type="radio"/>	<input type="radio"/>	
r. Risk of falling	<input type="radio"/>	<input type="radio"/>	
s. Sexually transmitted diseases/infections (Chlamydia, HIV, etc.)	<input type="radio"/>	<input type="radio"/>	

3. Is there a place that you usually go to when you are sick or need medical care?

(Mark only ONE answer)

- | | | |
|-----------------------------------------------------------------------------------|------------------------------------------------|-------------------------------------------------|
| <input type="radio"/> I do not have a place I usually go when I need medical care | <input type="radio"/> An emergency room | <input type="radio"/> Religious healer |
| <input type="radio"/> A doctor's office | <input type="radio"/> Some other health center | <input type="radio"/> Google/Internet |
| <input type="radio"/> A hospital outpatient clinic | <input type="radio"/> Schedule an e-visit | <input type="radio"/> Trusted family or friends |
| <input type="radio"/> Public health | <input type="radio"/> Call a nurse line | <input type="radio"/> Some other place: _____ |
| <input type="radio"/> A chiropractor's office | <input type="radio"/> Traditional healer | |
| <input type="radio"/> An urgent care center | | |

DO NOT WRITE IN THIS BOX



4. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?

- Within the past year
- Within the past 2 years
- Within the past 5 years
- 5 or more years ago
- Never

5. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?

- Yes
- No ► IF NO, GO TO QUESTION 7

6. Why did you not get or delay getting the medical care you thought you needed?

(Mark ALL that apply)

- The care I needed cost too much
- My co-pay was too expensive
- My deductible was too expensive
- My insurance did not cover it
- I did not have insurance
- I could not get an appointment
- I had transportation problems
- I did not think it was serious enough
- I was too nervous or afraid
- I don't trust the health care system
- The clinic cancelled my appointment due to COVID-19
- I cancelled my appointment due to COVID-19
- I did not have access to telehealth or a virtual visit
- Other reason _____

7. During the past 12 months, was there a time when you thought you needed dental care but did not get it or delayed getting it?

- Yes
- No ► IF NO, GO TO QUESTION 9

8. Why did you not get or delay getting the dental care you thought you needed?

(Mark ALL that apply)

- The care I needed cost too much
- My co-pay was too expensive
- My deductible was too expensive
- My insurance did not cover it
- I did not have insurance
- The dentist would not accept my insurance
- I could not get an appointment
- I had transportation problems
- I did not think it was serious enough
- I was too nervous or afraid
- I don't trust the health care system
- The office cancelled my appointment due to COVID-19
- I cancelled my appointment due to COVID-19
- I did not have access to telehealth or a virtual visit
- Other reason _____

9. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about mental health issues such as stress, depression, excess worrying, troubling thoughts or emotional problems, but did not or delayed talking with someone?

- Yes
- No ► IF NO, GO TO QUESTION 11

10. Why did you not get or delay getting the mental health care you thought you needed?

(Mark ALL that apply)

- The care I needed cost too much
- My co-pay was too expensive
- My deductible was too expensive
- My insurance did not cover it
- I did not have insurance
- I could not get an appointment
- I had transportation problems
- I did not think it was serious enough
- I was too nervous or afraid
- I was afraid someone I know would see me
- I don't trust the health care system
- The office cancelled my appointment due to COVID-19
- I cancelled my appointment due to COVID-19
- I did not have access to telehealth or a virtual visit
- Other reason _____

11. During the past 30 days, for about how many days have you felt sad, blue, or depressed? →

		Days
0	0	
1	1	
2	2	
3	3	
	4	
	5	
	6	
	7	
	8	
	9	

12. Which statement best describes the medications prescribed for you in the past 6 months?

- I had no medications prescribed for me ► **GO TO QUESTION 14**
- I had medications prescribed for me and I filled them all ► **GO TO QUESTION 14**
- I had medications prescribed for me and I did not fill at least one of them ► **GO TO QUESTION 13**

13. Why did you not fill at least one prescription?
(Mark ALL that apply)

- The medication I needed cost too much
- My co-pay was too expensive
- My deductible was too expensive
- My insurance did not cover it
- I did not have insurance
- I do not like taking medications
- I did not like the side effects
- I had transportation problems
- Pharmacy services are not available in my community
- Other reason _____

14. Which of the following types of health insurance do you have?

(Please mark yes or no for each.)

	Yes	No
a. Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer	<input type="radio"/>	<input type="radio"/>
b. Health insurance or coverage bought directly by you or your family	<input type="radio"/>	<input type="radio"/>
c. Indian or Tribal Health Service	<input type="radio"/>	<input type="radio"/>
d. Medicare or Medicare Supplement (such as Part D)	<input type="radio"/>	<input type="radio"/>
e. Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)	<input type="radio"/>	<input type="radio"/>
f. MinnesotaCare	<input type="radio"/>	<input type="radio"/>
g. Health Insurance through MnSure	<input type="radio"/>	<input type="radio"/>
h. CHAMPUS, TRICARE, or Veteran's benefits	<input type="radio"/>	<input type="radio"/>
i. Other health insurance or coverage (please specify) _____	<input type="radio"/>	<input type="radio"/>
j. I don't have health insurance	<input type="radio"/>	<input type="radio"/>

15. A serving of fruit is a medium-sized fruit or a half cup chopped, cut, or canned fruit. How many servings of fruit did you have yesterday?

Number of Servings:

0 1 2 3 4 5 6 7 8 9 10 11 12 or more

16. A serving of 100% fruit juice is 6 ounces. How many servings of fruit juice did you have yesterday?

Number of Servings:

0 1 2 3 4 5 6 7 8 9 10 11 12 or more

17. A serving of vegetables-not including french fries- is one cup of salad greens or a half cup of vegetables. How many servings of vegetables did you have yesterday?

Number of Servings:

0 1 2 3 4 5 6 7 8 9 10 11 12 or more

18. How often did you drink the following beverages in the past week?

Never or less than 1 time per week 1 time per week 2-4 times per week 5-6 times per week 1 time per day 2-3 times per day 4 or more times per day

- | | | | | | | | |
|-------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| a. Fruit drinks (such as Snapple, flavored teas, Capri Sun or Kool-Aid) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. Sports drinks (such as Gatorade or Powerade); these drinks usually do <u>not</u> have caffeine | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| c. Regular soda or pop (include all kinds such as Coke, Pepsi, 7-Up, Sprite or root beer) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| d. Energy drinks (such as Rockstar, Red Bull, Monster or Full Throttle); these drinks usually have caffeine | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

19. During the past 12 months, have you used a community food shelf program or a community food box program?

- Yes No

20. How often do you or others in your household buy or get food from the following places?

Never or less than 1 time per month About 1 time per month About 2 or 3 times per month About 1 time per week 2 or more times per week

- | | | | | | |
|----------------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| a. Supermarket or large grocery store | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. Small grocery store | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| c. Convenience store or gas station | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| d. Food shelf, food pantry or community food box program | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| e. Some other place: _____ | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

21. During the past 12 months, how often did you worry that your food would run out before you had money to buy more?

- Often Sometimes Rarely Never

22. During the past 30 days, other than your regular job, did you participate in any physical activity or exercises such as running, calisthenics, golf, gardening or walking for exercise?

- Yes No

23. During an average week, other than your regular job, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate activities cause only light sweating and a small increase in breathing or heart rate.)

- 0 days 1 day 2 days 3 days 4 days 5 days 6 days 7 days

24. During an average week, other than your regular job, on how many days do you get at least 20 minutes of vigorous physical activity? (Vigorous activities cause heavy sweating and a large increase in breathing and heart rate.)

- 0 days 1 day 2 days 3 days 4 days 5 days 6 days 7 days

25. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

	Not a problem	A small problem	A big problem
a. Lack of programs or facilities	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Public facilities (schools, sports fields, etc.) are not open or available at the times I want to use them	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Distance I have to travel to a fitness or community center, parks or walking trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. No safe place to be physically active	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Not having sidewalks or walking paths/trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Poor maintenance of sidewalks or walking paths/trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Other reason (please specify): _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

26. How often do you feel safe in your community?

- Often Sometimes Rarely Never

26a. Why do you feel this way? _____

27. If you were to experience or witness a crime or harassment in your community, how safe would you feel calling the police or sheriff for help?

- Very safe Fairly safe Not very safe Not at all safe

28. During the past 12 months, have you experienced any of the following situations? If yes, have you felt you were discriminated against during the situation?

	Experienced the situation		Felt discriminated against	
	No	Yes →	No	Yes
a. Applied for a job?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Worked at a job?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Received medical care?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Looked for a different house or apartment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Applied for a credit card, bank loan or a mortgage?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Shopped at a store or eaten at a restaurant?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Applied for social services or public assistance?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Dealt with the police?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Appeared in court?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

29. If you felt discriminated against in any of the above situations, what was the reason(s)?

(Mark ALL that apply)

- I did not experience any discrimination Disability
 Race, color, ethnicity or country of origin Religion
 Age Being overweight or obese
 Gender Other, please specify: _____
 Sexual orientation
 Gender identity

30. Have you smoked at least 100 cigarettes in your entire life? (100 cigarettes = 5 packs)

- Yes
 No ► GO TO QUESTION 33

31. Do you now smoke cigarettes every day, some days or not at all?

- Every day
 Some days
 Not at all ► GO TO QUESTION 33

32. During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit?

- Yes
 No

33. How often do you use any of the following products?

	Every day	Some days	Not at all
a. Cigars, cigarillos or little cigars	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Pipes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Snuff, snus or chewing tobacco	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. E-cigarettes or vaping devices to smoke nicotine products (do not include marijuana or THC products)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. A hookah water pipe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Any other type of tobacco product	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

34. How often do you feel lonely or isolated from those around you?

- Always
- Often
- Sometimes
- Rarely
- Never

35. Have you ever considered attempting suicide? (Mark ALL that apply)

- No
- Yes, during the last 6 months
- Yes, during the last year
- Yes, more than a year ago

36. Have you experienced any losses related to the COVID-19 pandemic? (Mark ALL that apply)

- None
- Job (layoff, furlough, hours reduction)
- Income
- Housing
- Health Insurance
- Transportation
- Child care
- Regular school routine
- Social connectedness
- Social support
- Sense of wellness
- Recreation or entertainment
- Exercise opportunities
- Death of family member or friend
- Other: _____

37. Where do you usually get health, wellness, and medical information?

(Please mark UP TO 3 sources)

- E-mail alert or e-newsletter
- Newspaper (print or online)
- Brochure, newsletter, magazine or other print material
- Text message
- Social media such as Facebook or Twitter
- Websites or internet
- Phone apps
- Nurse or other health professional at a church, synagogue, mosque, etc.
- Television
- Radio
- Medical professionals
- Pharmacy
- Community Health Worker
- Family or friends
- Health fairs or other health-related community events
- Other: _____

COMMUNITY CONCERNS

38. In your opinion, how much of a problem is each of these issues in your county?

No Problem Minor Problem Moderate Problem Serious Problem No Opinion

A. ISSUES FOR FAMILIES

1. Families experiencing financial stress	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Parents with inadequate or poor parenting skills	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Childhood trauma	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Bullying	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Abuse and neglect of children	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. Abuse and neglect of vulnerable adults	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

B. SOCIAL EXPERIENCE

1. Racism	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. White privilege (inherent advantages possessed by a white person on the basis of their race in a society characterized by racial inequality and injustice)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Police brutality	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

C. DISCRIMINATION

1. Discrimination based on race, color, ethnicity or country of origin	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Discrimination based on age	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Discrimination based on gender	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Discrimination based on sexual orientation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Discrimination based on gender identity	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. Discrimination based on disability	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. Discrimination based on religion	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. Discrimination based on being overweight or obese	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. Discrimination based on something else Please specify: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

D. TOBACCO AND OTHER DRUG USE

1. Smoking or other tobacco use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Use of e-cigarettes/vaping for <u>nicotine</u> products	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Abuse of prescription drugs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Illegal drug use among youth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Illegal drug use among adults	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

E. MENTAL HEALTH

1. Depression among youth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Depression among adults	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Suicide among youth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Suicide among adults	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Other mental health issues, such as anxiety or panic attacks, memory loss, Alzheimer's or another form of dementia, etc.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. Difficulty obtaining mental health services for youth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. Difficulty obtaining mental health services for adults	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

ABOUT YOU

39. What best describes your gender identity? (Mark ALL that apply)

- Male
 Female
 Transgender Male
 Transgender Female
 Non-Binary
 Please describe: _____

40. What best describes your sexual orientation? (Mark ALL that apply)

- Straight/Heterosexual
 Gay/Lesbian
 Bisexual
 Pansexual
 Queer
 Asexual
 Please describe: _____

41. Your age group:

- 18-24
 35-44
 55-64
 75 or older
 25-34
 45-54
 65-74

42. How many adults (including you) and children live in your household?

Number of adults age 18 or older (including you):

1 2 3 4 5 6 7 8 9 10 11 12 or more

Number of children under age 18:

0 1 2 3 4 5 6 7 8 9 10 11 12 or more

43. About how tall are you without shoes?

0	Feet	0	Inches
1		1	
2		2	
3		3	
4		4	
5		5	
6		6	
7		7	
		8	
		9	
		10	
		11	

44. About how much do you weigh without shoes?

0	0	0	Pounds
1	1	1	
2	2	2	
3	3	3	
4	4	4	
5	5	5	
6	6	6	
7	7	7	
8	8	8	
9	9	9	

45. Are you a member of either of the following ethnic or cultural groups?

- | | Yes | No |
|------------------------------|-----------------------|-----------------------|
| a. Hispanic or Latino/Latina | <input type="radio"/> | <input type="radio"/> |
| b. Somali | <input type="radio"/> | <input type="radio"/> |

46. Which of the following best describe you? (Mark ALL that apply)

- American Indian or Alaska Native
 Asian or Asian American
 Black or African American
 African Native
 Native Hawaiian or Pacific Islander
 White
 Other: _____

47. Your education level:

- Did not complete 8th grade
 Did not complete high school
 High school diploma/GED
 Trade/Vocational school
 Some college
 Associate degree
 Bachelor's degree
 Graduate/Professional degree

48. What was your household's total income from all earners and all sources in 2020?

- \$25,000 or less
 \$25,501 - \$34,500
 \$34,501 - \$43,500
 \$43,501 - \$52,500
 \$52,501 - \$61,500
 \$61,501 - \$70,000
 \$70,001 - \$79,000
 \$79,001 - \$88,000
 \$88,001 - \$100,000
 More than \$100,000

Thank you for your participation!